

Visitor Center Feasibility Study SITE 3 - Seacliff Beach Site Aptos, California


VICINITY MAP




/drogeology and Environmental Engineering 120 Westgate Drive, Watsonville, Ca. 95076 (831) 722 - 3580 (831) 662 - 3100












Weber, Hayes & Associates
Hydrogeology and Environmental Engineering
120 Westgate Drive, Watsonville, Ca. 95076
(831) 722 - 3580 (831) 662 - 3100

Street Map
Visitor Center Feasibility Study
SITE 3 - Seacliff State Beach Site Aptos, California

FIGURE Job# 23008





HARDCOPY AT 11:02:24 ON 04/17/03 USER ASR807 ON LU T0856C28 LOGGED ON TO ASR_INQ ACB TU0028

COUNTY OF SANTA CRUZ 04/17/03 CHARACTERISTIC INQUIRY SCREEN 11:02:11 PARCEL NO....: 042 081 04 ASSESSEE NAME..: CALIFORNIA STATE OF SITUS.... MAILING ADDRESS: 101 MADELINE DR CA 95003 **APTOS** USE CODE...... STATE PARK/RECREATION STRUCTURE DATA MAIN BUILDING...SQFT: NO. UNITS....: P00L....: YEAR BUILT(EST)....: 0000 HEAT..... SPA....: CONCRETE.SQFT: DECKS.....SQFT: TOTAL ROOM COUNT...: NO. BEDROOMS. GARAGE...SQFT: NO. FIREPLACES: 0 CARPORT..SOFT: ROOF....: NO. BATHROOMS(F/H)..: 0 / 0 MISC OTHER BUILDINGS: LAND DATA WATER.... SANITATION...: PARCEL SIZE (COMPUTER EST.).....ACRE: 12.146 PARCEL NO....: 042 081 04 NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THIS DATA. JUST PRESS 'ENTER'

HARDCOPY AT 11:02:02 ON 04/17/03 USER ASR807 ON LU T0856C28 LOGGED ON TO ASR_INQ ACB TU0028

PROPERTY PROFILE PARCEL NUMBER
PARCEL NUMBER
PROPERTY LOCATION
{ OWNER'S NAME
{ OWNER'S NAME
DEPT OF PARKS & REC OWNER'S MAILING ADDRESS 101 MADELINE DR APTOS CA 95003 ASSESSMENT ROLL VALUE INFORMATION: LAND
OWNER'S MAILING ADDRESS 101 MADELINE DR APTOS CA 95003 ASSESSMENT ROLL VALUE INFORMATION: LAND
APTOS CA 95003 ASSESSMENT ROLL VALUE INFORMATION: LAND
ASSESSMENT ROLL VALUE INFORMATION: LAND
IMPROVEMENTS
PERSONAL_PROPERTY
{ TOTAL VALUE '
EXEMPTION AMOUNT AND TYPE
CURRENT PREVIOUS
RECORDING REFERENCE 1822-006
RECORDING DATE
PREVIOUS OWNER'S NAME
OR PRESS PF1 FOR PROPERTY CHARACTERISTICS.






1980 Historical Topo Map Soquel - 7.5 Minute Quadrangle (scale: 1 inch = 2,000 feet)



1968 Historical Topo Map

Soquel - 7.5 Minute Quadrangle (scale: 1 inch = 2,000 feet)





The EDR Radius Map with GeoCheck®

Visitor Ctr-Site #3/Seacliff State Beach Santa Cruz Avenue/Broadway Aptos, CA 95003

Inquiry Number: 0960024.9s

April 15, 2003

Data Risk Management The Source For Environmental

3530 Post Road Southport, Connecticut 06890

Nationwide Customer Service

Internet: Telephone: 1-800-352-0050 Fax: 1-800-231-6802 www.edrnet.com

Environmental
Data
Resources, Inc.

TABLE OF CONTENTS

Physical Setting Source Records Searched. Physical Setting Source Map Findings. Physical Setting Source Map.____ Physical Setting Source Summary. Government Records Searched/Data Currency Tracking....-SECTION Physical Setting Source Addendum_____ GEOCHECK ADDENDUM Orphan Summary. Map Findings_____ Map Findings Summary____ Detail Map.____ Executive Summary. PAGE ₽-8 A-7 **A-2** е Р-1 32

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAVING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT ILMITATION, MERCHANTIBLITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVERT SHALL EDER BE LIABLE TO ANYONE, WHETHER ARISING OUT CHERORS OR OMISSIONS, NEGLICENCE, ACCIDENT OR ANY OTHER CAUSE, FOR MY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSECUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2003 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the off logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

FARGET PROPERTY INFORMATION

ADDRESS

SANTA CRUZ AVENUE/BROADWAY APTOS, CA 95003

COORDINATES

Latitude (Vorth); 36.973600 - 36' 58' 25.0" Longitude (West); 121.911400 - 121' 54' 41.0" Liniversal Tranverse Mercator: Zone 10 UTM X (Mesters); 596896.8 UTM Y (Mesters); 492284.2

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

2436121-H8 SOQUEL, CA USGS 7.5 min quad index

Target Property: Source:

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the larget property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

Proposed NPL National Priority List
 Proposed National Priority List Sites
 Compensation, and Liability Information
 Compensation, and Liability Information Resource Conservation and Recovery Information System
. Resource Conservation and Recovery Information System
. Resource Conservation and Recovery Information System
. Emergency Response Notification System Corrective Action Report CERCLIS No Further Remedial Action Planned

STATE ASTM STANDARD

AWP..... Annual Workplan Sites

TC0960024.9s EXECUTIVE SUMMARY 1

EXECUTIVE SUMMARY

Cal-Sites.
Notify 65.
Toxic Pits. Notify 65. Proposition 65 Records

Toxic Pits. Toxic Pits Cleanup Act Sites

SWFILF. Solid Waste information System

WMUDSSWAT. Waste Management Unit Database

CA BOND EXP. FLAN. Waste Management Properties

Voluntary Cleanup Program Properties

NDIAN UST. Underground Storage Tanks on Indian Land Calsites Database

FEDERAL ASTM SUPPLEMENTAL

FRINDS.
Facility Index System Facility dentification initiative Program Summary Report
HMIRS.
Material Lorensing Tracking System
MLTS.
Material Lorensing Tracking System
MINIES.
Meles Master Index File
NPL Liens.
POB Activity Database System
RATS.
RCRA Activity Database System
RATS.
RCRA Administrative Action Tracking System
TRIS.
Toolc Chemical Release Inventory System
TSCA.
Toolc Substances Control Act
STS.
Section 7 Tracking Systems
FITS.
FITS.
FITS.
ROdenticide Act)/TSCA (Toolc Substances Control Act)
Rodenticide Act)/TSCA (Toolc Substances Control Act)
Rodenticide Act)/TSCA (Toolc Substances Control Act) CONSENT..... Delisted NPL Records Of Decision
National Priority List Deletions Superfund (CERCLA) Consent Decrees

STATE OR LOCAL ASTM SUPPLEMENTAL

AST

URROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verifled. EDR's definition of a site with an elevation equal to the target property includes a tolerance of +/- 10 feet. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property (by more than 10 feet). Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in bold Italics are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

TC0960024.94 EXECUTIVE SUMMARY 2

EXECUTIVE SUMMARY

STATE ASTM STANDARD

CHMIRS: The California Hazardous Material Incident Report System contains information on reported hazardous material incidents, i.e., accidental releases or spills. The source is the California Office of Emergency Services.

A review of the CHMIRS list, as provided by EDR, and dated 12/31/2001 has revealed that there are 4 CHMIRS sites within approximately 1 mile of the target property.

Not reported	Lower Elevation	Equal/Higher Elevation Not reported SAFEWAY Not reported
206 BEACH DRIVE	Address	Address 7719 SOQUEL DRIVE 16 RANCHO DEL MAR 600 CATHEDRAL DRIVE
1/2 - 1 SE	Dist / Dir	Dist/Dir 1/4 - 1/2NE 1/2 - 1 NNE 1/2 - 1 NE
8	Map ID	Map ID 119 20
26	Page	Page 16 27 30

CORTESE: This database identifies public drinking water wells with detectable levels of contamination, hazardous substance sites selected for remedial action, sites with known toxic material identified through the abandoned site assessment program, sites with USTs having a reportable release and all solid waste disposal facilities from which there is known migration. The source is the California Environmental Protection Agency/Office of Emergency Information.

A review of the Cortese list, as provided by EDR, has revealed that there are 2 Cortese sites within approximately 1 mile of the larget property.

Lower Elevation ESPLANADE PUMP STATION	Equal/Higher Elevation SHELL
Address	Address
103 MARINA AVE	18 RANCHO DEL MAR
Dist / Dir	Dist / Dir
1/4 - 1/2 SE	1/4 - 1/2NNE
Map ID	Map ID
Page	Page
13	23

LUST: The Leaking Underground Storage Tank Incident Reports contain an inventory of reported leaking underground storage tank incidents. The data come from the State Water Resources Control Board Leaking Underground Storage Tank Information System.

A review of the LUST list, as provided by EDR, and dated 01/06/2003 has revealed that there are 7 LUST sites within approximately 0.5 miles of the target property.

Lower Elevation ESPLANADE PUMP STATION APTOS ESPLANADE PUMP STATION	Equal/Higher Elevation SEACLIFF STATE BEACH TOSCO - FACILITY #5876 CHERRON SERVICE STATION #9-427 SHELL STATION SHELL BRANDED SERVICE STATION
Address 103 MARINA AVE 103 MARINA AVE	Address 1 STATE PARK DR 201 SEA RIDGE RD 7719 SCOULEL DR 18 RANCHO DEL MAR 18 RANCHO DEL MAR
Dist / Dir 1/4 - 1/2 SE 1/4 - 1/2 SE	0-1/8 NW 1/8-1/4N 1/4-1/2NE 1/4-1/2NNE
Map ID C11 C12	Map ID A2 B6 D14 E15
Page 15	Page 18

TC0860024.9s EXECUTIVE SUMMARY 3

EXECUTIVE SUMMARY

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazzardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, and dated 01/05/2003 has revealed that there is 1 UST site within approximately 0.25 miles of the target property.

MOULTON'S UNION SERVICE #5876-	
201 SEARIDGE RD	Adding
1/8 - 1/4N B8	
Map ID	
Page	

CA FID: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

Equal/Higher Elevation	A review of the CA FID UST list, as provided by EDR, within approximately 0.25 miles of the target property.
Address	st, as provided by EDR, has revealed that there is 1 CA FID UST site so the target property.
Dist / Dir	e is 1 CA FID US
Map ID	ST site
Page	

201 SEARIDGE RD

1/8 - 1/4 N

B9

⋨

HIST UST: Historical UST Registered Database.

MOULTON UNION SERVICE

A review of the HIST UST list, as provided by EDR, and dated 10/15/1980 has revealed that there are 2 HIST UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation UNION OIL SS# 5876 UNION OIL SS#5876
Address 201 SEA RIDGE RD 201 SEA RIDGE RD
Dist / Dir 1/8 - 1/4N 1/8 - 1/4N
Map ID 85 87
Page

STATE OR LOCAL ASTM SUPPLEMENTAL

HAZNET: The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000-1,000,000 annually, representing approximately 30,000-600,000 shipments. Data from non-California malresis & continuation sheets are not included at the present time, Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, & disposal method. The source is the Department of Toxic Substance Control is the agency

A review of the HAZNET list, as provided by EDR, has revealed that there are 4 HAZNET sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation CALIF: STATE PARK DIST. AUTO R TOSCA CATANIA UNOCAL SERVICE STATION #5876 WESTERN MEDICAL ASSOCIATES
Address 201 STATE PARK DR 270 NORTH AVE 201 SEARIDGE RD 245 SEA RIDGE RD
0-1/8 NW 1/8-1/4NE 1/8-1/4NW
Map ID 3 3 10
Page 6 8 8 12

TC0960024.8# EXECUTIVE SUMMARY 4


EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:


Site Name

SEACLIFF TRAIN DERAILMENT
SCCSD RIO PUMPING STATION
POTBELLY BEACH CLUB
POTBELLY BEACH CLUB
DAR SEACLIFF STATE BEACH
PG & E
268 BEACH DR
MATERIAL IS 1/3 MILE OFFSHORE
HWY SB 1/BETW PARK AVE & STATE PARK DR

Cal-Sites
LUST, Cortese
HIST UST
CA FID UST
HAZNET
HAZNET
ERNS
ERNS
ERNS



TC0960024.96 EXECUTIVE SUMMARY 5



AST	CONSENT ROD Delisted NPL FINDS HMIRS MINTS FITTS TRIS TSCA SSTS FATTE OR LOCAL ASTM SUPPLEMENTAL	AWP Cal-Sities Cal-Sities Cortese Notify 65 Toxic Pits State Landfill WAUDASWAT LUST CA Bond Exp. Plan UST VCP INDIAN UST CA FID UST HIST UST HIST UST FEDERAL ASTM SUPPLEMENTAL	Proposed NPL CERCLIS CERC.NFRAP CORRACTIS RCRIS-TSD RCRI	Database
	PLEMENTAL	<u>ut</u>		Target Property
큥	77.000 77777777777770000000000000000000	1.000 1.000 1.000 1.000 1.000 1.000 1.000 0.500 0.500 0.500 0.500 0.250 0.250	1.000 1.000 0.500 0.250 1.000 1.000 0.250 0.250 0.250 TP	Search Distance (Miles)
N.	NNNNNNNNNNNN	00000-0000000	X 00000000	^ 1/8
X,	3535555555000	N-00-0-0000000	Nococco	1/8 - 1/4
NR.	22222222222222	Z Z Z O Z O O O O O N - O O	ZZZZOOZOOO	1/4 - 1/2
₹ R	X X X X X X X X X X X X 0 0 0	XXXXX0XXX000000	222202200	1/2 - 1
<u>N</u>	35555555555555555555555555555555555555	£2222222222222222222222222222222222222	*****	<u>~</u>
0	000000000000	004/1000010000	00000000	Total Plotted

MAP FINDINGS SUMMARY

MAP FINDINGS SUMMARY

NOTES: AQUIFLOW - see EDR Physical Setting Source Addendum TP = Target Property NR = Not Requested at this Search Distance Sites may be listed in more than one database	VCP	COSI GAS BROWNFIELDS DATABASES	EDR PROPRIETARY HISTORICAL DATABASES	CA SLIC HAZNET	NE S		NEA C	CAWDS	CLEANERS	Database
vysical Setting this Search Di		100	RICAL DATAB							Target Property
Source Adder stance	0.500	1.000	ASES	0.500	0.250	0.250	2 2 3 7	늄	0.250	Search Distance (Miles)
ndum	0	0		0	00	00	- X	¥	0	^ 1/8
	0	0		ယဝ	00	00	> ₹	ş	0	1/8 - 1/4
	0	0		% ∘	<u> </u>	3 3	5 X	S	Z,	1/4 - 1/2
	<u>%</u>	0		NN:	2 Z	X 3	ž	S	Z Ž	1/2-1
	N N	X,		33 33 33 33 33 33 33 33 33 33 34 34 34 3	Z Z	S 3	3 5	X.	Z	<u> </u>
	0	0		004	- 0	00	0	0 (9	Total Piotted

TC0960024.9s Page 5

State LUST:
Cross Street: CENTER
Oy Leakad: Not reported
Case Number
Reg Beand: Central Coast Region
Chemical:
Lead Agenny: Local Agenny
Local Agenny: 44000
Case Type: Mo Adion
County: Santa Couz
Santa: Not reported
Workplan: Not reported
Workplan: Not reported
Workplan: Not reported
Cleanup Fund of: Not reported
Remed Action: Not reported
Remed Action: Not reported
Cleanup Fund of: Not reported
Discover Date: 1/17/1965
Enforcement Dit Not reported
Discover Date: Not reported
Staff initials: UST
How Discovered
Staff initials: UST
How Discovered
Not reported

Confirm Leak: Prelim Assess: Remed Plan: Monitoring:

Not reported Not reported Not reported Not reported

Site 2 of 2 in cluster A

A2 NW < 1/8 466 ft. Higher Map ID
Direction
Distance
Distance (ft.)
Elevation Site A1 NW < 1/8 398 ft. Higher Gepaid: CAL000105522
Tepaid: CAT080013352
Gen County: Santa Cruz
Flad County: Los Angeles
Tone: 0.2293
Category: Liquide with helogenated organic compounds > 1000 mg/l
Disposal Method: Recycler
Contact: CALIF: STATE PARK
Halling Address: 201 STATE PARK OR
APTOS, CA 85003
County Senia Cruz SEACLIFF STATE BEACH 1 STATE PARK DR APTOS, CA 95003 CALIF. STATE PARK DIST. AUTO REPAIR SHOP 201 STATE PARK DR APTOS, CA 95003 Site 1 of 2 in cluster A Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database. MAP FINDINGS Database(s) HAZNET S104578070 N/A LUST \$104494738 N/A EDR ID Number EPA ID Number

MAP FINDINGS

SEACLIFF STATE BEACH (Continued)

Database(s)

EDR ID Number EPA ID Number

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number S104494739

S104494739

SEACLIFF STATE BEACH (Continued)

MTBE Tested :

LailLong: 36.9746 /-121.9123
Soil Qualifier: Not reported
Groundwater Qualifier: Not reported
Summary: SEEKING ADVICE FROM DEPARTMENT HEADQUARTERS ON HOW TO PROCED.

NRQ 36.9746 / -121.9123 Not reported Not reported

MTBE Dala: Not reported
Max MTBE GW: Not reported
Max MTBE GW: Not reported
MTBE Tested: Not reported
MTBE Soil: Not reported

3 NE 1/8-1/4 702 ft. Higher

TOSCA CATANIA 270 NORTH AVE APTOS, CA 95076

HAZNET \$102802518

HAZNET:
Gepaid:
Tepaid:
Gen County:
Tsd County:
Tons:

CACD01025544
CAD86138862
Santa Cruz
Shastia
S600
Abbestos-containing wasta
Cibipopaal, Land Fill
TOSCA CATANIA
(408) 289-5543
(408) 289-5543
Santa Cruz
Santa Cruz
Santa Cruz
Santa Cruz
Santa Cruz
Santa Cruz

MTBE Conc.:

Mibe Fuel:

Wellar System Name:
Well Name:
Distance To Lusi:

Waste Discharge Global ID: Not reported
Waste Discharge Global ID: Not reported
Waste Discharge Assigned Name: Not reported

Regional Board: Stop Date: How Stopped:

Central Coast Region
Not reported
Not reported

84 North 1/8-1/4 786 ft. Higher

UNOCAL SERVICE STATION #5878 201 SEARIDGE RD APTOS, CA 94596

HAZNET \$105088707 N/A

Site 1 of 6 in cluster B

Gepaid: CAD982057814
Tepaid: CAD909425857
Gen County: Sania Cruz
Ted County: Sania Adiaco
Tona: 1042
Category: Aqueous solution with 10% or more total organic residues
Disposal Melhod: Recycler
Contact: UKION 011 CO
Telephone: (213) 977-7800
Melling Address: PO BOX 2390
Gounty: Sania Cruz
Sania Cruz

Funding: Workplan: Pollution Char: Remedial Action: Close Date: Not reported

Pilot Program: Region:

TC0960024.9s Page 7

TC0960024.9s Page 8

Not reported Not reported / /

LUST Region 3:

Case Number: 3288
Cross Street: CENTER
Responsible PartyVINK/OWN
Local Agancy: 03
Discovered: 7 trank Closure
Source: 01/01/1865
How Found: Trank Closure
Source: 1/01/1865
Lead Agancy: Local Aganc

02/16/2000 Not reported

Release Date Enter Date:

B5 North 1/8-1/4 786 ft. Higher Map ID
Direction
Distance
Distance (ft.)
Elevation Site UNION OIL SS# 5876 201 SEA RIDGE RD APTOS, CA 95003 UST HISY:
Facility ID:
Tank Num:
Tank Capacity:
Tank Used for:
Type of Fuel:
Leak Delection:
Contact Name:
Total Tanks:
Facility Type: Site 2 of 6 in cluster B UNOCAL SERVICE STATION #5876 (Continued) Gepaid: CAL000179268
Tepaid: CAD028499019
Gen County: Sante Cruz
Ted County: Los Angeles
Tons: 0.41
Category: Unspecified organic liquid mixture
Disposal Method: Transfer Station
Contact: HAZMAT SPECIALIST
Telephone: (602) 728-4180
Mailing Address: PO BOX 52085
PHORBIX, AZ 85072 - 2085
Santa Cruz Facility ID:
Tank Num:
Tank Capacity:
Tank Usad for:
Type of Fuel:
Leak Detection:
Contact Name:
Total Tanks:
Facility Type: WASTE
Not Reported
Visual
MOULTON'S SERVICE, INC. 60720 WASTE Not Reported Visual 60720 MOULTON'S SERVICE, INC. MAP FINDINGS Telephone: Region: Other Type: Container Num: Year Installed: Telephone: Region: Other Type: Container Num: Year Installed: Tank Construction: 6 inches Tank Construction: 6 inches (408) 688-7600 STATE Not reported (408) 688-7600 STATE Not reported 5876-10-1 Not reported Detabase(s) HST UST U001600812 N/A EDR ID Number EPA ID Number 8105088707

Map ID
Direction
Distance
Distance (ft.)
Elevation Sita

MAPFINDINGS

Database(s)

EPA ID Number
EPA ID Number
8105224810

TOSCO - FACILITY #5876 (Continued)

Class Type:
Case Type:
Case Condition
Satis
County:
Asses Metion:
Cannot Consent
County:
Asses Metion:
Case Date:
Not reported
Remark Author:
Remark Date:

B6 North 1/8-1/4 786 ft. Higher

> TOSCO - FACILITY #5876 201 SEA RIDGE RD APTOS, CA 95003

> > LUST \$105224810 N/A

Site 3 of 6 in cluster B

State LUST:
Cross Street:
Qty Leeked:
Case Number
Reg Board:
Chemical:

STATE PARK DR
Not reported
3046
Central Coast Region
Gasoline
Regional Board
44000

TC0960024.9s Page 9

TC0960024.9s Page 12

10 NW 1/8-1/4 965 ft. Higher WESTERN MEDICAL ASSOCIATES 245 SEA RIDGE RD APTOS, CA 95003 Contact:
DUNs No:
Creation:
EPA ID:
Comments Contact Tel: NPDES No: Modified: Not reported Not reported 00/00/00 HAZNET \$103985602 N/A

89 North 1/8-1/4 786 ft. Higher Site 6 of 6 in cluster B Facility ID: Reg By: Cortese Code: Status: Mail To: 44000836
Active Underground Storage Tank Localing
Not reported
Active
Facilit
Not reported
P O BCX
APTOS, CA 95003
Not reported
Not reported SIC Code: Facility Tel: Regulate ID: Not reported (408) 688-7600 00030769 CA FID UST \$101594744 N/A

MOULTON UNION SERVICE 201 SEARIDGE RD APTOS, CA 95003

State UST: Facility ID: Total Tanks: Region: Local Agency: FA0002743

Site 5 of 6 in cluster B MOULTON'S UNION SERVICE #5876-31007 201 SEARIDGE RD APTOS, CA 95003

UST U003786152 N/A

B8 North 1/8-1/4 786 ft. Higher

Telephone: Region: Other Type: (408) 688-7600 STATE Not reported

UNION OIL 88#5876 (Continued) Tank Capacity:
Tank Used for:
Type of Fuel:
Leak Detection:
Contact Name:
Total Tanks:
Facility Type: 280
WASTE
WASTE OIL
Slock Inventor
MOULTON'S SERVICE, INC Tank Construction: Not reported Year installed: Not reported U001600813

Database(s) EPA ID Number MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

TOSCO - FACILITY #5876 (Continued)

Subsurface Monitoring Other

How Stopped:

Not reported

Database(s)

EDR ID Number EPA ID Number 8105224810

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

Facility Status: Facility County: Review Date: Confirm Leak:

Funding: Workplan: Pollution Char: Remedial Action: Close Date:

Lead Agency: Case Type: Contact: How Found: Source: Cause:

Regional Board
Other ground water affected
Not reported
Case Closed
Santa Cruz
7/30/02

Staff Initials:

BUC

TC0860024.9s Page 11

Site 4 of 6 in cluster B UST HIST:
Facility ID:
Tank Num:
Tank Capacity:
Tank Used for:
Type of Fuel:
Leak Detection:
Contact Name:
Total Tanks:
Total Tanks:
Total Tanks: Facility (D: Tank Num: Tank Capacity: Tank Used for: Type of Fuel: Leak Detection: Contact Name: Total Tanks: Facility Type: 10000
PRODUCT
PREMIUM
Slock inventor
MOULTON'S SERVICE, INC 10000
PRODUCT
UNLEADED
Slook inventor
MOULTON'S SERVICE, INC 30769 3 30769 2 Container Num: Year installed: Telephone: Region: Other Type: Container Num: Year Installed: Tank Construction: Not reported Tank Construction: Not reported (408) 688-7600 STATE Not reported (408) 688-7600 STATE Not reported 5876-4-1 5878-1-1 1967 5876-2-1 1967 HIST UST U001800813

UNION OIL SS#5876 201 SEA RIDGE RD APTOS, CA 95603

B7 North 1/8-1/4 786 ft. Higher

Parisim Assess: //
Remedial Plan: //
Monitoring: Not reported Close Date: 0/1/2/202
Enforce Type: LET Enforce Type: UST Enforce Type: LET Enforce Type: UST Enforce Type: LET Enforce Type: LET

HANET:
HAZNET:
Gapaid:
Gapaid:
Gapaid:
Gan County:
Ind County:
Sanita Cruz
Tone:
Category:
Category:
Disposal Method: Recycler
Conflect:
C H W MEDICAL FOUNDATION
Telephone:
Melling Address:
1585 SOQUIEL DR STE 400
Sanita Cruz
Sanita Cruz
Sanita Cruz Map ID
Direction
Distance
Distance (ft.)
Elevation Site WESTERN MEDICAL ASSOCIATES (Continued) MAP FINDINGS Detabase(s) EDR ID Number EPA ID Number \$103995602

C11 SE 1/4-1/2 2061 ft. Lower Pollution Char: Not reported
Workplan: Not reported
Pollution Char: Not reported
Ramed Action: Not reported
Clase Date: 10/7/1986
Clase Date: 10/7/1986
Clase Date: 10/7/1986
Clase Part State Character Chara ESPLANADE PUMP STATION 103 MARINA AVE APTOS, CA 95003 State LUST:
Cross Streat:
Oty Leaked:
Case Number
Reg Board:
Chemical: Site 1 of 2 in cluster C MOOSEHEAD DRIVE Not reported 495 Other ground water affected Regional Board Central Coast Region Confirm Leak: Prelim Assess: Remed Plan: Monitoring: Not reported Not reported Not reported Not reported LUST S102429278 Cortese N/A

TC0960024.9s Page 13

Funding:
Staff initials:
How Discovered:
How Stopped:
How Stopped:
Interim:
Leak Cause:
Leak Cause:
Leak Cause:
MTBE Data:
MTBE Data:
MTBE Tested:
MTBE Tested:

to be Tested.

Map ID
Direction
Distance
Distance (ft.)
Elevation Site ESPLANADE PUMP STATION (Continued) MAP FINDINGS Dalabase(s) EDR ID Number EPA ID Number S102429278

LLUST Region 3:
Case Number: 485
Case Number: MOOSEHEAD DRIVE
Responsible Partyland MARTIN
Local Agency: 03
Discoverael: 01/01/1985
How Found: 0/therorted
Source: UNK
Pannignal Board Review Date 9/18/1990
Stop Date Not reported
Work Suspanded Not reported
Responsible Party-IIM ANAPTIN
RP Address: 2750 LODE STREET
Global Id: T0988700225
Org Name: Not reported
Contact Person: Not reported
MTBE Conc.: 0
Mtbe Fiel: 0 Water System Name: Not reported Well Name: Not reported Distance To Lust: 0 On reported Waste Discharge Global ID: Not reported Waste Disch Assigned Name: Not reported Staff: HDC
GW Clusifier: Not reported
Max MTBE Soil: Not reported
Soil Qualifier: Not reported
Hydr Basin #: 4.13 Mtbe Concentration:
Mtbe Fuel: 0
Org Name: Not report
Max MTBE Ground Water:
Max MTBE Soil:
Max MTBE Data:
MTBE Tested: Uperator: Not reported
Oversight Prgm: RB Lead Underground Storage Tank
Oversight Prgm: UST
Oversight Prgm: UST Regional Board
Other ground water affected
Not reported
Case Closed
Santa Cruz
9/18/90 Not reported Not reported Not reported
Not reported
/ /
NRQ
38,9701259 / -121,9056985
Not reported
Not reported Funding: Workplan: Pollution Char: Remedial Action: Close Date: Regional Board: Stop Date: How Stopped: Release Date Enter Date: Pilot Program: Region: Staff Initials: Central Coast Region Not reported Not reported 07/08/1987 12/20/1987 10/07/1988 03/24/1987 7/15/87 ust 3 BC Responsible Party

APTOS ESPLANADE PUMP STATION 103 MARINA AVE APTOS, CA 95063 Site 2 of 2 in cluster C State LUST:
Cross Street:
Qly Leaked:
Case Number
Reg Board:
Chemical:
Lead Agency:
Local Agency:
Case Type:
Status: Mortojan: Not reported Workplan: Not reported Pollution Char: Not reported Remed Action: 1/1/1975 Close Date: Not reported Release Date: 94/1998 Cleanup Fund dit: Not reported Discover Date: 1/1/1985 Enforcement ID: Not reported Enf Type: Not reported Enf Type: 5/18/1999 Funding: 5/18/1999 Funding: CORTESE: Reg ld: Region: Reg By: 495 CORTESE Leaking Underground Storage Tanks MOOSEHEAD DR Not reported 3045 Diesel Enhanced Biodegradation - use of any available technology to promote Other ground water affected Post remedial action monitoring Regional Board 44000 Central Coast Region mposition of contaminants Confirm Leak: Prelim Assess: Remed Plan: Monitoring: Not reported Not reported Not reported 1/1/1975 LUST \$103821487 N/A

C12 SE 1/4-1/2 2061 ft. Lower

Map ID
Direction
Distance
Distance (ft.)
Elevation Sita

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

S102429278

ZSPLANADE PUMP STA.
Review Date: Not reported
Stop Date: 700/1988
Work Supported Not reported
Work Supported Not reported
Responsible PartyRUSS BATESON
RP Address: 701 OCEAN ST RM 410
Global id: 7080/2701/66
'Tog Name: Not reported
'text Person: Not reported
'act Person: Not reported
'act 2
0
Name

APTOS ESPLANADE PUMP STATION (Continued)

Database(s)

EDR ID Number EPA ID Number

8103821487

ESPLANADE PUMP STATION (Continued)

D13 NE 1/4-1/2 2137 ft. Higher 7719 SOQUEL DRIVE APTOS, CA 95003 LUST Region 3.

Case Number: 3045
Case Street: 3045
Case Street: MOOSEHEAD DR
Responsible PartyRUSS BATESON
Local Agancy: 03
Discovered: 0101/1965
Source: 0101/1965
Source: UNK Prelim Assess: //
Ramedial Plan: 1/1/15
Ramedial Plan: 1/1/15
Renforce Date: // portice Dat Global Id: Y060670168
Org Name: Not reported
Contact Person: Not reported
Contact Person: Not reported
Will E Conc: 2
Whate System Name: Not reported
Well Name: Not reported
Distance To Lust: 0
Waste Discharge Global ID: Not reported
Waste Discharge Global ID: Not reported
Waste Discharge Assigned Name: Not reported Facility Status: Facility County: Review Date: Confirm Leak: Regional Board
Other ground water affected
Not reported
Post remedial action monitoring
Santa Cruz
Not reported Not reported Not reported Not reported 11/29/1999 YES 36.9701259 / -121.9056985 Not reported Not reported Funding:
Workplan:
Pollution Char:
Remedial Action:
Close Date: Pilot Program: Region: Regional Board: Stop Date: How Stopped: Release Date Enter Date: Staff Initials: ::::0 Central Coast Region 7/30/98 Not reported 3 BUC 09/04/1998 5/18/99 CHMIRS 8190218461 N/A

Site 1 of 2 in cluster D

TC0960024.9s Page 15

GW Qualifier:

Max MTBE Soil:

Soil Qualifier:

Hydr Basin #:

Operator:

Oversight Prgm:

Oversight Prgm:

rground Storage Tank

Priority:
Local Case # :
Beneficial:
Staff : MTBE Testad:

UNK
Oher Source
11/28/1889
11/28/1889
11/28/1889
Nol reported
MTBE Delacte
Nol reported
Not reported

l. Sile tested for MTBE & MTBE detected

Staff initials: ST
HOW Discovered Track Closure
How Stopped: Not reported
Infarim: Not reported
Leak Cause: UNK
Leak Source: Other Source
MTBE Date: 1/126/1989
Max MTBE GW: Not reported

Map ID
Direction
Distance
Distance (fl.)
Elevation Site MAP FINDINGS

Environmental Contaminat Incident Dale: Time Completed: Physical State Stored: Physical State Released: Physical State Released: Release Unit: Container Description: 9014676 D
Fiammable liquid
GASOLINE
Not reported
Not reported
Output
Out DOT ID: 50 Mercantlle, Business 28-DEC-90 1203

Intainer Capacity Units (code):
Isent Of Release (code):
Isency Id Number:
Isency Incident Number: Aluminum and Aluminium alloys Ground Level

44005
15293
9014676
2103
500
32
Not reported

ing Agency Personel # Of injuries: ing Agency Personel # Of Fatalities rcy Personel # Of Decontaminated: umber Of Decontaminated:

ehicle id Number :
AVDOT/PUC/ICC Number :
Company Name :
Seporting Officer Name/ID : Make/year : s License Number : No! reported
3A38900
CA
Rol reported
157839
CHEVRON
RAYMONF BENSEN 10
28-DEC-80
No
408 688-3263
No! reported

Not reported Not reported Not reported Not reported Not reported Not reported

Database(s)

EDR ID Number EPA ID Number

8100218461

D14 NE 1/4-1/2 2137 ft. Higher CHEVRON BERVICE STATION #9-4274 7719 SOQUEL DR APTOS, CA 95003 Site 2 of 2 in cluster D

State LUST:
Cross Street:
Cty Leaked:
Case Number
Reg Board:
Chemical:

Lead Agency: Local Agency: Case Type: Local Agency 44000 Central Coast Region Gasoline

Confirm Leak: Prelim Assess: Remed Plan: Monitoring:

1/1/1975
Not reported
Not reported
Not reported

Case Type: Sail only
Status: Case Closed
County: Case Close
Cose Data: Close
Close Data: S24/2002
Release Data: Voir reported
Entroper Data: Infiliate: UST
How Discovered: UST
How Discovered: ON
How Stopped: Noir reported
Infilm: Noir report

MTBE includes Unknown and Not Analyzed.

Storage Tank

TC0960024.9s Page 17

Map ID
Direction
Distance
Distance (fl.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number EPA ID Number

S100218461

Not reported Not reported

Not Reported Not Reported Not Reported

LUST S103398395 N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

8103398395

CHEVRON SERVICE STATION #9-4274 (Continued)

Global Id: T0608700141
Org Name: Not reported
Contact Person: Not reported
MTBE Conc:
Mthe Fuel:
Waler System Name: Not reported
Wall Name: Not reported
Waste Discharge Global ID: Not reported
Waste Discharge Global ID: Not reported
Waste Discharge Global ID: Not reported

Regional Board: Stop Date: How Stopped:

Central Coast Region 10/11/96 Not reported

Release Date Enter Date:

02/13/1897 4/9/97

LUST Region 3:
Case Number: 2821
Cross Street: CLIFF DR
Responsible ParlyMARK LAFFERTY
Local Agency: 03
Discovered: Not reported
Source: Not reported
Source: Orber Cause
Cause: Local Agency
Case Type: Local Agency
Cantact: Not reported
Facility Status: Case Closed
Facility County: Santa Cruz
Review Date: 529/02
Confirm Leak: 01/01/1975 Facility Status:
Facility County:
Review Date:
Confirm Leak:
Prelim Assess:
Remedial Plan:
Monitoring:
Enforce Type:
Enforce Date:
Interim Action:

Funding: Workplan: Pollution Char: Remedial Action: Close Date:

Staff Initials:

Pilot Program: Region:

UST 3

05/24/2002

Org Name: Not reporter
Max MTBE Ground Water:
Max MTBE Soil:
Max MTBE Data:
MTBE Tested: Not reported Not reported / /

Lal/Long:
Soil Qualifier:
Groundwater Qualifier:
Summary: RELE.

36.5782466 / -121.5087808
Not reported
Not reported
Not reported
RELEASE MAY HAVE BEEN FROM FACILITIES REPLACED IN 1980'S BEFORE
SAMPLING WAS REQUIRED. NO FURTHER ACTION, SOIL ONLY SITE, CLOSED BY
SCHSA.

HIST UST U001600898 N/A

E15 NNE 1/4-1/2 2207 ft. Higher

SHELL STATION 18 RANCHO DEL MAR APTOS, CA 95003

Site 1 of 3 in cluster E

TC0960024.9s Page 19

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

SHELL STATION (Continued)

Database(s)

EPA ID Number W001600808

State LUST:
Cross Street:
Oty Leaked:
Oty Leaked:
Case Number
Reg Board:
Chemicas:
Lead Agency:
Local Agency:
Local Agency:
Local Agency:
Case Type:
Status:
County:
Review Date:
Workplan:
Pollution Charres Not reported Not reported 3348

Regional Board 44000 Central Coast Region

Review Petes: Not reported
Wortpain: Not reported
Wortpain: Not reported
Wortpain: Not reported
Peter Vallage
Pete Other ground water affected Remediation Plan

Not reported Not reported 4/26/2002 Not reported

Not reported Not reported

Distance To Lust: 0
Waste Discharge Global ID: Not reported

Database(s) EPA ID Number U001600808 Map ID
Direction
Distance
Distance (ft.)
Elevation Site SHELL STATION (Continued)

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number H001600808

LUST Region 3:

Cass Number: 3348
Cross Street: Not reported
Responsible Party-KAREN PETRYNA
Local Agency: 03
Discovered: 01/01/1965
How Found: Not reported
Source: Unik Prelin Assess: //
Ramedia Plan: 04/26/2002
Monitoring: Not reporte
Enforce Date: //
Enforce Date: //
Inferim Aslon: Not reporte
Mibe Fuel: //
Mibe Fuel: Not reporte
Mibe Fuel: Not reporte
Mibe Fuel: Not reporte
Max MTBE Ground Water:
Max MTBE Soil:
Max MTBE Soi Well Name:
Not reported
Distance To Lust:
0
Waste Discharge Globel ID: Not reported
Waste Disch Assigned Name: Not reported Regional Board
Other ground water affected
Not reported
Remediation Plan
Senta Cruz 04/26/2002 Not reported LET 9/23/02 1.0
Not reported
10/30/2002
YES
36.97861 / -121.907635
Not reported Funding:
Workpian:
Poliulion Char:
Remedial Action:
Close Date: Regional Board: Stop Date: How Stopped: Release Date Enter Date: Pilot Program: Region: Staff Initials: Central Coast I Not reported Not reported / / Not reported Not reported TAS Region

Workplan: Not reported Pollution Char: at 15/1580 Remed Action: 6/1/1981 Close Date: 10/15/1892 Release Date: 9/10/1887 Release Date: 9/10/1887 Release Date: 1/1/1965 Enforcement Dt: Not reported Enforcement Dt: Not rep

Leak Cause:
Leak Source:
MTBE Date:
Max MTBE GW:
MTBE Tested:
Priority:

Not reported Not reported Not reported HDC 1 Parts per Billion MTBE Detected, 9

cted. Site tested for MTBE & MTBE detected

Not reported Not reported 4.13

How Discovered: How Stopped: 1

Responsible Party UST Tank Closure Not reported

Review Date: Workplan: Pollution Char: Remed Action: Close Date:

Confirm Leak: Prelim Assess; Remed Plan: Monitoring:

9/10/1987 Not reported 8/15/1990 6/1/1991

9/10/1987

County: Abate Method:

Olher ground water affected Case Closed Santa Cruz

Regional Board

Excavate and Dispose - remove

nated soll and dispose in approved

Cross Street:
Qly Leaked:
Case Number
Reg Board:
Chemical:

SOQUEL DR Not reported 359

Waste Disch Assigned Name: Not reported

Haz Mai Incident report filed : SOIL CASE HAS BEEN UNDER LEAD OF COUNTY ENVIRONMENTAL HEALTH. GROUNDWATER IMPACTS DISCOVERED LEAD CHANGE TO REGIONAL BOARD. OLD CASE NUMBER 2975. REQUEST FOR ENCROACHMENT 8/20/2002.

Case Number: 358
Cross Streat: SOQUEL DR
Responsible ParlyNot reported
Local Agency: 03
Discovered: 17 ank Closute
Source: UNX
Lead Agency: UNX
Lead Agency: Case Type: VNet ground w
Case Type: VNet ground w
Case Type: Not reported
Facility Status: Case Closed
Facility Status: Case Closed
Facility Status: Case Closed
Facility Status: Case Closed
Facility Gunity: Santa Cruz
Review Date: 10/1992
Confirm Leak: 08/10/1997 Regional Board
Other ground water affected
Not reported
Case Closed
Santa Cruz
10/1992
08/10/1987
/ / Release Date Enter Date: Regional Board: Stop Date: How Stopped: Funding: Workplan: Pollution Char: Staff Initiats: Central Coast Region 3/17/87 Not reported Responsible Party // 04/16/1990 09/10/1987 9/15/87 충

Hydr Basin is

Operator: Not reported
Oversight Prigm: RB Lead Underground Storage Tank
Oversight Prigm: UST
Review Date: 10/18/1822
Stop Date: 3/17/1887
Work Suspanded Not reported
Re-sponsible PartyNot reported
Re-sponsible PartyNot reported
Orig Name: Not reported
Contact Person: Not reported
Contact Person: Not reported
Contact Person: Not reported

Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site SHELL STATION (Continued) UST HIST:
Facility ID:
Tank Num:
Tank Capacity:
Tank Used for:
Type of Fuel:
Leak Detection:
Contact Name:
Total Tanks:
Facility Type: Mithe Concenitration:
Mithe Fuel:
Org Name:
Not reported
Max MTBE Ground Water:
Max MTBE Ground Water:
Max MTBE Dela:
MTBE Tested:
Lat/Long:
Groundwater Case GLO:
Summany:
CASE GLO: Facility ID:
Tank Num:
Tank Capacity;
Tank Used for:
Type of Fuel:
Leak Delection:
Contact Name:
Total Tanks:
Facility Type: Facility ID:
Tank Num:
Tank Capacity.
Tank Capacity.
Tank Used for:
Type of Fuel:
Leak Delaction:
Contact Name:
Total Tanks:
Facility Type: Remedial Plan: Monitoring: Enforce Type: Enforce Date: 5000
PRODUCT
UNLEADED
Stock Inventor
Not reported 7500
PRODUCT
PREMIUM
Stock Inventor
Nol reported 5000
PRODUCT
REGULAR
Stock inventor
Not reported 08/15/1990 6/1/91 10947 2 CASE CLOSED (SEE CASE NUMBER 3348) Not reported Not reported Not reported 06/21/2001 YES 36.9792176 / -121.9024594 Not reported MAP FINDINGS Telephone: Region: Other Type: Container Num: Year installed: Telephone: Region: Other Type: Container Num: Year Installed: Telephone: Region: Other Type: Tank Construction: 1/4 inches Tank Construction: 1/4 inches Container Num: Year Installed: Pilot Program: Region: Remedial Action: Close Date: Tank Construction: 1/4 inches (408) 688-5111 STATE Not reported (408) 688-5111 STATE Not reported (408) 688-5111 STATE Not reported Not reported / / 10/15/1982 Not reported Not reported 3 3 Database(s) EDR ID Number EPA ID Number

HAZNET:
Gepaid: CADOBAbs....
Gan County: Santa Cruz
Ted County: 1,5000
Tons: 1,5000
Category: Empty containers less than 30 gallons
Disposal Mathod: Recycler
Contact: Contact: (713) 241-2258
Mailing Address: PO BOX 4453
Santa Cruz
Santa Cruz

CORTESE: Reg ld: Region: Reg By:

2975 CORTESE

Leaking Underground Storage Tanks

359 CORTESE

Leaking Underground Storage Tanks

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

8105033303

SHELL (Continued)

E17 NNE 1/4-1/2 2207 ft. Higher SHELL BRANDED SERVICE STATION 18 RANCHO DEL MAR APTOS, CA 95003 State LUST:
Cross Street:
Oty Leaked:
Case Number
Reg Board:
Chemical: Site 3 of 3 in cluster E Reg Beerd: Central Coast Region
Chemical: Local Agency
Local Agency: 44000
Case Type: Undefined
Status: Case Closed
County: Santa Cruz
Abate Melhod: Not reported
Poliulion Char: Not reported
Poliulion Char: Not reported
Poliulion Char: Not reported
Poliulion Char: Not reported
Close Date: 823/2001
Review Date: Not reported
Close Date: 823/2001
Review Date: Not reported
Close Date: 871/1988
Cleanup Fund Id: Not reported
Close Date: 871/1988
Cleanup Fund Id: Not reported
Enter Date: 1/1/1988
Entrotement ID: Not reported
Ent Type: Not reported
Ent SOQUEL DR Not reported 2975 ", requiring no remet Confirm Leak: Prelim Assess: Remed Plan: Monitoring: Not reported Not reported Not reported Not reported Not reported LUST 8103291649 N/A

TC0960024.9s Page 23

E16 NNE 1/4-1/2 2207 ft. Higher

SHELL 18 RANCHO DEL MAR APTOS, CA 95003 Site 2 of 3 in cluster E

HAZNET \$105033303 Cortese N/A

MAP FINDINGS

Direction

Distance (Tit)

Elevation Sile

SHELL BRANDED SERVICE STATION (Continued)

Leak Cause: UNK

Leak Cause: UNK

LUST Ragion 3:
Case Number: 2975
Cross Streat: SCOUEL DR
Responeible PartyED PATON
Local Agency: 03 01/01/1985
How Found: Not reported
Source: 01/01/1985
How Found: Not reported
Source: 10/01/1985
How Found: Not reported
Source: 10/01/1985
How Found: Not reported
Source: 10/01/1985
Local Agency: Local Agency
Case Type: Undefined
Case Type: Undefined
Care Type: 10/02/1987
Carefirm Lask: 1//02
Review Date: 1//02
Review Date: 1//02
Review Date: 1//02
Remedial Plan: 1/
Remedial Plan: 1/
Monitoring: Not reported
Enforce Type: Not reported
Enforce Date: Not reported
Interim Action: 0
Mibe Concentration: Not reported
Org Name: Not reported
Max MTBE Ground Water: 1.8 GW Qualifier: I = GW Qualifier: I = GW Qualifier: I = GW Qualifier: Not reported Soil Qualifier: Not reported Soil Qualifier: Not reported Qualifier: Not reported Qualifier: I NOT Sop Date: I NOT Sop Date Water System Name: Not reported Wall Name: No reported Distance To Lust: Orange Global ID: Not reported Waste Discharge Global ID: Not reported Waste Disch Assigned Name: Not reported Priority:
Local Case #:
Beneficial:
Staff: Leak Cause: UNK
Leak Source: UNK
Leak Source: UNK
MTBE Dale: 10/12/2001
Msx MTBE GW: 1.6 Parts per Billion
MTBE Tested: MTBE Detected. Sile lested for MTBE & MTBE detected Not reported Not reported Not reported Regional Board: Stop Date: How Stopped: Release Dale Enter Date: Funding: Workplan: Pollution Char. Remedial Action: Ciose Date: Pilot Program: Region: Staff Initials: Central Coast Region 7/13/98 Not reported 08/05/1998 9/9/98 UST 3 08/23/2001 01/01/1975 SA.

TC0960024.9s Page 25

Map Direction
Distance (It)
Max MTBE Soil: Not reported
Max MTBE Soil: Not reported
Max MTBE Data: 10/12/2001
MTBE Tested: YES
LaUCing: Sci 20/24594
Soil Qualifier: Not reported
Groundwaler Qualifier: Not reporte

SE SE 206 BEACH DRIVE

1729 ft.

Lower

CHMIRS:

OES Control Number:
Chemical Name:
Charles Control Number:
Charles Control Number:
Charles Chemical Name:
Charles Completed:
Chemical State Stored:
Chemical State Stored:
Chemical State Stored:
Chemical State Stored:
Chemical C

19 NNE 1/2-1 4440 ft. Higher SAFEWAY 16 RANCHO DEL MAR APTOS, CA 95003 FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO) RCRIS: Owner: Facility Telephone Number:
Waterway involved:
Waterway:
Spill Site:
Cleanup By:
Containment:
What Happened: Date/Time: Evacuations: Type: Other: Chemical 1: Chemical 2: Chemical 3: EPA ID: Vehicle State:
Vehicle id Number:
CADDT/PuC/ICC Number:
Company Name:
Reporting Officer Name/ID:
Report Date: Classification: Small Quantity Generator Used Oil Recyc: No TSDF Activities: Not reported Contact: Violation Status: No violations found SAFEWAY (510) 448-2011 CAD983670902 FRANK DRIVELLO (408) 688-2775 VAPOR Not reported Yes

Per the NRC report, the air in a lightly sealed room was sucked in by a gas appliance causing a small fire in the chimney which released carbon monoxide in the tightly sealed room. Not reported Not Reported Not Reported Not Reported 1/21/01 1411 0 Not reported Residence RCRIS-SQG FINDS HAZNET CHMIRS 1000857847 CAD983670902 \$105677525

County Santa Cruz

Genaid: CAD983970902

Tepaid: CAD01148432

Gen County: Santa Cruz

Ted County: Santa Cruz

Ted County: 1

Tons: 2502

Calegory: Disposal Method: Treatment. Incineration
Contact: Contact: G101 467-3845

Mailing Address: S818 STOMERIDGE MALL RD

PLEASANTON, CA 94588 - 3229

County Santa Cruz

County
Gapeid:
Tapaid:
Gan County:
Tad County:
Tad County:
Tons:
Catagory:
Catagory:
Disposal Method: 1
Telaphone:
Mailing Address: 5

Santa Cruz CAD983670902 CAD070148432 Santa Cruz

2.3768
Photo-ternical sphotoprocessing waste Photo-teritarian incineration SAFEWAY INC (510) 487-3845
ess: 918 STONERIDGE MALL RD PLEASANTON, CA 94688 - 3229

Map ID Direction Distance Distance (fl.) Elevation Site

MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Dalabase(s)

EPA ID Number EPA ID Number

SAFEWAY (Continued)

HAZNET:
Gapaid:
Tapaid:
Tapaid:
Gen County:
Tad County:
Tons:

CAD983670902 CAD070148432 Santa Cruz

Cruints

Category: Photochemicals/photoprocessing waste Disposal Method: Treatment, incineration Contact: SAFEWAY INC.

Telephone: (510) 467-3845

Mailing Audress: 5618 STONERDOE MAIL RD

PLEASANTON, CA 94588 - 3228

Cruints

Cr

Mailing Address: 5818 STONERIDGE MALL RD

FLEASANTON, CA 94588 - 3229

County

Gepaid: CAD88357002

Tepaid: CAD8737002

Tepaid: CAD70148432

Gen County: Sania Cruz

Tons: S004

County: Source Source

Calegory: Photochemicale/photoprocessing waste

Disposal Method: Transfer Station

Councet: (510) 487-3845

Mailing Address: (510) 487-3845

County Sania Cruz

County Sania Cruz

County Sania Cruz

TC0960024.9s Page 27

Map ID
Direction
Distance
Distance (ft.)
Elevation Site SAFEWAY (Continued) MAP FINDINGS Database(s) EPA ID Number 1000857647

Gapaid: CADVBSSC VILLE To Paid: CAQUOD08417

Tepaid: CAQUOD08417

Gan Counly: CAQUOD08417

Tons: Sacramento

Tons: 2,8773

Categopy: Paid of the Paid of the Paid Counly: 2,8773

Categopy: Categopy: Category: Categopy: Categopy: Categopy: Categopy: Categopy: Category: Category

The CA HAZNET database contains 8 additional records for this site. Please contact your EDR Account Executive for more information.

Not reported

Container Description:
Container Type:
Container Malerial:
Level Of Container:
Container Capacity (Incle (code):
Container Capacity (Incle (code):
Agency Id Number:
Agency Incident Number:
OES Incident Number:
OES Incident Number:
Time Notified: OES Control Number:
DOT Hazard Class:
Chemical Name:
Extent of Ralease:
PA SA Number:
Environmental Contamination: A
Incident Date:
Time Completed:
Physical State Stored:
Physical State Released:
Contamination:
Physical State Released:
Contamination:
Physical State Released:
Contamination:
Contamination: OG-1150 DOT ID:
Not Reported
Greass/amimal
Not reported
Not reported
Not reported
Ouarnity Released:
On. Note Reported
Not reported Not reported 3/10/00

Surrounding Area :
Estimated Temperature :
Property Management :
More Than Two Substances involved? :
Special Studies 2 :
Special Studies 3 :
Special Studies 4 :

Reaponding Agency Personel # Of Injuries:
Reaponding Agency Personel # Of Inalilies:
Resp Agncy Personel # Of Decontaminated:
Others Number Of Decontaminated:
Others Number Of Decontaminated:
Others Number Of Establities:
Others Number Of Falsitities:
Vehich Managency Personel

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s)

EPA ID Number 1000857647

SAFEWAY (Continued)

Vehicle State:
Vehicle id Number:
CA/DOT/PUC/ICC Number:
Company Name:
Reporting Officer Name/ID:
Report Date: Not reported Not reported

Yes
Tallow bin knocked over by a delivery truck
3/10/00 730
UNSPECIEITS
UNSPECIEITS Storm Drain

Not Reported Not Reported Not Reported

UNSPECIFIED animal

20 NE 1/2-1 4457 ft. Higher

600 CATHEDRAL DRIVE APTOS, CA 0

CHMIRS \$105652859 N/A

CHMIRES:
DES Control Number:
DOT Hazard Class:
Chemical Name:
Extent of Release:
Extent of Release:
CAS Number:
Environmental Contamination:
Indicant Data:
Indicant Data:
Indicant Data:
Physical State Released:
Physical State Released:
Physical State Released:
Container Magnidal:
Container Type:
Container Type:
Container Magnidal:
Level Of Container: 97-0021 Not Reported DOT ID: 15 Not reported 1/2/97 Not reported

Container Capacity Units (code):
Container Capacity Units (code):
Extant Of Release (code):
Agency Id Number:
Agency Incident Number:
OES Incident Number:
Time Notified: insulating oil60 ppm PCB's
Not reported
Not reported
Not reported
Not reported
Ournity Released:
In: None Reported Property Usa:
Not reported

Surrounding Area:
Estimated Temperature:
Properly Management:
More Than Two Substances!

TC0960024.9s Page 29

MAP FINDINGS

Special Studies 3:
Special Studies 4:
Special Studies 4:
Special Studies 6:
Responding Agency Personel # Of Injuries:
Responding Agency Personel # Of Falaities:
Responding Agency Personel # Of Perso

Not reported Not reported Not reported Not reported O COMMENT OF THE PORTED NOT REPORTED NOT REP

No Tree fail over sitting a pole in half, transformer fail down the hill. Fransformer oil went into a storm drain. Assuming maximum PCB's until lab results are returned. Transformer retireved, no other cleanup feasible due to weather conditions.

12/87 600

Date/Time:
Evacuations:
Type:
Other:
Chemical 1:
Chemical 2:
Chemical 3:

PETROLEUM Not reported

Not Reported Not Reported Not Reported

8105652859

Database(s) EDR ID Number EPA ID Number

TC0960024.9s Page 31

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Detabase(s)
	\$104568629 U001800803 \$101624828 2001554285 2001567332 91238859 \$103291443	PGAE	HWY1 / STATE PARK DR HWY 1 AT FREEDOM BLVD/SEASCAPE SUBST/ APTOS APTOS 206 BEACH DR MATERIAL IS 1/3 MILE OFFSHORE HWY SB 1/BETW PARK AVE & STATE PARK DR CLIFF DR NTERSECTION HWY 101 / HWY 1	95003 95003	HAZNET HAZNET HIST UST CA FID UST ERNS ERNS LUST, Cortese Cel-Sites

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Elapsed ASTM days: Provides confirmation that this EDR report meets or exceeds the 80-day updating requirement of the ASTM standard.

FEDERAL ASTM STANDARD RECORDS

lational Priorities List (Superfund). The NPL is a subset of CERCLIS and Identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic interpretation Center

(EPIC) and regional EPA offices.

Date of Government Version: 01/29/03
Date Made Active at EDR: 03/04/03 Database Release Fraquency: Semi-Annually

Date of Data Arrival at EDR: 02/04/03
Elapsed ASTM days: 28
Date of Last EDR Contact: 02/04/03

NPL Site Boundaries

EPA's Environmental Photographic Interpretation Center (EPIC) Telephone: 202-564-7333

EPA Region 3 Telephone 617-918-1143

EPA Region 8 EPA Region 6 Telephone: 214-655-6659

Telephone: 303-312-6774

elephone 215-814-5418

EPA Region 4 Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites Source: EPA

Date Made Active at EDR: 03/04/03 Database Release Frequency: Semi-Annually

Date of Date Arrival at EDR: 02/04/03 Elepsed ASTM days: 2B Date of Last EDR Contact: 02/04/03

CERCLIS: Comprehensive Environmental Response, Compansation, and Liability Information System Source: EPA

Teisphone: 703-413-0223
CERCLIS contains data on pointies, pointies, provided to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), CERCLIS contains sites which are either proposed to or on the hational Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/19/03
Date Made Active at EDR: 04/08/03
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 03/24/03 Elapsed ASTM days: 15 Date of Last EDR Contact: 03/24/03

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Telephone: 703-413-0223
As of Fabruary 1935, CERCIS slies designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP slies may be alles where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. FEPA has removed approximately 25,000 NFRAP slies to lift the uninflanded barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat the investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities, states, private investors and affected citizens

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date Made Active at EDR: 04/08/03 Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 03/24/03 Elapsed ASTM days: 15 Date of Last EDR Contact: 03/24/03

CORRACTS: Corrective Action Report

Source: EPA

i elephone: 800-424-9346 CORRACTS identifies hazardous waste handlers with RCRA corrective action activity. a: 800-424-9346

Date of Government Version: 01/15/03
Date Made Active at EDR: 03/04/03 Database Release Frequency: Semi-Annually

Date of Data Arrival at EDR: 01/21/03 Elapsed ASTM days: 42 Date of Last EDR Contact: 03/10/03

RCRIS: Resource Conservation and Recovery Information System

elephone: 800-424-9346

Resource Conservation and Recovery Information System. RCRIS includes selective information on sites which generals, temport, sions, treat endor dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCBA).

Date of Government Version: 09/09/02
Date Made Active at EDR: 10/28/02

Date of Data Arrival at EDR: 09/24/02 Elapsed ASTM days: 34 Date of Last EDR Contact: 03/07/03

ERNS: Emergency Response Notification System
Source: National Response Center, United States Coast Guard
Telephone: 202-280-2342

Emergency Response Notification System. ERNS records and stores information

on reported releases of oil and hazardous

Date of Government Version: 12/31/01
Date Made Active at EDR: 07/15/02
Database Release Frequency: Annually

Date of Data Arrivel at EDR: 07/02/02 Elapsed ASTM days: 13 Date of Last EDR Contact: 01/27/03

FEDERAL ASTM SUPPLEMENTAL RECORDS

BR8: Biennial Reporting System Source: EPAINTIS

Telephone: 800-424-6346
The Blemhaik Reporting System is a national system administered by the EPA that collects data on the generation and management of hezerdous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Database Release Frequency: Biennially Date of Government Version: 12/31/99

Date of Last EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

CONSENT: Superfund (CERCLA) Consent Decrees Source: EPA Regional Offices

Date of Government Version: N/A Database Release Frequency: Varies

Major legel settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Last EDR Contact: N/A
Date of Next Scheduled EDR Contact: N/A

ROD: Records Of Decision Source: EPA

Record of Decision, ROD documents mendate a permanent remedy at an NPL (Superfund) site containing technical and health information to add in the cleanup.

Date of Government Version: 01/09/03
Database Release Frequency: Annually

Date of Last EDR Contact: 01/07/03

Date of Next Scheduled EDR Contact: 04/07/03

DELISTED NPL: National Priority List Deletions

Telephone, MA
Telephone, MA
The National Oil and Hazardous Substances Poliution Contingency Pian (NCP) establishes the criteria that the
EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425 (e), sites may be deleted from the
NPL where no further response is appropriate.

Date of Government Version: 01/29/03

abase Release Frequency: Quarterly

Date of Last EDR Contact: 02/04/03
Date of Next Scheduled EDR Contact: 05/05/03

FINDS: Facility Index System/Facility Identification Initiative Program Summary Report

Telephone, NIA

Telephone, NIA

Facility Index System, FINDS contains both facility information and 'pointers' to other sources that contain more deal. EDR includes the following FINDS databases in this report: PCS (Fermit Compliance System), AIRS (Aerometric Information Retireval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Ludergound riplection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement lactures and Sistem statutes), FIRS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 01/14/03

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

HMIRS: Hazardous Malarials information Repording System
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Hazardous Malarials Incident Report System. HMIRS contains hazardous malarial apili incidents reported to DOT.

Date of Government Version: 11/30/02 Database Release Frequency: Annually

Date of Last EDR Contact: 01/23/03
Date of Next Schaduled EDR Contact: 04/21/03

MLT8: Malerial Licensing Tracking System
Source: Nuclear Regulatory Commission
Telephone: 301-415-7489
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which
possess or use radioactive malerials and which are subject to NRC itemsing requirements. To mentain currency,
EDR contacts the Agency on a quarterly basis.

Date of Government Version: 01/16/03

Dalabase Reiease Frequency: Quarterly

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

MINES: Mines Master Index File

ource: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959

Date of Government Version: 09/10/02 Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/31/03
Date of Next Scheduled EDR Contact: 06/30/03

NPL LIENS: Federal Superfund Liens

elephone: 205-564-4267

ulder Superfund Liens, Under the authority granted the USEPA by the Comprehensive Environmental Response, Compensation and Labellity Act (CERCLA) of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner receives notification of potential liability.

USEPA compiles a listing of filed notices of Superfund Liens.

TC0960024.9s Page GR-3

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/91
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/27/03

Date of Next Scheduled EDR Contact: 05/26/03

PADS: PCB Activity Database System

aphone: 202-564-3887

PCB Activity Delabase. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Data of Government Version: 12/12/02 Database Release Frequency: Annually

Date of Last EDR Contact: 02/10/03

Date of Next Scheduled EDR Contact: 05/12/03

RAAT8: RCRA Administrative Action Tracking System Source: EPA

Telephone: 202-564-4104
RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and ovil actions brough by the EPA For administration actions after September 30, 1985, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

Date of Government Version: 04/17/95
Database Releass Frequency: No Update Planned

RIS: Toxic Chemical Release Inventory System

urce: EPA

elephone: 202-280-1531 out of Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantifies under SARA Title III Section 313.

Data of Government Version: 12/31/00 Database Release Frequency: Annually

Date of Last EDR Contact: 03/25/03
Date of Next Scheduled EDR Contact: 06/23/03

FSCA: Toxic Substances Control Act

releptions: 202-280-5521

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance inventory list. It includes data on the production volume of these substances by plant.

Date of Government Version: 12/31/98 Database Release Fraquency: Every 4 Years

FTTS INSP: FIFRA/TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) Date of Last EDR Contact: 03/06/03
Date of Next Scheduled EDR Contact: 06/09/03

elephone: 202-564-2501

Date of Government Version: 01/28/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 06/24/03
Date of Next Scheduled EDR Contact: 06/23/03

8STS: Section 7 Tracking Systems

Telephone: 202-564-5008
Section 7 of the Federal insacticide, Fungicide and Rodenticide Act, as arranded (82 Stat. 828) requires all registered pesticides producing establishments to submit a report to the Environmental Protection Agency by March 1st search year. Each establishment must report the types and emounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/00 Database Release Frequency: Annually

Date of Last EDR Contact: 01/21/03
Date of Next Scheduled EDR Contact: 04/21/03

FTTS: FIFRA/TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
Source: EPA/Office of Prevention, Posticides and Toxic Substances elephone: 202-564-2501

FTTS tracks administrative cases and pesticide enforcement actions and compilance activities related to FIFRA,
TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Database Release Frequency: Quarterly Date of Government Version: 01/28/03

Date of Last EDR Contact: 03/24/03

Date of Next Scheduled EDR Contact: 06/23/03

STATE OF CALIFORNIA ASTM STANDARD RECORDS

AWP: Annual Workplan Sites

Telephone: 916-323-3400 Source: California Environmental Protection Agency

Known Hazardous Waste Silas, California DTSC's Annual Workplan (AWP), formerly BEP, identifies known hazardous substance siles largeted for cleanup.

Date of Government Version: 01/06/03
Date Made Active at EDR: 01/28/03 Database Release Frequency: Annually

Date of Data Arrival at EDR: 01/06/03 Elapsed ASTM days: 22 Date of Last EDR Contact: 01/06/03

CAL-SITES: Calsites Database

Source: Department of Toxic Substance Control
Telephone: 915-325-3400
The Calistes detabase contains potential or confirmed hazardous substance release properties. In 1986, California
EPA reevaluated and significantly reduced the number of sites in the Calistes delabase.

Date of Data Arrival at EDR: 03/11/03 Elapsed ASTM days: 10 Date of Last EDR Contact: 03/11/03

Date of Government Version: 02/28/03

Date Made Active at EDR: 03/21/03

Database Release Frequency: Quarterly

CHMIRS: California Hazardous Material Incident Report System Source: Office of Emergency Services Telephone: 816-845-8400 California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 12/31/01
Date Made Active at EDR: 01/15/03
Database Release Frequency: Varies

Date of Data Arrival at EDR: 12/02/02 Elapsed ASTM days: 44 Date of Last EDR Contact: 02/24/03

CORTESE: "Cortess" Hazardous Waste & Substances Sites List Source: CAL EPACITICs of Emergency Information
Teaphone: 914-923-9100
The sites for the list are designated by the State Water Resource Control Board (LUST), the integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 04/01/01
Date Made Active at EDR: 07/26/01
Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 05/29/01 Elapsed ASTM days: 58 Date of Last EDR Contact: 02/18/03

NOTIFY 65: Proposition 65 Records
Source: State Water Fasources Control Board
Telephone: 91-445-2848
Proposition 65 Notification Records, NOTIFY 65 contains facility notifications about any release which could impact drinking water and thereby expose the public to a potential health risk.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/21/93
Date Made Active at EDR: 11/19/93

Database Release Frequency: No Update Planned

Date of Date Arrival at EDR: 11/01/93 Elapsed ASTM days: 18 Date of Last EDR Conlact: 01/20/03

TOXIC PITS: Toxic Pits Cleanup Act Sites

Source: State Water Resources Control Board Telephone: 918-227-4364 Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been complete

Date of Government Version: 07/01/95
Date Made Active at EDR: 08/26/95 Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 08/30/95 Elapsed ASTM days: 27 Date of Last EDR Contact: 02/03/03

SWF/LF (SWIS): Solid Waste Information System

Source: Integrated Weste Management Board

Telephone: 916-34-1-43220

Active, Creed and Inactive Landitie. SWFILF records typically contain an inventory of solid waste disposal facilities or landifile. These may be active or inactive statilies or open dumps that failed to meet RCRA Section 4004 criterie for solid waste landifile or disposal sites.

Date of Government Version: 03/14/03
Date Made Active at EDR: 04/04/03
Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 03/17/03 Elapsed ASTM days: 18 Date of Last EDR Contact: 03/17/03

WMUDS/SWAT: Wasta Management Unit Database
Source: State Water Resources Control Board
Telephone: 916-227-4448
Telephone: 916-227-4448
Telephone: 916-227-4448
Water Resources Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Water Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Paramaters, TPCA Program Information, RCRA Program Information, Closure
Information, and Interested Parties Information.

LUST: Leaking Underground Storage Tank Information System Source: State Water Resources Control Board Telephone: 916-341-5740 Database Release Frequency: Quarterly

Date of Government Version: 04/01/00

Made Active at EDR: 05/10/00

Date of Data Arrival at EDR: 04/10/00 Elspaed ASTM days: 30 Date of Last EDR Contact: 03/17/03

eaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground. storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 01/06/03
Date Made Active at EDR: 02/04/03

CA BOND EXP. PLAN: Bond Expenditure Plan Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 01/08/03 Elapsed ASTM days: 27 Date of Last EDR Contact: 01/08/03

ource: Department of Health Services

Telephone: 916-255-2118

Department of Health Services developed a site-specific expanditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/89
Date Made Active at EDR: 08/02/94
Database Release Frequency: No Update Planned

Date of Data Arrivel at EDR: 07/27/94 Elapsed ASTM days: 6 Date of Last EDR Contact: 05/31/94

UST: Active UST Facilities Source: SWRCB

Active UST facilities gathered from the local regulatory agencies Telephone: 916-341-5700

Date of Government Version: 01/06/03
Date Made Active at EDR: 01/28/03
Database Raleass Frequency: Semi-Annually

Date of Data Arrival at EDR: 01/08/03 Elapsed ASTM days: 20 Date of Last EDR Contact: 01/08/03

VCP: Voluntary Cleanup Program Properties
Source: Department of Toxic Substances Control

elephone: 916-323-3400

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for

Date of Government Version: 02/28/03
Date Made Active at EDR: 04/04/03

Database Release Frequency: Quarterly

Date of Data Arrival at EDR: 03/05/03 Elapsed ASTM days: 30 Date of Last EDR Contact: 03/05/03

NDIAN UST: Underground Storage Tanks on Indian Land Telephone: 415-972-3368 Source: EPA Region 9

Database Release Frequency: Varies Date of Government Version: N/A
Date Made Active at EDR: N/A

Date of Date Arrival at EDR: N/A Etapsed ASTM days: 0
Date of Last EDR Contact: N/A

CA FID UST: Facility Inventory Database Source: California Environmental Protection Agency

Talephone: 916-445-6532

The Facility Inventory Databass (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

Date of Government Version: 10/31/94 Date Made Active at EDR: 09/29/95

Date of Data Arrival at EDR: 09/05/95 Elapsed ASTM days: 24 Date of Last EDR Contact: 12/28/98

HIST UST: Hazardous Substance Storage Container Database Source: State Water Resources Control Board Database Release Frequency: No Update Planned

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data. aphone: 916-341-5700

Date of Government Version: 10/15/90 Date Made Active at EDR: 02/12/91 Database Release Frequency: No Update Planned

Date of Data Arrival at EDR: 01/25/91 Elapsed ASTM days: 18 Date of Last EDR Contact: 07/26/01

STATE OF CALIFORNIA ASTM SUPPLEMENTAL RECORDS

AST: Aboveground Petroleum Storage Tank Facilities Source: State Water Resources Control Board Registered Aboveground Storage Tanks. Telephone: 916-341-5712

Dale of Government Version: 03/18/03 Delabase Release Frequency: Quarterly

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

TC0960024.9s Page GR-7

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CLEANERS: Cleaner Facilities
Source: Department of Toxic Substance Control
Feliphone: 1918-25-0873
A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes:

A power laundries, family and commercial; parment pressing and cleaner's agents; linen supply; coin-operated faundries and cleaning; drycleaning plants, except rigs; carpet and upholster cleaning; industrial launderers; laundry and

Date of Government Version: 03/18/02 Datebase Release Frequency: Annually

Date of Last EDR Contact: 01/15/03
Date of Next Scheduled EDR Contact: 04/07/03

CA WDS: Waste Discharge System
Source: State Waster Resources Control Board

Telephone: 916-857-1571 Sites which have been Issued waste discharge requirements.

Date of Government Version: 03/21/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/24/03
Date of Naxl Scheduled EDR Contact: 06/23/03

DEED: List of Deed Restrictions

Source: Department of Toxic Substances Control
Telephone: 918-323-3400
The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe
exposures to hazardous substances and wastes.

Date of Government Version: 01/03/03 Database Release Frequency: Semi-Annually

NFA: No Further Action Determination

Date of Last EDR Contact: 01/06/03
Date of Next Scheduled EDR Contact: 04/07/03

Source: Department of Taxte Substances Control
Telephone: 916-323-3400
This category contains properties at which DTSC has made a clear determination that the property does not pose
a problem to the environment or to public health.

Date of Government Version: 02/28/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/11/03
Date of Next Scheduled EDR Contact: 06/02/03

REF: Unconfirmed Properties Referred to Another Agency
Selection. Department of Toxic Substances Control
Telephone: 915-823-9400
This category contains properties where contamination has not been confirmed and which were determined as not requiring direct DTSC Site Mitigation Program action or oversight. Accordingly, these sites have been referred

to another state or local regulatory agency.

Dala of Government Version: 03/18/03 Dalabase Release Frequency: Quarterly

Date of Last EDR Contact: 03/11/03
Date of Next Scheduled EDR Contact: 06/02/03

SGH: School Property Evaluation Program
Source: Department of Toxic Substances Control
Telephone: 918-823-3400
This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination, in some cases, these properties may be listed in the CatiState category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 02/28/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/11/03
Date of Next Scheduled EDR Contact: 06/02/03

NFE: Properties Needing Further Evaluation Source: Department of Tox Felephone: 916-323-3400 Toxic Substances Control

This category contains properties that are suspected of being contaminated. These are unconfirmed contaminated properties that need to be assessed using the PEA process. PEA in Progress indicates properties where DTSC is currently conducting a PEA. PEA Required indicates properties where DTSC has determined a PEA is required, but

Date of Government Version: 02/28/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/11/03

Date of Next Scheduled EDR Contact: 06/02/03

HAZNET: Hazardous Waste Information System
Source: California Environmental Protection Agency

Telephone: 916-255-1135
Telephone: 916-255-1136
Teleph

Data of Government Version: 12/31/01 Database Release Frequency: Annually

Date of Last EDR Contact: 02/10/03
Date of Next Scheduled EDR Contact: 05/12/03

LOCAL RECORDS

ALAMEDA COUNTY:

Local Oversight Program Listing of UGY Cleanup Sites
Source: Alameda County Environmental Health Services
Telephone: 510-567-6700

Date of Government Version: 12/02/02
Database Release Frequency: Semi-Annually

Inderground Tanks
Source: Alameda County Environmental Health Services

Date of Last EDR Contact: 01/27/03

Date of Next Scheduled EDR Contact: 04/28/03

Date of Last EDR Contact: 01/27/03

Date of Next Scheduled EDR Contact: 04/28/03

Date of Government Version: 11/26/02 Database Release Frequency: Semi-Annually

Telephone: 510-567-6700

CONTRA COSTA COUNTY:

Source: Contra Costa Health Services Department Telephone: \$25-845-2286 List Includes sites from the underground tank, hazardous waste generator and business plant/2185 programs.

Date of Government Version: 06/05/02

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/03/03
Date of Next Scheduled EDR Contact: 06/02/03

FRESNO COUNTY:

CUPA Resources List
Source: Dept of Community Health
Telephone: 569-445-3271
Telephone: 569-445-3271
Certified Unified Program Agency: CUPA's are responsible for implementing a unified hazardous malarials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous malerials, operate underground storage tanks or aboveground storage tanks.

Data of Government Version: 03/28/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/24/03

Date of Next Scheduled EDR Contact: 05/12/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

derground Storage Tank Sites & Tank Listing Source: Kern County Environment Health Services Department lephone: 661-862-8700

Date of Government Version: 03/01/03 Database Release Frequency: Varies

City of El Segundo Underground Storage Yank Source: City of El Segundo Fire Department Telephone: 310-607-2239

elephone: 562-570-2543

City of Torrance Underground Storage Tank Source: City of Torrance Fire Department

Date of Government Version: 02/25/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/18/03
Date of Next Scheduled EDR Contact: 05/19/03

City of Los Angeles Landfills
Source: Engineering & Construction Division
Telephone: 213-473-7869

Date of Government Version: 11/27/02
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/18/03

Date of Next Scheduled EDR Contact: 05/19/03

Kern County Sites and Tanks Listing.

Data of Government Version: 03/25/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

LOS ANGELES COUNTY:

List of Solid Waste Facilities

ource: La County Department of Public Works elephone: 818-458-5185

Data of Government Version: 03/01/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/18/03
Date of Next Scheduled EDR Contact: 05/19/03

Date of Last EDR Contact: 02/20/03

Date of Next Scheduled EDR Contact: 05/19/03

City of Long Beach Underground Storage Tank Source: City of Long Beach Fire Department

Data of Government Version: 05/30/02 Database Release Frequency: Annually

Date of Last EDR Contact: 02/24/03
Date of Next Scheduled EDR Contact: 05/26/03

Telephone: 310-618-2973

Date of Government Version: 03/01/02 Database Release Frequency: Varies

Date of Lest EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

HM8: Street Number List Source: Department of Public Works Telephone: 628-458-5617 Industrial Weste and Underground Storage Tank Stee.

Site Mitigation List Source: Community Health Services Telephone: 323-890-7906 Industrial sites that have had some sort of spill or compleint.

Data of Government Version: 01/07/03
Database Release Frequency: Annually

Date of Last EDR Contact: 02/18/03
Date of Next Scheduled EDR Contact: 05/19/03

San Gabriel Valley Areas of Concern Source: EPA Rep ephone: 415-872-3178

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office

Date of Government Version: 12/31/98
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 06/29/99
Date of Next Scheduled EDR Contact: N/A

Date of Government Version: 03/04/03
Database Release Frequency: Semi-Annually

NAPA COUNTY:

Sites With Reported Contamination
Source: Napa County Department of Environmental Management
Telephone: 707-253-4288

Date of Government Version: 03/31/03
Database Release Frequency: Serni-Annually

Closed and Operating Underground Storage Tank Sites
Source: Napa County Department of Environmental Management elephone: 707-253-4269

Date of Government Version: 03/31/03 Database Release Frequency: Annually

ORANGE COUNTY:

List of Underground Storage Tank Cleanups Source: Health Care Agency Telephone: 714-834-3446

Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 11/04/02 Database Release Frequency: Quarterly

List of Underground Storage Tank Facilities Source: Health Care Agency Telephone: 714-834-3448

Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 11/27/01
Database Release Frequency: Quarterly

List of Industrial Site Cleanups Source: Health Care Agency Telephone: 714-834-3446 Petroleum and non-petroleum spills.

Underground Storage Tank Sites
Source: Public Works Department Waste Management
Telephone: 415-489-847
Currently permitted USTs in Mann County. MARIN COUNTY:

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

Date of Last EDR Contact: 03/31/03

Date of Next Schedulad EDR Contact: 06/30/03

Date of Last EDR Contact: 03/31/03
Date of Next Scheduled EDR Contact: 06/30/03

Daia of Last EDR Contact: 03/14/03 Date of Next Scheduled EDR Contact: 05/09/03

Date of Last EDR Contact: 03/14/03
Date of Next Scheduled EDR Contact: 06/09/03

TC0860024.9s Page GR-11

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Data of Government Version: 10/24/00 Database Release Frequency: Annually

Date of Last EDR Contact: 03/14/03
Date of Next Scheduled EDR Contact: 06/09/03

PLACER COUNTY:

Master List of Facilities
Source: Placer County Health and Human Services
Telephone: S30,488,7312
List includes aboveground tanks, underground tanks and cleanup sites.

Data of Government Version: 02/03/03 Database Release Frequency: Sem⊢Annually

Date of Last EDR Contact: 03/25/03
Date of Next Scheduled EDR Contact: 06/23/03

RIVERSIDE COUNTY:

Listing of Underground Tank Cleanup Sites Source: Department of Public Health Telephone: 909-358-5055

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 02/24/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/20/03
Date of Next Scheduled EDR Contact: 04/21/03

Underground Storage Tank Tank List Source: Health Services Agency

elephone: 909-358-5055

Date of Last EDR Contact: 01/20/03
Date of Next Scheduled EDR Contact: 04/21/03

Date of Government Version: 02/24/03 Database Release Frequency: Quarterly

SACRAMENTO COUNTY:

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

C9 - Contaminated Sites Source: Secremento County Environmental Management Telephone: 915-875-9406

Date of Government Version: 10/25/02 Database Release Frequency: Quarterly

ML - Regulatory Compliance Master List
Source: Secretinento County Environmental Management
Telaphone: 916-875-6406
Any Dusiness that has hazardous materials on site - hazardous material storage sites, underground storage tanks,

Data of Government Version: 11/05/02 Database Release Frequency: Quarterly

Date of Last EDR Contact: 02/03/03
Date of Next Scheduled EDR Contact: 05/05/03

SAN BERNARDINO COUNTY:

Hazardous Material Permits
Source: San Barnardino County Fire Department Hazardous Materials Division
Telephone: 989-987-9941
This listing includes underground storage tanks, medical weste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 01/16/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

SAN DIEGO COUNTY:

Solid Waste Facilities
Source: Department of Health Services
Telephone: 619-338-2209
San Diego County Solid Waste Facilities.

Date of Government Version: 08/01/00 Database Release Frequency: Varies

Date of Last EDR Contact: 02/24/03

Date of Next Scheduled EDR Contact: 05/26/03

Hazardous Materials Management Division Database
Source: Hazardous Materials Management Division
Telephone: 619-339-2288
Telephone: 619-339-2288
Telephone: 619-339-2288
The database includes: HEBB - This raport contains the business name, sile address, business phone number, establishment The database includes: HEBB - This raport contains the business status. HE17 - In addition to providing the same information provided in the HEBB listing, HE17 provides inspection deles, violations needward by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage latist. Unauthor tax Release LE1: Includes a summary of environment contamination and soil contamination and soil contamination are includent.

Date of Government Version: 03/31/02 Datebase Release Frequency: Quarterly

Date of Last EDR Contact: 01/29/03
Date of Next Scheduled EDR Contact: 04/07/03

SAN FRANCISCO COUNTY:

Local Oversite Facilities
Source: Department Of Public Health San Francisco County

Telephone: 415-252-3920 Date of Government Version: 03/17/03 Database Release Frequency: Quarterly Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

Underground Storage Tank Information Source: Department of Public Health Telaphone: 415-252-3820

Date of Government Version: 03/17/03
Detabase Release Frequency: Quarterly Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

SAN MATEO COUNTY:

Fuel Leak List
Source: San Mateo County Environmental Health Services Division
Telephone: 650-383-1921

Date of Government Version: 03/13/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 02/10/03
Date of Next Scheduled EDR Contact: 04/28/03

Business Inventory
Source: San Maleo County Environmental Health Services Division
Telephone: 650-863-1621
List includes Hazardous Malerials Business Plan, hazardous waste generators, and underground storage tanks.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Data of Government Version: 05/01/02 Database Release Frequency: Annually

Date of Last EDR Contact: 01/13/03

Date of Next Scheduled EDR Contact: 04/14/03

SANTA CLARA COUNTY:

Fuel Leak Site Activity Report
Source: Santa Clara Valley Water District
Telephone: 408-265-2600

Date of Government Version: 01/08/03
Database Release Frequency: Semi-Annually

zzardous Material Facilities Source: City of San Jose Fire Department Telephone: 408-277-4659

Date of Government Version: 01/03/02 Database Release Frequency: Annually

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

Date of Last EDR Contact: 03/31/03
Date of Next Scheduled EDR Contact: 06/30/03

SOLANO COUNTY:

Leaking Underground Storage Tanks
Source: Sciano County Department of Environmental Management
Telephone: 707-421-6770

Data of Government Version: 12/20/02 Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

Underground Storage Tanks
Source: Solano County Department of Environmental Management
Telephone: 707-421-5770

Date of Government Version: 12/18/02 Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

SONOMA COUNTY:

Leaking Underground Storage Tank Sites Source: Department of Health Services Telephone: 707-565-6565

Date of Government Version: 01/01/03

Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/27/03
Date of Next Scheduled EDR Contact: 04/28/03

SUTTER COUNTY:

Underground Storage Tanks
Source: Sutter County Department of Agriculture
Telephone: 530-822-7500

Date of Government Version: 07/01/01
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/08/03
Date of Next Scheduled EDR Contact: 04/07/03

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

VENTURA COUNTY:

Inventory of Illegal Abandoned and inactive Sites Source: Environmental Health Division

Telaphone: 805-654-2813 Ventura County inventory of Closed, illegal Abandoned, and inactive Sites.

Date of Government Version: 09/01/02 Database Release Frequency: Annually

Date of Last EDR Contact: 02/24/03
Date of Next Scheduled EDR Contact: 05/26/03

Listing of Underground Tank Cleanup Sites Source: Environmental Health Division

sphone: 805-654-2813 tal Health Division

/antura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 03/10/03 Database Release Frequency: Quarterly

Date of Lest EDR Contact: 01/13/03
Date of Next Scheduled EDR Contact: 04/14/03

Underground Tank Closed Sites List Source: Environmental Health Division

/entura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List sphone: 805-654-2813

Database Release Frequency: Quarterly Date of Government Version: 10/21/02

Date of Last EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

Business Plan, Hazardous Waste Producers, and Operating Underground Tanks Source: Venure County Environmental Health Division Telephone: 805-654-2813 The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tenk (T) information.

Date of Government Version: 02/11/03
Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/17/03

Date of Next Scheduled EDR Contact: 06/16/03

YOLO COUNTY:

Underground Storage Tank Comprehensive Facility Report Source: Yolo County Department of Health Telephone: 530-666-8646

Date of Government Version: 10/28/02 Database Release Frequency: Annually

Date of Last EDR Contact: 01/20/03
Date of Next Scheduled EDR Contact: 04/21/03

California Regional Water Quality Control Board (RWQCB) LUST Records

LUST REG 1: Active Toxic Site investigation
Source: California Regional Water Quality Control Board North Coast (1)
Telephone: 707-576-2220
Del Norte, Humbodt, Lake, Mendocho, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Data of Government Version: 02/01/01 Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/24/03
Date of Next Scheduled EDR Contact: 05/28/03

LUST REG 2: Fuel Leak List
Source: California Regional Water Quality Control Board San Francisco Bay Region (2)
Telephone: 510-286-0457

TC0960024.9s Page GR-15

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/01/02 Database Release Frequency: Quarterly

LUST REG 3: Laeking Underground Storage Tank Database
Source: California Regional Water Quality Control Board Central Coast Region (3)

Dale of Last EDR Contact: 01/13/03
Dale of Next Scheduled EDR Contact: 04/14/03

Date of Government Version: 02/18/03 Database Release Frequency: Quarterly

Date of Lest EDR Contact: 02/18/03
Date of Next Scheduled EDR Contact: 05/19/03

LUST REG 4: Underground Storage Tank Leak List
Source: California Regional Water Quality Control Board Los Angeles Region (4)
Telephone: 212-266-8600
Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control

Dats of Government Version: 08/09/01 Database Release Frequency: No Update Planned

Board's LUST database.

LUST REG 5: Leaking Underground Storage Tank Database
Source: California Regional Water Quality Control Board Central Valley Region (5)

Date of Last EDR Contact: 03/31/03
Date of Next Scheduled EDR Contact: 08/30/03

lelephone: 816-255-3125

Date of Government Version: 01/01/03

Dalabase Release Frequency: Quarterly

Date of Lest EDR Contact: 01/20/03
Date of Next Scheduled EDR Contact: 04/07/03

LUST REG 6L: Leaking Underground Storage Tank Case Listing
Source: California Regional Water Quality Control Board Lahontan Region (6)

ephone: 916-542-5424

For more current information, please refer to the State Water Resources Control Board's LUST database. Date of Government Version: 01/01/03

Database Reiesse Frequency: No Update Planned

Date of Last EDR Contact: 01/06/03

Date of Next Scheduled EDR Contact: 04/07/03

LUST REG 6V: Leaking Underground Storage Tank Case Listing Source: California Regional Weter Quality Control Board Victorville Branch Office (5) Telephone: 750-346-7491

Date of Government Version: 01/24/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/06/03

Date of Next Scheduled EDR Contact: 04/07/03

LUST REG 7: Leaking Underground Storage Tank Case Listing Source: California Regional Water Quality Control Board Colorado River Basin Region (7) Telephone: 780-346-7491

Date of Government Version: 07/02/02

Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 03/31/03
Date of Next Scheduled EDR Contact: 06/30/03

LUST REG 8: Leaking Underground Storage Tanks
Source: California Regional Water Caulity Control Board Santa Ana Region (8)
Telephone: 509-782.4498
California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Data of Government Version: 03/14/03
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/10/03
Date of Next Scheduled EDR Contact: 05/12/03

LUST REG 9: Leaking Underground Storage Tank Report
Source: California Regional Weier Quality Control Board San Diego Region (9)
Telephone: 854-87-2860
Orange Riverside, San Diego counties. For more current information, please refer to the State Water Resources
Control Board's LUST database.

TC0860024.9s Page GR-16

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/01/01
Database Release Frequency: No Update Planned

Date of Last EDR Contact: 02/03/03

Date of Next Scheduled EDR Contact: 04/21/03

California Regional Water Quality Control Board (RWQCB) SLIC Records

SLIC REG 1: Active Toxic Site investigations
Source: California Regional Water Quality Control Board, North Coast Region (1)

Telephone: 707-576-2220

Database Release Frequency: Semi-Annually Date of Government Version: 02/01/01

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 05/26/03

SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: Regional Water Quality Control Board San Francisco Bay Region (2) Any contaminated site that impacts groundwater or has the potential to impact groundwater.

Date of Government Version: 10/01/02 Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/13/03

Date of Next Scheduled EDR Contact: 04/14/03

SLIC REG 3: Spills, Leaks. Invastigation & Cleanup Cost Recovery Listing Source: California Regional Water Quality Control Board Central Coast Region (3) Telephone: 805-549-3147

Any contaminated site that impacts groundwater or has the potential to impact groundwater. Date of Government Version: 02/18/03 Date of Last EDR Contact: 02/18/03

Date of Next Scheduled EDR Contact: 05/19/03

Database Release Frequency: Semi-Annually

SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: Region Water Quality Control Board Los Angeles Region (4) Telephone: 213-576-8600

Any contaminated site that impacts groundwater or has the potential to impact groundwater.

Date of Government Version: 02/01/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 01/27/03

Date of Next Scheduled EDR Contact: 04/28/03

SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: Regional Water Quality Control Board Central Valley Region (5) Telephone: 916-855-3075

Unregulated sites that impact groundwater or have the potential to impact groundwater.

Date of Government Version: 01/01/03
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/06/03

Date of Next Scheduled EDR Contact: 04/07/03

Date of Last EDR Contact: 03/10/03

Date of Next Scheduled EDR Contact: 06/09/03

SLIC REG 6L: SLIC Sites
Source: California Regional Water Quality Control Board, Lahontan Region
Telephone: 530-542-5574

Date of Government Version: 03/01/03
Database Release Frequency: Varies

SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: Regional Water Quality Control Board, Victorville Branch

phone: 619-241-6583

Data of Government Version: 07/19/01
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/27/03

Date of Next Scheduled EDR Contact: 04/07/03

SUC REG 7: SLIC List
Source: California Regional Quality Control Board, Colorado River Basin Region
Telephone: 700-345-7491

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/01/03
Database Release Frequency: Varies

Date of Last EDR Contact: 02/28/03

Date of Next Scheduled EDR Contact: 05/26/03

SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: California Region Water Quality Control Board Santa Ana Region (8)

Telephone: 909-782-3288

Date of Government Version: 06/01/02
Database Release Frequency: Semi-Annually

Date of Last EDR Contact: 01/06/03

Date of Next Scheduled EDR Contact: 04/07/03

SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing Source: California Regional Water Quality Control Board San Diego Region (9) Telephons: 858-487-2880

Date of Government Version: 03/03/03 Database Release Frequency: Annually

Date of Last EDR Contact: 03/03/03

Date of Next Scheduled EDR Contact: 06/02/03

EDR PROPRIETARY HISTORICAL DATABASES

Former Manufactured Gas (Coal Gas) Sites: The existence and location of Coal Gas sites is provided exclusively to EDR by Real Property Scan, Inc. ©Copyright 1983 Real Property Scan, Inc. For a technical description of the types of hazards which may be found at such sites, contact your EDR customer service representative.

Disclaimer Provided by Real Property Scan, Inc.

The information contained in this report has predominantly been obtained from publicly available sources produced by entities other than Real Property Scan. While reasonable sleps have been taken to insure the accuracy of this report, Real Property Scan closes not guaranties the accuracy of this report. Any liability on the part of Real Property Scan is strictly inclined to a refund of the amount paid. No claim is made for the actual existence of toxins at any site. This report close not constitute a legal

STATE OF CALIFORNIA BROWNFIELDS DATABASES RECORDS

VCP: Voluntary Cleanup Program Properties
Source: Department of Toxic Substances Control

ephone: 916-323-3400

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for

DTSC's costs.

Date of Government Version: 02/28/03 Database Release Frequency: Quarterly

Date of Last EDR Contact: 03/05/03

Date of Next Scheduled EDR Contact: 06/02/03

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specially databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the apport are included. Moreover, the atsence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

Ol/Gas Pipelines: This dala was obtained by EDR from the USGS in 1994, it is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oit, but primarily

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly he sick, and chidren. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schoots, deycarse, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1998 from the Faderal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NMI: National Wellands inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2003 Geographic Dala Technology, Inc., Rei. 07/2001. This product contains proprietary and confidential property of Geographic Dala Technology. Inc. Unauthorized use, including copying for other than leating and standard backup procedures, of this product is expressly prohibited.

GEOCHECK * PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

VISITOR CTR-SITE #3/SEACLIFF STATE BEACH SANTA CRUZ AVENUE/BROADWAY APTOS, CA 95003

TARGET PROPERTY COORDINATES

Latitude (North): 36.973598 - 36' 56' 25.0" Longitude (West): 121.911400 - 121' 54' 41.0" Universal Tranverse Mercator: Zone 10 UTM X (Meters): 566896.8 UTM Y (Meters): 4092294.2

EDR's GeoCheck Physical Setting Source Addendum has been developed to assist the environmental professional with the collection of physical setting source information in accordance with ASTM 1527-00, Section 7.2.3. Section 7.2.3 equives that a current USGS 7.5 Minute Topographic Map (or equivalent, such as the USGS Digital Elevation Model) be reviewed. It also requires that one or more additional physical satting sources be sought when (1) conditions have been identified in which hazardous substances or petroleum products are likely to milgrate to or from the property, and (2) more information than is provided in the current USGS 7.5 Minute Topographic Map (or equivalent) is generally obtained, pursuant to local good commercial or customary practice, to assess the impact of migration of recognized environmental conditions in connection with the property. Such additional physical setting sources generally include information about the topographic, hydrogeologic, hydrogeologic, characteristics of a site, and wells in the area.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- Groundwater flow direction, and
 Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strate. EDR's GeoCheac Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

TC0960024.9s Page GR-19

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

<u>GROUNDMATER FLOW DIRECTION INFORMATION</u>

GROUNDWater flow direction for a particular site is bact determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on rearrby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

USGS TOPOGRAPHIC MAP ASSOCIATED WITH THIS SITE

Target Property: 24
Source: USGS 7.5 min quad index 2436121-H8 SOQUEL, CA

GENERAL TOPOGRAPHIC GRADIENT AT TARGET PROPERTY

Target Property:

Source: General Topographic Gradient has been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of dose proximity should be field verified. General South

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

and bodies of water) tefer to the Physical Setting Source Map following this summary for hydrologic information (major waterways

FEMA FLOOD ZONE

SANTA CRUZ, CA Electronic Data YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 0603530360B

Additional Panels in search area:

Not Reported

NATIONAL WETLAND INVENTORY

SOQUEL SOQUEL

NWI Electronic Data Coverage YES - refer to the Overview Map and Detail Map

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an optinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TC0960024.9s Page A-2

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Site-Specific Hydrogeological Data*: Search Radius: 2.0 2.0 miles Not found

AQUIFLOW

Search Radius: 2,000 Miles.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID

LOCATION FROM TP 1 - 2 Miles East

GENERAL DIRECTION GROUNDWATER FLOW NW

For additional site information, refer to Physical Setting Source Map Findings

GROUNDWATER FLOW VELOCITY INFORMATION
GROUNDWATER FLOW VELOCITY INFORMATION
GROUNDWater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascentianable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes more more quickly through sandy-gravely types of soils than silly-dayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY
Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schnuben, R.E. Amdt and W.J. Bawlec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Belkman Map, USGS Digital Data Series DDS - 11 (1894). Tp (decoded above as Era, System & Series)

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lends in the United States. A soil map in a soil survey is a representation of soil parterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

8) 1885 Star-spacific hydrogeological data gatharat by CERCLE Alara, Inc., Bankridge Island, WA, All rights reserved. As of the tel. a Comprehensive Systematical Response Comprehensive and Liebby Information System (CERCLE) investigation. TC0960024.9s Page A-3

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Surface Texture: Soil Component Name: WATSONVILLE

Hydrologic Group:

Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class:

Somewhat poorty. Soils commonly have a layer with low hydraulic conductivity, wet state high in profile, etc. Depth to water table is 1 to 3 feet.

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: HIGH

Depth to Bedrock Min: > 60 inches

Depth to Bedrock Max: > 60 inches

I			our cayer	ocu cayer information					
	Bour	Boundary		Classification	ication				
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soll	Permeability Rate (in/hr)	_	ES SE	Soil Reaction (pH)
	0 inches	18 inches	med	Silt-Clay Materials (more	FINE-GRAINED SOILS, Silts	M M	0.20	M M	7.30
				than 35 pct.	and Clays		Š		į
_				passing No.	(liquid limit				
				200), Silty	less than 50%),				
2	18 inches	39 inches	Clav	0# 0	100	,			
				Materials (more	SOUS Sills		3 8		9 6
				than 35 pct.	and Clays				
				passing No.	(liquid limit				
				200), Clayey	less than 50%),				
ELS.	39 inches	63 inches	sandy clay loam	Sil Clay	COADSE CHAIRE		4		
				Materials (more	SOILS, Sands	N N	2 2	N.	60
				than 35 pct.	Sands with				
				passing No.	fines, Clayey				
				200), Clayey	sand.				
				Soils.					

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: sandy loam loamy sand

clay gravelly - sandy loam unweathered bedrock

Surficial Soil Types: sandy loam loamy sand clay

TC0960024.9s Page A-4

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

gravelly - sandy loam unweathered bedrock

Shallow Soil Types:

clay gravelly - sandy clay loam sitty clay

gravelly - coarse sandy loam loarny sand

Deeper Soil Types:

stratified weathered bedrock

sandy loam very fine sandy loam unweathered bedrock

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

According to ASTM E 1527-00, Section 7.2.2, "one or more additional state or local sources of environmental records may be checked, in the discretion of the environmental professional, to enhance and supplement federal and state sources." Factors to consider in determining which local or edditional state records, if any, should be checked include (1) whether they are reasonably ascertainable, (2) whether they are sufficiently useful, accurate and complete in light of the objective of the records review (see 7.1.1), and (3) whether they are obtained, pursuant to local, good commercial or customary practice." One of the record sources listed in Section 2.2.2 is water well information. Water well information can be used to assist the environmental professional in assessing sources that may impact groundwater flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

Federal USGS Federal FRDS PWS State Database	DATABASE
1.000 Nearest PWS within 1 mile 1.000	SEARCH DISTANCE (miles)

FEDERAL USGS WELL INFORMATION

13	55	•	ယ	N	-	MATIO	
USGS0176902	USGS0176832	USGS0178822	USGS0176827	USGS0176756	USGS0176826	WELL ID	
1/2 - 1 Mile NNW	1/4 - 1/2 Mile North	1/4 - 1/2 Mile ENE	1/4 - 1/2 Mile NW	1/4 - 1/2 Mile East	1/8 - 1/4 Mile NE	FROM TP	LOCATION

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID
WELL ID
LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

7	MAP ID	
CA2701578	WELLID	
1/2 - 1 Mile ENE	FROM TP	LOCATION

Note: PWS System location is not always the same as well tocation.

STATE DATABASE WELL INFORMATION

			B14 10510								
1/2 - 1 Mile ENE	1/2 - 1 Mile FNE	1/2 - 1 Mile VIII	1/2 - 1 Mile NE	1/2 - 1 Mile NNW	1/2 - 1 Mile NNE	FROM TP	LOCATION				

County Bourndary

Major Roads

Control Lines

Earthquake Fault Li

Earthquake spicents

Watan Yeste

Public Water Supply

Cluster of Multiple I Earthquake Fault Lines
Earthquake epicenter, Richter 5 or greater
Water Wells PHYSICAL SETTING SOURCE MAP - 0960024.9s Groundwater Flow Direction
 Indeterminate flowed Location
 GD Groundwater Flow Varies at Location
 GD Closest Hydrogeological Data
 Oil, gas or related wells

TC0960024.9s Page A-6

TARGET PROPERTY:
ADDRESS:
CITY/STATE/ZIP:
LAT/LONG:

Visitor Ctr-Site #3/Seacliff State Beach Sanka Cruz Avenue/Broadway Aptos CA 96003 36.9736 / 121.9114

CUSTOMER: CONTACT: INQUIRY #: DATE:

STOMER: Weber, Hayes, & Associates
NTACT: Pat Hoben
NTACT: Pat Hoben
SUIRY #: 0960024.9s
TE: April 15, 2003 11:37 am
Ten 200 207 for ha fall 07202 Al Rajas Rammed

Public Water Supply Wells Cluster of Multiple Icons

1 NE 1/8 - 1/4 Mile Higher			FED USGS	USGS0176825
Agency:	USGS	Site ID:	385835121542802	
Dec. Latitude:	011S001E18E003M 36,97634			
Dec. Longitude:	-121.90885			
Coord Sys:	NAD83			
State:	C.			
County:	Santa Cruz County			
Altitude:	Not Reported			
Hydrologic code:	18060001			
Topographic:	Not Reported			
Sile Type:	Ground-water other than Spring	pring		
Const Date:	Not Reported	Inven Date:	Not Reported	
Primary Aquifer:	Single well, other than collector or Ranney type 121PRSM	ector or Ranney type		
Aquifer type:	Not Reported	Well depth:	303	
Hala danih.	Not Reported	Spurce:	Not Donnated	
ricio asper.				

2 East 1/4 - 1/2 Mile Higher			FED USGS	USGS0176756
Agency:	USGS	Site 5	366030434546004	
Site Name:	01E18E001M	-	000020121341001	
Dec. Latitude:	36.9744			
Dec. Longitude:	-121,90607			
Coord Sys:	NAD83			
State:	Ş			
County:	Santa Cruz County			
Allitude:	110.00			
Hydrologic code:	18060001			
Topographic:	Hillside (slope)			
Site Type:	Ground-water other than Spring			
Const Date:		nvan Dale:	No.	
Well Type:	l, other than collector or	Rannev Ivne	section solution	
Primary Aquifer:	121PRSM	37.0		
Aquifer type:	2	Well depth:	214	
Hote depth:		Source:	Not Deposited	
Project no:	Not Reported	!	- mpoint	

3 NW 1/4 - 1/2 Mile Higher

FED USGS USGS0176827

TC0960024.9s Page A-8

GEOCHECK®: PHYSICAL SETTING SOURCE MAP FINDINGS

North 1/4 - 1/2 Mile 1/4 Mi	4 ENE 174-112 Mile Lower Agency: Sile Name: Dec Latitude: Dec Longitude: Coord Sys: State: Countly: Altitude: Hydrologic code: Topographic: Sile Type: Call Type: Cal	Agency: Site Name: Dec. Labit.de: Dec. Labit.de: Coord Sye: State: County: Attitude: Labit.de: Labit.de: Labit.de: County: Attitude: Labit.de: Lab
USGS 0115001W13A002M 38.98078 -121.9119 -121.9119 RADB3 CA Santa Cruz County Not Reported 18060011 Not Reported Ground-welter other than Spring Not Reported Investigation of Reported Not Reported Well depth: Not Reported	USGS USGS 0115001E18F001M 38 9757B 121 90329 NADB3 CA Santa Cruz County 30 00 18060001 Stream channel Ground-water other than Spring Ground-water other than Spring 18850610 Inven Date: 121PRSM Not Raported Well depth; 728 Not Raported Source: Not Raported	USGS U15001W13G001M 36 87662 -121 91607 NAD33 CA Santa Cruz County 130.00 1800001 Hilliade (elope) Ground-water other than Spring 19230101 Single well, other than collector or Ranney type 1979RSM, Not Rapported 30 Not Rapported Source:
Sile ID: One of the state of t	Site ID: Site ID: For Ranney type Well depth: Source:	Site ID: 19 Inven Date: ar or Ranney type Wall dapth: Source:
FED USGS USGS0178832 36585121543901 Not Reported Not Reported Not Reported TC0960024.5s Page A-9	FED USGS USGS0176822 365833121540801	365636121545401 Not Reported 330 Not Reported

Sample Collected: 04 Chemical: OI	Sample Collected: 04 Chemical: Ct	Sample Collected: 05 Chemical: TO	Sample Collected: 05 Chemical: M	Sample Collected: 05 Chemical: LE	Sample Collected: 05 Chemical: IR	Sample Collected: 05 Chemical: Ch	Sample Collected: 05 Chemical: PC	Sample Collected: 05 Chemical: SC	Sample Collected: 05 Chemical: M.	Sample Collected: 05 Chemical: C/	Sample Collected: 05 Chemical: TO	Sample Collected: 05 Chemical: 8/	Sample Collected: 05 Chemical: P1	Sample Information: * Only Sample Collected: 05 Chemical: SF	Organization That Opera Pop Served: 36 Area Served: 36	System Number: 44 System Name: Se			FRDS Number: 44 District Number: 05	š	NNE 1/2 - 1 Mile Higher	Map ID Direction Distance Elevation
04/16/1986 ODOR THRESHOLD @ 60 C	04/16/1986 COLOR	05/24/1985 TOTAL DISSOLVED SOLIDS	05/24/1885 MANGANESE	05/24/1985 LEAD	05/24/1985 IRON	05/24/1985 CHLORIDE	05/24/1985 POTASSIUM	05/24/1985 SODIUM	05/24/1985 MAGNESIUM	05/24/1985 CALCIUM	05/24/1885 TOTAL HARDNESS (AS CACO3)	05/24/1985 BICARBONATE ALKALINITY	05/24/1985 PH (LABORATORY)	Only Findings Above Detection Level Are Listed 05/24/1885 Findings SPECIFIC CONDUCTANCE	Organization That Operates System: P O Box 158 SOQUEL, CA 95073 Pop Served: 38460 Area Served: SOQUEL APTOS	4410017 Soquel Creek Water District	365853.0 1215426.0 LEDYARD WELL	Well/Groundwater	4410017012 05	1S/01E-18D01 M		
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Are Listed Findings:	Connections:		Precision:	Weil Status:	County: Station Type:	Ser ID		
2.000 TON	2.000 UNITS	379.000 MG/L	70.000 UG/L	8.000 UG/L	130,000 UG/L	59.000 MG/L	4.300 MG/L	67.000 MG/L	32.000 MG/L	27.000 MG/L	197.000 MG/L	239.000 MG/L	8.100	650.000 UMHO	12820		1,000 Feet (10 Seconds)	Active Raw	Santa Cruz	LID X	CA WELL 8 10509	Database EDR ID Number

TC0960024.9s Page A-10

GEOCHECK®; PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical: Sample Collected: Chemical: Sample Collected: Chemical:	04/16/1986 SPECIFIC CONDUCTANCE 04/18/1986 PH (LABORATORY) 04/18/1986 BICARBONATE ALKALINITY	Findings: Findings: Findings:	600.000 UMHO 7.900 229.000 MG/L
Sample Collected: Chemical: Sample Collected: Chemical:	04/16/1886 CALCIUM 04/16/1886 MAGNESIUM	Findings: Findings:	40.000 MG/L 28.000 MG/L
Sample Collected: Chemical:	04/18/1986 SODIUM	Findings:	66.000 MG/L
Sample Collected: Chemical:	04/16/1986 POTASSIUM	Findings:	4.100 MG/L
Sample Collected: Chemical:	04/16/1986 CHLORIDE	Findings:	87.000 MG/L
Sample Collected: Chemical:	04/16/1986 IRON	Findings:	240.000 UG/L
Sample Collected: Chemical:	04/16/1986 MANGANESE	Findings:	50.000 UG/L
Sample Collected: Chemical:	04/16/1986 TOTAL DISSOLVED SOLIDS	Findings:	394.000 MG/L
Sample Collected: Chemical:	04/16/1986 TURBIDITY (LAB)	Findings:	1.200 NTU
Sample Collected: Chemical:	04/08/1987 COLOR	Findings:	2.000 UNITS
Sample Collected: Chemical:	04/08/1987 SPECIFIC CONDUCTANCE	Findings:	618.000 UMHO
Sample Collected: Chemical:	04/08/1887 PH (LABORATORY)	Findings:	7.700
Sample Collected: Chemical:	04/08/1987 TOTAL ALKALINITY (AS CACO3)	Findings:	200.000 MG/L
Sample Collected: Chemical:	04/08/1987 BICARBONATE ALKALINITY	Findings:	240.000 MG/L
Sample Collected: Chemical:	04/08/1987 TOTAL HARDNESS (AS CACO3)	Findings:	202.000 MG/L
Sample Collected: Chemical:	04/08/1987 CALCIUM	Findings:	29.000 MG/L
Sample Collected: Chemical:	04/08/1987 MAGNESIUM	Findings:	32.000 MG/L
Sample Collected: Chemicat:	04/08/1987 SODIUM	Findings:	51.000 MG/L
Sample Collected: Chemical:	04/08/1987 POTASSIUM	Findings:	4.500 MG/L
Sample Collected: Chemical:	04/08/1987 CHLORIDE	Findings:	73.000 MG/L
Sample Collected: Chemical:	04/08/1987 IRON	Findings:	540.000 UG/L

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
04/18/1989	04/18/1989	04/18/1989	04/18/1989	08/02/1988	08/02/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988 FLUORIDE (TEMPERATURE DEPENDENT)	04/25/1988	04/25/1988	04/25/1888	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1888	04/25/1888	04/25/1888	04/25/1988	04/08/1987	04/08/1987	04/08/1987	04/08/1887
PH (LABORATORY)	SPECIFIC CONDUCTANCE	ODOR THRESHOLD @ 60 C	COLOR	TOTAL TRIHALOMETHANES	BROMOFORM (THM)	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	IRON		CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	COLOR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	CHLOROFORM (THM)	MANGANESE
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: NDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
7.800	690.000 UMHO	3.000 TON	2.000 UNITS	.800 UG/L	.800 UG/L	.560 NTU	400.000 MG/L	140.000 UG/L	.120 MG/L	38.000 MG/L	3.600 MG/L	92.000 MG/L	15.000 MG/L	30.000 MG/L	137.000 MG/L	230.000 MG/L	230.000 MG/L	7.800	700.000 UMHO	3.000 UNITS	1.900 NTU	380.000 MG/L	.800 UG/L	60.000 UG/L

TC0960024.9s Page A-12

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1885	03/28/1895	03/28/1985	03/28/1995	03/28/1885	02/10/1995	02/10/1995	02/10/1985	11/01/1884	08/23/1994	08/23/1994	08/23/1894	04/28/1992	04/28/1992	04/28/1992	04/28/1892 FLUORIDE (TEMPERATURE DEPENDENT)	04/28/1992
TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR	GROSS ALPHA	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA COUNTING ERROR	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR		CHLORIDE
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: NDENT)	Findings:
.400 NTU	270.000 MG/L	3.900 PCI/L	6.800 PCI/L	42.000 MG/L	3.100 MG/L	56.000 MG/L	38.000 MG/L	28.000 MG/L	230.000 MG/L	220.000 MG/L	8.100	650.000 UMHO	4.900 PCI/L	4.500 PC//L	3.500 PC//L	2.700 PC//L	3.500 PCI/L	5.200 PCI/L	2.400 PC//L	.320 NTU	410.000 MG/L	2.900 PC//L	.110 MG/L	29.000 MG/L

TC0960024.9s Page A-14

GEOCHECKO. PHYSICAL SETTING SOURCE MAP FINDINGS

NNW 1/2 - 1 Mile Higher	-	Water System Information: 1150/1W-13 Frome Station Code: 1410017031 FRUS Number: 05 PRUS NUMBE	PWS currenlly has or had major violation(s) or enforcement. A& NNN 112 - 1 Mile Higher	Facility Latitude: 36 5 City Served: Not Treatment Class: Untr	Addressee / Facility: Sys CAI 118 API	PWS ID: CA27 Date initiated: 7706 PWS Name: CAM HWY SOLE	7 ENE 1/2 - 1 Nile Higher	Map ID Direction Distance Elevation
		3A01 M dwaler 215500.0 RK DRIVE WEST - ABAND ek Waler District 85 2A 95073	r violation(s) or enforcement:	36 58 37 Not Reported Untreated	System Owner/Responsible Party CAMPHORA STATION ASSOCIATES 118 VA LANTANA APTOS, CA 95003	CA2701679 PWS Status: 7706 Date Descrivated: CAMPHORA STATION ASSOCIATES CAMPHORA STATION ASSOCIATES CAMPHORA STATION ASSOCIATES HWY 101 & CAMPHORA RD SOLEDAD, CA 93960		
		D: n Type: status: ion:	8	Facility Longitude: 121 53 53 Population: 00000050	S	Active lied: Not Reported ES		
	CA WELLS	HEN Santa Cruz WELLAMBNT/MUNINTAKE/SUPPLY WILLOMBOR d Undefined Undefined	CA WELLS	ide: 121 53 53 00000050			FRDS PWS	Database
	10553	KE/SUPPLY	10552				CA2701578	EDR ID Number

Po constant	Organization That Op	System Name:	System Number:
P O BOX 158 SOQUEL, CA 95073	Organization That Operates System:	Soquel Creek Water District	4410017

Pop Served: Area Served:	SOQUEL, CA 95073 38460 SOQUEL APTOS	Connections:	12820
Sample information: Sample Collected: Chemical:	* Only Findings Above Detection Level Are Listed 07/26/1984 Findings COLOR	/el Are Listed Findings:	1.000 UNITS
Sample Collected: Chemical:	07/26/1984 ODOR THRESHOLD @ 60 C	Findings:	3.000 TON
Sample Collected: Chemical:	07/28/1984 SPECIFIC CONDUCTANCE	Findings:	819.000 UMHO
Sample Collected: Chemical:	07/26/1984 PH (LABORATORY)	Findings:	7.600
Sample Collected: Chemical:	07/26/1984 BICARBONATE ALKALINITY	Findings:	271.000 MG/L
Sample Collected: Chemical:	07/26/1984 TOTAL HARDNESS (AS CACO3)	Findings:	292.000 MG/L
Sample Collected: Chemical:	07/26/1984 CALCIUM	Findings:	60.000 MG/L
Sample Collected: Chemical:	07/26/1984 MAGNESILIM	Findings:	35,000 MG/L

TC0960024.9s Page A-16

Sample Collected: Chemical: Sample Collected: Chemical:

05/22/1985 TOTAL HARDNESS (AS CACO3) 05/22/1985 CALCIUM

> 260.000 MG/L 340.000 MG/L 63.000 MG/L

05/22/1985 BICARBONATE ALKALINITY

Findings:

7.100

Sample Collected: Chemical:

05/22/1985 ODOR THRESHOLD @ 60 C

Findings:

2.000 TON

860.000 UMHO

Findings: Findings:

440.000 MG/L 1.000 NTU 1.000 UNITS

Sample Collected: Chemical:

07/26/1984 TOTAL DISSOLVED SOLIDS

Findings:

.110 MG/L

65.000 MG/L

Sample Collected: Chemical:

07/26/1984 TURBIDITY (LAB)

05/22/1985 COLOR Sample Collected: Chemical: Sample Collected: Chemical:

> 07/26/1984 POTASSIUM

> > Findings:

3.700 MG/L

41.000 MG/L

07/26/1984
CHLORIDE
07/26/1984
Findings:
PLIJORIDE (TEMPERATURE DEPENDENT)

Sample Collected: Chemical:

Sample Collected: Chemical:

05/22/1985 SPECIFIC CONDUCTANCE 05/22/1985 PH (LABORATORY)

Sample Collected Chemical:

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	05/22/1985 MAGNESIUM	Findings:	43.000 MG/L
Sample Collected: Chemical:	05/22/1985 SODIUM	Findings:	21.000 MG/L
Sample Collected: Chemical:	05/22/1985 POTASSIUM	Findings:	4.000 MG/L
Sample Collected: Chemical:	05/22/1985 CHLORIDE	Findings:	75.000 MG/L
Sample Collected: Chemical:	05/22/1985 FLUORIDE (TEMPERATURE DEPENDENT)	Findings: NDENT)	.110 MG/L
Sample Collected: Chemical:	05/22/1985 MANGANESE	Findings:	30.000 UG/L
Sample Collected: Chemical:	05/22/1985 TOTAL DISSOLVED SOLIDS	Findings:	490.000 MG/L
Sample Collected: Chemical:	05/22/1885 TURBIDITY (LAB)	Findings:	.340 NTU
Sample Collected: Chemical:	04/16/1986 COLOR	Findings:	1.000 UNITS
Sample Collected: Chemical:	04/16/1986 ODOR THRESHOLD @ 60 C	Findings:	4.000 TON
Sample Collected: Chemical:	04/18/1986 SPECIFIC CONDUCTANCE	Findings:	720.000 UMHO
Sample Collected: Chemical:	04/16/1986 PH (LABORATORY)	Findings:	7.700
Sample Collected: Chemical:	04/16/1986 BICARBONATE ALKALINITY	Findings:	304.000 MG/L
Sample Collected: Chemical:	04/16/1986 TOTAL HARDNESS (AS CACO3)	Findings:	230.000 MG/L
Sample Collected: Chemical:	04/16/1986 CALCIUM	Findings:	47.000 MG/L
Sample Collected: Chemical:	04/16/1986 MAGNESIUM	Findings:	27.000 MG/L
Sample Collected: Chemical:	04/16/1986 SODIUM	Findings:	66.000 MG/L
Sample Collected: Chemical:	04/16/1986 POTASSIUM	Findings:	4.800 MG/L
Sample Collected: Chemical:	04/18/1986 CHLORIDE	Findings:	46.000 MG/L
Sample Collected: Chemical:	04/18/1886 Findir FLUORIDE (TEMPERATURE DEPENDENT)	Findings: DENT)	.140 MG/L
Sample Collected: Chemical:	04/16/1986 IRON	Findings:	430.000 UG/L
Sample Collected: Chemical:	04/16/1988 MANGANESE	Findings:	50.000 UG/L
Sample Collected: Chemical:	04/16/1986 ZINC	Findings:	230.000 UG/L
Sample Collected: Chemical:	04/18/1986 TOTAL DISSOLVED SOLIDS	Findings:	395.000 MG/L
Sample Collected: Chemical:	04/18/1886 TURBIDITY (LAB)	Findings:	.560 NTU

Organization That Operates System: PO BOX 1.1 SOQUEL, C Pop Served: 38460 Area Served: SOQUEL A	Water System information: Prime Station Code: Prime Station Code: FRDS Number: District Number: Water Type: Source Lath.ong: Source Name: System Number: System Name:	A10 NNW 1/2 - 1 Mile Higher	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
rales System: P O BOX 158 SOQUEL, CA 95073 38460 SOQUEL APTOS	n: 115/01W-12Q01 M 4410017024 05 05 05 05 05 05 05 05 05 05 05 05 05		04/08/1987 TURBIDITY (LAB)	04/09/1987 TOTAL DISSOLVED SOLIDS	04/09/1987 MANGANESE	04/09/1987 IRON	04/09/1987 CHLORIDE	04/09/1987 POTASSIUM	04/08/1987 SODIUM	04/08/1987 MAGNESIUM	04/09/1987 CALCIUM	04/09/1987 TOTAL HARDNESS (AS CACO3)	04/09/1987 BICARBONATE ALKALINITY	04/09/1987 TOTAL ALKALINITY (AS CACO3)	04/09/1987 PH (LABORATORY)	04/09/1987 SPECIFIC CONDUCTANCE	04/09/1987 ODOR THRESHOLD @ 60 C	04/09/1987 COLDR
Connections:	User ID: County: Station Type: Well Status: Precision:		Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
12820	HEN Sania Gru WELL/AMBNT/MUNINTAKE/SUPPLY Abandoned Undefined	CA WELLS 10551	.870 NTU	590.000 MG/L	50.000 UG/L	270.000 UG/L	135.000 MG/L	4.100 MG/L	39.000 MG/L	47.000 MG/L	80.000 MG/L	390.000 MG/L	273.000 MG/L	224.000 MG/L	7.800	874.000 UMHO	2.000 TON	2.000 UNITS

TC0960024.9s Page A-18

GEOCHECK®, PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sampia Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected; Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Information: Sample Collected: Chemical:
05/22/1985 MAGNESIUM	05/22/1985 CALCIUM	05/22/1985 TOTAL HARDNESS (AS CACO3)	05/22/1885 BICARBONATE ALKALINITY	05/22/1985 PH (LABORATORY)	05/22/1985 SPECIFIC CONDUCTANCE	05/22/1985 ODOR THRESHOLD @ 60 C	05/22/1985 COLOR	07/26/1984 TURBIDITY (LAB)	07/26/1984 TOTAL DISSOLVED SOLIDS	07/28/1984 MANGANESE	07/26/1984 LEAD	07/28/1884 FLUORIDE (TEMPERATURE DEPENDENT)	07/26/1984 CHLORIDE	07/28/1984 POTASSIUM	07/26/1984 SODIUM	07/26/1984 MAGNESIUM	07/26/1984 CALCIUM	07/26/1984 TOTAL HARDNESS (AS CACO3)	07/26/1884 BICARBONATE ALKALINITY	07/26/1984 PH (LABORATORY)	07/28/1884 SPECIFIC CONDUCTANCE	07/26/1984 ODOR THRESHOLD @ 60 C	Only Findings Above Detection Level Are Listed 07/26/1984 Findings COLOR
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: ENDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	i Are Listed Findings:
39.000 MG/L	26.000 MG/L	225.000 MG/L	154.000 MG/L	7.100	540.000 UMHO	3.000 TON	1.000 UNITS	.600 NTU	321.000 MG/L	90.000 UG/L	10.000 UG/L	.140 MG/L	60.000 MG/L	5,700 MG/L	29.000 MG/L	30,000 MG/L	27.000 MG/L	191.000 MG/L	161.000 MG/L	7.700	578.000 UMHO	4.000 TON	2.000 UNITS

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
04/09/1987 ODOR THRESHOLD @ 60 C	04/09/1987 COLOR	04/16/1886 TURBIDITY (LAB)	04/16/1886 NITRATE (AS NO3)	04/16/1986 TOTAL DISSOLVED SOLIDS	04/16/1986 MANGANESE	04/16/1986 LEAD	64/16/1986 FLUORIDE (TEMPERATURE DEPENDENT)	04/16/1986 CHLORIDE	04/16/1986 POTASSIUM	04/16/1986 SODIUM	04/16/1986 MAGNESIUM	04/16/1986 CALCIUM	04/16/1986 TOTAL HARDNESS (AS CACO3)	04/18/1986 BICARBONATE ALKALINITY	04/18/1986 PH (LABORATORY)	04/16/1986 SPECIFIC CONDUCTANCE	04/16/1986 COLOR	05/22/1985 TURBIDITY (LAB)	05/22/1985 TOTAL DISSOLVED SOLIDS	05/22/1985 SELENIUM	06/22/1985 FLUORIDE (TEMPERATURE DEPENDENT)	05/22/1985 CHLORIDE	05/22/1985 POTASSIUM	05/22/1985 SODIUM
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: VDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: NDENT)	Findings:	Findings:	Findings:
2.000 TON	2.000 UNITS	.530 NTU	28.000 MG/L	297.000 MG/L	40.000 UG/L	14,000 UG/L	.140 MG/L	30.000 MG/L	3.200 MG/L	30.000 MG/L	32.000 MG/L	38.000 MG/L	280.000 MG/L	225.000 MG/L	7.600	480.000 UMHO	2.000 UNITS	.960 NTU	314.000 MG/L	6.000 UG/L	.130 MG/L	63.000 MG/L	5.700 MG/L	30.000 MG/L

TC0960024.9s Page A-20

GEOCHECK®+ PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
04/09/1987	04/09/1887	04/09/1987 TOTAL DISSOLVED SOLIDS	04/08/1987	04/09/1987	04/09/1987	04/08/1887	04/09/1987	04/08/1987	04/09/1987	04/09/1987	04/09/1987	04/09/1987	04/09/1987	04/09/1987	04/08/1987	04/09/1987	04/09/1987	04/08/1987	04/09/1987
TOTAL TRIHALOMETHANES	TURBIDITY (LAB)		CHLOROFORM (THM)	DIBROMOCHLOROMETHANE (THM)	BROMOFORM (THM)	BROMODICHLORMETHANE (THM)	GROSS BETA	MANGANESE	FLUORIDE (TEMPERATURE DEPENDENT)	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: DENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
5.800 UG/L	.860 NTU	380.000 MG/L	1.800 UG/L	1.800 UG/L	1.400 UG/L	1.000 UG/L	6.400 PCI/L	80.000 UG/L	.160 MG/L	56.000 MG/L	5.300 MG/L	47.000 MG/L	30.000 MG/L	38.000 MG/L	215.000 MG/L	225.000 MG/L	184.000 MG/L	7.500	577.000 UMHO

A11 NNW 1/2 - 1 Mile Higher

CA WELLS 10548

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Information: * O Sample Collected: Chemical:	Organization That Operates System: P O BOX 158 P O BOX 158 SOQUIEL, CA Pop Served: 38460 Area Served: SOQUIEL APT	Source Name: System Number: System Name:	Water Type: Source Lat/Long:	Water System Information: Prime Station Code: FRDS Number: District Number:	A12 NNW 1/2 - 1 MHe Higher	Area Served:	Pap Served:		System Name: Soquel Cre Omanization That Operates System:	System Number:	Source Lat/Long:	Water Type:	District Number:	Prime Station Code:	Water System Information:				
05/22/1985 POTASSIUM	05/22/1985 SODIUM	05/22/1985 MAGNESIUM	05/22/1985 CALCIUM	05/22/1985 TOTAL HARDNESS (AS CACO3)	05/22/1985 BICARBONATE ALKALINITY	05/22/1985 PH (LABORATORY)	05/22/1985 SPECIFIC CONDUCTANCE	05/22/1985 ODOR THRESHOLD @ 60 C	* Only Findings Above Detection Level Are Listed 05/22/1985 Findings COLOR	perates System: P O BOX 158 SOQUEL, CA 95073 38460 SOQUEL APTOS	MADELINE WELL 4410017 Soquel Crack Water District	Well/Groundwater 365900.0 1215500.0	n: 11S/01W-12K01 M 4410017013 05		SOQUEL APTOS	38460	P O BOX 158	Soquel Creek Water District	4410017	365900.0 1215500.0	Well/Groundwater	44 IOU 17025 05	11S/01W-12J01 M	
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Are Listed Findings:	Connections:		Weil Status: Precision:	User ID: County: Station Type:			Connections:					Well Status:	Station Type:	User ID:	
3.400 MG/L	92.000 MG/L	14.000 MG/L	29.000 MG/L	130.400 MG/L	304.000 MG/L	7.200	760.000 UMHO	4.000 TON	1.000 UNITS	12820		Active Raw Undefined	HEN Santa Cruz WEI I AAABUTAAI INJINTAKEKS ISBI V	CA WELLS 10549		12820				Undefined	Abandoned	Santa Cruz	HEN	

TC0960024.9s Page A-22

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

05/22/1985 CHLORIDE	Findings:	32.000 MG/L
05/22/1985 FLUORIDE (TEMPERATURE DEPENI	Findings: DENT)	.300 MG/L
05/22/1985 IRON	Findings:	150.000 UG/L
05/22/1985 TOTAL DISSOLVED SOLIDS	Findings:	386.000 MG/L
05/22/1985 TURBIDITY (LAB)	Findings:	.100 NTU
04/18/1986 COLOR	Findings:	2.000 UNITS
04/18/1986 SPECIFIC CONDUCTANCE	Findings:	610.000 UMHO
04/18/1886 РН (LABORATORY)	Findings:	7.900
04/18/1886 BICARBONATE ALKALINITY	Findings:	315.000 MG/L
04/18/1986 TOTAL HARDNESS (AS CACO3)	Findings:	157.000 MG/L
04/18/1986 CALCIUM	Findings:	35.000 MG/L
04/18/1986 MAGNESIUM	Findings:	17.000 MG/L
04/18/1886 SODIUM	Findings:	95.000 MG/L
04/16/1886 POTASSIUM	Findings:	3.100 MG/L
04/18/1986 CHLORIDE	Findings:	37.000 MG/L
04/18/1886 FLUORIDE (TEMPERATURE DEPENI	Findings: DENT)	.430 MG/L
04/16/1866 IRON	Findings:	110.000 UG/L
04/18/1886 TOTAL DISSOLVED SOLIDS	Findings:	397.000 MG/L
04/16/1986 TURBIDITY (LAB)	Findings:	UTN 088.
04/08/1987 COLOR	Findings:	2.000 UNITS
04/08/1987 SPECIFIC CONDUCTANCE	Findings:	658.000 UMHO
04/08/1887 PH (LABORATORY)	Findings:	7.700
04/08/1987 TOTAL ALKALINITY (AS CACO3)	Findings:	250.000 MG/L
04/08/1987 BICARBONATE ALKALINITY	Findings:	310.000 MG/L
04/08/1987 TOTAL HARDNESS (AS CACO3)	Findings:	190.000 MG/L
	1986 1985 1986 1986 1986 1986 1986 1988 1988 1988	TIBBE

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
08/02/1988	08/02/1988	08/02/1988	08/02/1988	06/13/1988	06/13/1988	06/13/1988	06/13/1988	06/13/1988	06/13/1888	08/13/1988	06/13/1988	06/13/1988	08/13/1988	06/13/1988	04/08/1987	04/08/1987	04/08/1987	04/08/1987	04/08/1987 FLUORIDE (TEMPERATURE DEPENDENT)	04/08/1987	04/08/1987	04/08/1987	04/08/1987	04/08/1987
CHLOROFORM (THM)	DIBROMOCHLOROMETHANE (THM)	BROMOFORM (THM)	BROMODICHLORMETHANE (THM)	TOTAL DISSOLVED SOLIDS	IRON	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	CHLOROFORM (THM)	IRON		CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: DENT)	Findings:	Findings:	Findings:	Findings:	Findings:
.800 UG/L	1.200 UG/L	3.200 UG/L	.900 UG/L	390.000 MG/L	620.000 UG/L	42.000 MG/L	4.100 MG/L	76.000 MG/L	24.000 MG/L	34.000 MG/L	240.000 MG/L	240.000 MG/L	7.900	700.900 UMHO	1.800 NTU	410,000 MG/L	1.700 UG/L	370.000 UG/L	.260 MG/L	47.000 MG/L	4.000 MG/L	89.000 MG/L	2.200 MG/L	42.000 MG/L

TC0960024.9s Page A-24

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	08/02/1988 TOTAL TRIHALOMETHANES	Findings:	6.100 UG/L
Sample Collected: Chemical:	04/18/1989 COLOR	Findings:	2.000 UNITS
Sample Collected: Chemical:	04/18/1988 ODOR THRESHOLD @ 60 C	Findings:	4.000 TON
Sample Collected: Chemical:	04/18/1989 SPECIFIC CONDUCTANCE	Findings:	690.000 UMHO
Sample Collected: Chemical:	04/18/1989 PH (LABORATORY)	Findings:	7.700
Sample Collected: Chemical:	04/18/1989 TOTAL ALKALINITY (AS CACO3)	Findings:	240.000 MG/L
Sample Collected: Chemical:	04/18/1989 BICARBONATE ALKALINITY	Findings:	240.000 MG/L
Sample Collected: Chemical:	04/18/1889 TOTAL HARDNESS (AS CACO3)	Findings:	184.000 MG/L
Sample Collected: Chemicat:	04/18/1889 CALCIUM	Findings:	34.000 MG/L
Sample Collected: Chemical:	04/18/1989 MAGNESIUM	Findings:	24.000 MG/L
Sample Collected: Chemical:	04/18/1889 SODIUM	Findings:	80.DOO MG/L
Sample Collected: Chemical:	04/18/1889 POTASSIUM	Findings:	3.500 MG/L
Sample Collected: Chemical:	04/18/1989 CHLORIDE	Findings:	40.000 MG/L
Sample Collected: Chemical:	04/18/1989 Findir FLUORIDE (TEMPERATURE DEPENDENT)	Findings: DENT)	.200 MG/L
Sample Collected: Chemical:	04/18/1989 IRON	Findings:	890.000 UG/L
Sample Collected: Chemical:	04/18/1989 MANGANESE	Findings:	40.000 UG/L
Sample Collected: Chemical:	04/18/1989 GROSS ALPHA	Findings:	-3.700 PC//L
Sample Collected: Chemical:	04/18/1989 GROSS ALPHA COUNTING ERROR	Findings:	4.800 PCI/L
Sample Collected: Chemical:	04/18/1989 GROSS BETA COUNTING ERROR	Findings:	4.000 PCI/L
Sample Collected: Chemical:	04/18/1989 TOTAL DISSOLVED SOLIDS	Findings:	330.000 MG/L
Sample Collected: Chemical:	04/18/1989 TURBIDITY (LAB)	Findings:	3.300 NTU
Sample Collected: Chemical:	11/07/1989 GROSS ALPHA COUNTING ERROR	Findings:	2.300 PCI/L
Sample Collected: Chemical:	04/28/1992 SPECIFIC CONDUCTANCE	Findings:	610.000 UMHO
Sample Collected: Chemical:	04/28/1892 PH (LABORATORY)	Findings:	7.800
Sample Collected: Chemical:	04/28/1982 TOTAL ALKALINITY (AS CACO3)	Findings:	240.000 MG/L

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:				
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
03/28/1985	03/28/1985	03/28/1995	03/28/1995	03/28/1995	03/28/1995	03/28/1895	03/28/1995	12/13/1994	12/13/1994	12/13/1994	12/13/1984	08/23/1984	08/23/1884	04/28/1992	04/28/1892	04/28/1992	04/28/1892 FLUORIDE (TEMPERATURE DEPENDENT)	04/28/1982	04/28/1992	04/28/1992	04/28/1992	04/28/1882	04/28/1992	04/28/1992
POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA	GROSS BETA COUNTING ERROR	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR		CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: IDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
3.200 MG/L	85.000 MG/L	24.000 MG/L	33.000 MG/L	230.000 MG/L	260.000 MG/L	7.900	680.000 UMHO	4.200 PCI/L	8.100 PCI/L	3.700 PCI/L	2.500 PCI/L	3.500 PCI/L	3.600 PCI/L	.100 NTU	390.000 MG/L	3.000 PCI/L	.320 MG/L	34.000 MG/L	4.400 MG/L	100.000 MG/L	19.000 MG/L	29.000 MG/L	160.000 MG/L	240.000 MG/L

TC0960024.9s Page A-26

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS

1/2 - 1 Mile Higher Waisr System Information: Prime Station Code: Prime Station Code: PRDS Number: PRDS Number: United Number: Waisr Type: Source LafLong: Source Name:	814 NE	Project no:	Aquifer type:	Well Type:	Const Date:	Site Type:	Hydrologic code:	Altitude:	County:	Coold Sys.	Coord Str.	Dec Latitude:	Site Name:	Agency:	13 NNW 1/2 - 1 Mile Higher	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
n: 115/01E-18ED1 M 4410017026 05 Well/Groundwater 365600.0 1215400.0 SEACLIFF WEILL 04 - ABANDONED	and the second s		ied.	Single well, other than collector or Ranney type		Ground-water other than Spring	18060001	180.00	CA CA	NACIOS	-121.91662	36.98551	W12K001M	USGS		06/30/1897 GROSS ALPHA COUNTING ERROR	08/30/1897 GROSS ALPHA	03/28/1995 TURBIDITY (LAB)	03/28/1995 TOTAL DISSOLVED SOLIDS	03/28/1995 GROSS ALPHA COUNTING ERROR	03/28/1995 GROSS ALPHA	03/28/1995 CHLORIDE
User ID: County: Station Type: Well Status: Precision:		Source:	Well depth:	Ranney type	inven Date:									Sile ID:		Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
HEN Santa Cruz WELLDAMENT/MUNINTAKE/SUPPLY Abandoned Undefined		Not Reported	1020		Not Reported									365908121545601	FED USGS USGS0176902	1.180 PC//L	1.150 PCI/L	.276 NTU	280.000 MG/L	2.400 PCI/L	2.700 PCI/L	31.000 MG/L

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Information: * O Sample Collected: Chemical:	System Name: Soquel Creek Organization That Operates System: P O BOX 1588 POD Served: 38460 Area Served: SOQUEL APT	Source Lat/Long: Source Name: System Number:	Water System Information: Prime Station Code: FRDS Number: District Number: Water Type:	B15 NE 1/2 - 1 Mile Higher	Sample Information: * C Sample Collected: Chemical:	System Number: 4410017 System Name: Soquel Creek Organization That Operates System: P O BOX 1588 Pop Served: 34460 Area Served: SOQUIEL APT					
07/26/1984 CHLORIDE	07/26/1884 POTASSIUM	07/26/1884 SODIUM	07/26/1984 MAGNESIUM	07/26/1984 CALCIUM	07/26/1984 TOTAL HARDNESS (AS CACO3)	07/26/1984 BICARBONATE ALKALINITY	07/26/1984 PH (LABORATORY)	07/26/1984 SPECIFIC CONDUCTANCE	07/28/1984 ODOR THRESHOLD @ 60 C	* Only Findings Above Detection Level Are Listed 07/26/1984 Findings COLOR	Soquel Creek Water District perates System: P O BOX 158 SOQUIEL, CA 95073 38460 SOQUIEL APTOS	365900.0 1215400.0 APTOS CREEK WELL	n: 11S/01E-18F01 M 4410017002 05 Weil/Groundwater		* Only Findings Above Detaction Lavel Are Listed 07/09/1986 Findings DIBROMOCHLOROMETHANE (THM)	4410017 Soquel Creek Water District Soprales System: P O BOX 158 P O BOX 158 SOQUEL, CA 95073 38460 SOQUEL APTOS
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	hre Listed Findings:	Connections:	Precision:	User ID: County: Station Type: Well Status:		Are Listed Findings: 4)	Connections:
41.000 MG/L	5.900 MG/L	53.000 MG/L	36.000 MG/L	50.000 MG/L	273.000 MG/L	305.000 MG/L	7.700	797.000 UMHO	8.000 TON	5.000 UNITS	12820	Undefined	HEN Santa Cruz WELL/AMBUT/MUNINTAKE/SUPPLY	CA WELL8 10511	1.300 UG/L	12820

GEOCHECK®: PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	Findin FLUORIDE (TEMPERATURE DEPENDENT)	Findings: NDENT)	.130 MG/L
Sample Collected: Chemical:	07/26/1984 MANGANESE	Findings:	220.000 UG/L
Sample Collected: Chemical:	07/26/1984 TOTAL DISSOLVED SOLIDS	Findings:	435.000 MG/L
Sample Collected: Chemical:	07/26/1984 TURBIDITY (LAB)	Findings:	.650 NTU
Sample Collected: Chemical:	05/22/1985 COLOR	Findings:	1.000 UNITS
Sample Collected: Chemical:	05/22/1985 ODOR THRESHOLD @ 60 C	Findings:	3.000 TON
Sample Collected: Chemical:	05/22/1885 SPECIFIC CONDUCTANCE	Findings:	650.000 UMHO
Sample Collected: Chemical:	05/22/1985 PH (LABORATORY)	Findings:	7.200
Sample Collected: Chemical:	05/22/1985 BICARBONATE ALKALINITY	Findings:	261.000 MG/L
Sample Collected: Chemical:	05/22/1885 TOTAL HARDNESS (AS CACO3)	Findings:	245.000 MG/L
Sample Collected: Chemical:	05/22/1985 CALCIUM	Findings:	38.000 MG/L
Sample Collected: Chemical:	05/22/1985 MAGNESIUM	Findings:	36.000 MG/L
Sample Collected: Chemical:	05/22/1985 SODIUM	Findings:	30.000 MG/L
Sample Collected: Chemical:	05/22/1985 POTASSIUM	Findings:	5.200 MG/L
Sample Collected; Chemical:	05/22/1885 CHLORIDE	Findings:	36.000 MG/L
Sample Collected: Chemical:	05/22/1985 FLUORIDE (TEMPERATURE DEPENDENT)	Findings: (DENT)	.130 MG/L
Sample Collected: Chemical:	05/22/1985 MANGANESE	Findings:	180.000 UG/L
Sample Collected: Chemical:	05/22/1985 TOTAL DISSOLVED SOLIDS	Findings:	367.000 MG/L
Sample Collected: Chemical:	05/22/1985 TURBIDITY (LAB)	Findings:	.720 NTU
Sample Collected: Chemical:	04/16/1986 COLDR	Findings:	2.000 UNITS
Sample Collected: Chemical:	04/16/1986 SPECIFIC CONDUCTANCE	Findings:	710.000 UMHO
Sample Collected: Chemical:	04/16/1986 PH (LABORATORY)	Findings:	7.800
Sample Collected: Chemical:	04/18/1986 BICARBONATE ALKALINITY	Findings:	318.000 MG/L
Sample Collected: Chemical:	04/16/1986 TOTAL HARDNESS (AS CACO3)	Findings:	330.000 MG/L
Sample Collected: Chemical:	04/16/1986 CALCIUM	Findings:	52.000 MG/L

TC0960024.9s Page A-29

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
04/08/1987 TURBIDITY (LAB)	04/08/1987 TOTAL DISSOLVED SOLIDS	04/08/1987 CHLOROFORM (THM)	04/08/1987 MANGANESE	04/08/1987 FLUORIDE (TEMPERATURE DEPENDENT)	04/08/1987 CHLORIDE	04/08/1987 POTASSIUM	04/08/1987 SODIUM	04/08/1987 MAGNESIUM	04/08/1987 CALCIUM	04/08/1987 TOTAL HARDNESS (AS CACO3)	04/08/1887 BICARBONATE ALKALINITY	04/08/1987 TOTAL ALKALINITY (AS CACO3)	04/08/1987 PH (LABORATORY)	04/08/1987 SPECIFIC CONDUCTANCE	04/08/1987 COLOR	04/16/1986 TURBIDITY (LAB)	04/16/1986 TOTAL DISSOLVED SOLIDS	04/18/1986 MANGANESE	04/16/1986 IRON	FINDRIDE (TEMPERATURE DEPENDENT)	04/18/1986 CHLORIDE	04/16/1986 POTASSIUM	04/16/1986 SODIUM	04/18/1986 MAGNESIUM
Findings:	Findings:	Findings:	Findings:	Findings: IDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: IDENT)	Findings:	Findings:	Findings:	Findings:
1.200 NTU	430.000 MG/L	2.000 UG/L	280.000 UG/L	.120 MG/L	44.000 MG/L	5.500 MG/L	44.000 MG/L	41.000 MG/L	42.000 MG/L	270.000 MG/L	318.000 MG/L	261.000 MG/L	7.900	659.000 UMHO	2.000 UNITS	4.600 NTU	482.000 MG/L	380.000 UG/L	240.000 UG/L	.200 MG/L	50.000 MG/L	5.600 MG/L	44.000 MG/L	49.000 MG/L

TC0960024.9s Page A-30

GEOCHECKO-PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chamical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
05/25/1893	05/25/1993	05/25/1983	05/25/1993	05/25/1983	05/25/1983	05/25/1983	05/20/1983	11/07/1989	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988 FLUORIDE (TEMPERATURE DEPENDENT)	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988	04/25/1988
SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS ALPHA COUNTING ERROR	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	MANGANESE	(RON		CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	COLOR
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: DENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
52.000 MG/L	48.000 MG/L	41.000 MG/L	290.000 MG/L	240.000 MG/L	7.400	680.000 UMHO	1.500 PC//L	2.800 PCI/L	.840 NTU	450,000 MG/L	330,000 UG/L	290.000 UG/L	.120 MG/L	44.000 MG/L	5.500 MG/L	38.000 MG/L	37.000 MG/L	54.000 MG/L	280.000 MG/L	250.000 MG/L	250.000 MG/L	7.700	800.000 UMHO	3.000 UNITS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
04/03/1985	04/03/1985	04/03/1885	04/03/1985	04/03/1985	04/03/1985	04/03/1985	04/03/1995	04/03/1985	04/03/1995	04/03/1985	11/01/1994	08/23/1894	08/23/1994	08/23/1884	08/23/1994	03/02/1994	09/25/1993	05/25/1993	05/25/1993	05/25/1993	05/25/1893	05/25/1893 FLUORIDE (TEMPERATURE DEPENDENT)	05/25/1983	05/25/1993
TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS ALPHA COUNTING ERROR	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	MANGANESE	IRON		CHLORIDE	POTASSIUM
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: IDENT)	Findings:	Findings:
480,000 MG/L	2.600 PC//L	43.000 MG/L	5.200 MG/L	57.000 MG/L	39.000 MG/L	39.000 MG/L	300.000 MG/L	250.000 MG/L	7.900	690.000 UMHO	2.100 PCI/L	3.900 PCI/L	8,300 PCI/L	3.900 PCI/L	1.400 PCI/L	1.800 PCI/L	1.300 PC//L	.310 NTU	430.000 MG/L	190.000 UG/L	120.000 UG/L	.500 MG/L	46.000 MG/L	8.000 MG/L

TC0960024.9s Page A-32

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Information: • C Sample Collected: Chemical:	Water System information: Prime Station Code: 4410017-034 FRDS Number: 4410017034 District Number: 05 Water Type: Well/Groundsw Source LaifLong: 365847, 0 121 Source Name: 1, HOPKINS 1, 121 System Number: 4410017 System Name: Soquel Creak Organization That Operates System: P O BOX 158 Pop Served: 38460 Area Served: SOQUEL, CA	C17 ENE 1/2 - 1 Mile Higher	Sampla Cottected: Chemical:	Sample Information: * (Sample Collected: Chemical:	System Name: Soquel Creek Organization That Operates System: P O BOX 158 P O Served: SAG0 Area Served: SQUIEL, CA Pop Served: SQUIEL APT	Water System information: Prime Station Code: Source Lattong: Source Name: System Number:	C16 ENE 1/2 - 1 Mile Higher	Sample Collected: Chemical:
04/16/1991 CARBONATE ALKALINITY	04/16/1991 BICARBONATE ALKALINITY	04/16/1991 PH (LABORATORY)	* Only Findings Above Detection Level Are Listed 04/16/1991 Findings SPECIFIC CONDUCTANCE	A110017-034 4410017-034 05 06 Well/Groundwater 365847.0 1215346.0 1. HOPKINS WELL 4410017 Soquel Creek Water District perates System: P O BOX 158 SOQUEL, CA 95073 39460 SOQUEL APTOS		05/20/1993 GROSS ALPHA COUNTING ERROR	* Only Findings Above Detection Level Are Listed 04/16/1981 Findings GROSS ALPHA COUNTING ERROR	Soquel Creek Water District Sperates System: P O BOX 158 SOQUEL, CA 95073 39460 SOQUEL APTOS	ion: 4410017-035 4410017-035 05 08 Well/Groundwater 365847.0 1215346.0 HOPKINS WTP - TREATED		04/03/1885 TURBIDITY (LAB)
Findings:	Findings:	Findings:	re Listed Findings:	User ID: County: Station Type: Well Status: Precision: Connections:		Findings:	Findings:	Connections:	User ID: County: Station Type: Weil Status: Precision:		Findings:
210.000 MG/L	59,000 MG/L	620.000	370.000 UMHO	HEN Santa Cruz WELL/AMBNT Active Raw 0.5 Mile (30 Seconds)	CA WELLS 19976	1.000 PCI/L	1.700 PCI/L	12820	HEN Senta Cruz WELL/AMBNT Combined Treated 1,000 Feet (10 Seconds)	CA WELLS 19977	.300 NTU

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemicat:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
03/02/1894	09/25/1993	04/28/1992	04/28/1992	04/28/1992	04/28/1992	04/28/1992	04/28/1992	04/28/1892	04/28/1892	04/28/1982	04/28/1992	04/28/1992	04/28/1892	04/28/1992	04/28/1892	04/16/1981	04/16/1991	04/18/1991	04/18/1991 FLUORIDE (TEMPERATURE DEPENDENT)	04/16/1991	04/16/1891	04/16/1991	04/16/1991	04/16/1991
GROSS ALPHA	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR	GROSS ALPHA	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	FOAMING AGENTS (MBAS)	GROSS ALPHA COUNTING ERROR	ARSENIC		POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: DENT)	Findings:	Findings:	Findings:	Findings:	Findings:
1.400 PCI/L	1.100 PCVL	.180 NTU	320.000 MG/L	2.500 PCI/L	2.300 PCI/L	39.000 MG/L	5.100 MG/L	58.000 MG/L	27.000 MG/L	32.000 MG/L	260.000 MG/L	190.000 MG/L	190,000 MG/L	8.100	550.000 UMHO	220.000 UG/L	1.700 PCI/L	5.500 UG/L	8.000 MG/L	4.700 MG/L	52.000 MG/L	32.000 MG/L	30.000 MG/L	220.000 MG/L

TC0960024.9s Page A-34

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:				
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
04/04/1985	04/04/1985	04/04/1995	04/04/1985	04/04/1985	04/04/1985	04/04/1985	04/04/1885	04/03/1995	04/03/1995	04/03/1995	04/03/1995	04/03/1985	04/03/1995	04/03/1985	04/03/1995	04/03/1995	04/03/1995	04/03/1995	04/03/1895	11/01/1994	08/23/1994	08/23/1994	08/23/1994	03/02/1884
POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS ALPHA COUNTING ERROR	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA COUNTING ERROR
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
5.800 MG/L	58.000 MG/L	31.000 MG/L	39.000 MG/L	230.000 MG/L	220.000 MG/L	7.900	620.000 UMHO	.370 NTU	360.000 MG/L	2.800 PC//L	44.000 MG/L	5.800 MG/L	59.000 MG/L	31,000 MG/L	39.000 MG/L	230.000 MG/L	220.000 MG/L	7.900	620.000 UMHO	4.200 PCI/L	3.800 PCI/L	8.000 PCI/L	2.700 PCI/L	2.800 PCIA

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Information: * Or Sample Collected: Chemical:	Pop Served: Area Served:	System Name: Soquel Creek System Name: Soquel Creek Organization That Operates System:	•	<u> </u>	Water System Information: Prime Station Code:	D18 1/2 - 1 Mile Higher	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
	05/31/1985 Findin FLUORIDE (TEMPERATURE DEPENDENT)	05/31/1985 CHLORIDE	05/31/1985 POTASSIUM	05/31/1985 SODIUM	05/31/1985 MAGNESIUM	05/31/1885 CALCIUM	05/31/1985 TOTAL HARDNESS (AS CACO3)	05/31/1885 BICARBONATE ALKALINITY	05/31/1985 PH (LABORATORY)	Only Findings Above Detection Level Are Listed 05/31/1885 Findings SPECIFIC CONDUCTANCE	P O BOX 158 SOQUEL, CA 95073 38460 SOQUEL APTOS	Soquel Creek Water District erates System:	365903.0 1215515.0 ESTATES WELL	4410017007 05	115/01W-12P01 M		04/04/1895 TURBIDITY (LAB)	04/04/1985 TOTAL DISSOLVED SOLIDS	04/04/1985 MANGANESE	04/04/1985 IRON	04/04/1995 CHLORIDE
Findings:	Findings: IDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Are Listed Findings:	Connections:		Well Status: Precision:	County: Station Type:	User ID:		Findings:	Findings:	Findings:	Findings:	Findings:
100,000 UG/L	.350 MG/L	41.000 MG/L	6.300 MG/L	88.000 MG/L	18.000 MG/L	59.000 MG/L	218.000 MG/L	303.000 MG/L	7.300	800.000 UMHO	12820		Active Raw 1,000 Feet (10 Seconds)	Santa Cruz WELL/AMBNT/MUN/INTAKE	HEN	CA WELLS 10550	.370 NTU	360.000 MG/L	190.000 UG/L	120.000 UG/L	44.000 MG/L

TC0960024.9s Page A-36

GEOCHECK®-PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemicat:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
04/08/1987	04/09/1987	04/08/1887	04/09/1987	04/08/1987	04/08/1887	04/08/1987	04/16/1986	04/16/1986	04/18/1986	04/16/1986	04/18/1986 FLUORIDE (TEMPERATURE DEPENDENT)	04/16/1986	04/16/1986	04/16/1886	04/18/1986	04/16/1986	04/16/1986	04/18/1986	04/16/1986	04/16/1986	04/18/1986	04/18/1986	05/31/1985	05/31/1985
TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	TOTAL ALKALINITY (AS CACO3)	PH (LABORATORY)	SPECIFIC CONDUCTANCE	ODOR THRESHOLD @ 60 C	COLOR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	MANGANESE	IRON		CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	ODOR THRESHOLD @ 60 C	COLOR	MERCURY	TOTAL DISSOLVED SOLIDS
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: (DENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
255.000 MG/L	316.000 MG/L	259.000 MG/L	7.500	708.000 UMHO	2.000 TON	2.000 UNITS	70.000 NTU	428.000 MG/L	50.000 UG/L	720.000 UG/L	.200 MG/L	59.000 MG/L	2.800 MG/L	57.000 MG/L	33.000 MG/L	53.000 MG/L	270.000 MG/L	226.000 MG/L	8.000	670.000 UMHO	2.000 TON	2.000 UNITS	130.000 UG/L	486.000 MG/L

Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:
04/25/1988 IRON	64/25/1988 FLUORIDE (TEMPERATURE DEPENDENT)	04/25/1988 CHLORIDE	04/25/1988 POTASSIUM	04/25/1988 SODIUM	04/25/1888 MAGNESIUM	04/25/1988 CALCIUM	04/25/1988 TOTAL HARDNESS (AS CACO3)	04/25/1988 BICARBONATE ALKALINITY	04/25/1988 TOTAL ALKALINITY (AS CACO3)	04/25/1988 PH (LABORATORY)	04/25/1988 SPECIFIC CONDUCTANCE	04/25/1988 COLOR	04/09/1987 TURBIDITY (LAB)	04/09/1987 TOTAL DISSOLVED SOLIDS	04/09/1987 CHLOROFORM (THM)	04/09/1987 GROSS BETA	04/09/1987 MANGANESE	04/09/1987 IRON	04/08/1987 FLUORIDE (TEMPERATURE DEPENDENT)	04/09/1987 CHLORIDE	04/09/1987 POTASSIUM	04/09/1987 SODIUM	04/09/1987 MAGNESIUM	04/08/1987 CALCIUM
Findings:	Findings: NDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: NDENT)	Findings:	Findings:	Findings:	Findings:	Findings:
220.000 UG/L	.290 MG/L	44.000 MG/L	6.800 MG/L	65,000 MG/L	14.000 MG/L	70.000 MG/L	228.000 MG/L	15.000 MG/L	15.000 MG/L	7.400	770.000 UMHO	6.000 UNITS	.810 NTU	640.000 MG/L	.700 UG/L	43.000 PCI/L	160.000 UG/L	240.000 UG/L	.300 MG/L	43.000 MG/L	6.900 MG/L	71.000 MG/L	23.000 MG/L	63.000 MG/L

TC0960024.9s Page A-38

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample Collected: Chemical:	04/25/1988 MANGANESE	Findings:	140.000 UG/L
Sample Collected: Chemical:	04/25/1988 TOTAL DISSOLVED SOLIDS	Findings:	500.000 MG/L
Sample Collected: Chemical:	04/25/1988 TURBIDITY (LAB)	Findings:	.210 NTU
Sample Collected: Chemical:	04/18/1989 COLOR	Findings:	1.000 UNITS
Sample Collected: Chemical:	04/18/1989 ODOR THRESHOLD @ 60 C	Findings:	3.000 TON
Sample Collected: Chemical:	04/18/1989 SPECIFIC CONDUCTANCE	Findings:	830,000 UMHO
Sample Collected: Chemical:	04/18/1989 РН (LABORATORY)	Findings:	7.400
Sample Collected: Chemical:	04/18/1989 TOTAL ALKALINITY (AS CACO3)	Findings:	280.000 MG/L
Sample Collected: Chemical:	04/18/1989 BICARBONATE ALKALINITY	Findings:	280.000 MG/L
Sample Collected: Chemical:	04/18/1889 TOTAL HARDNESS (AS CACO3)	Findings:	248.000 MG/L
Sample Collected: Chemical:	04/18/1989 CALCIUM	Findings:	74.000 MG/L
Sample Collected: Chemical:	04/18/1989 MAGNESIUM	Findings:	18.000 MG/L
Sample Collected: Chemical:	04/18/1989 SODIUM	Findings:	82.000 MG/L
Sample Collected: Chemical:	04/18/1989 POTASSIUM	Findings:	6.200 MG/L
Sample Collected: Chemical:	04/18/1889 CHLORIDE	Findings:	50.000 MG/L
Sample Collected: Chemical:	04/18/1989 Findin FLUORIDE (TEMPERATURE DEPENDENT)	Findings: DENT)	,300 MG/L
Sample Collected: Chemical:	04/18/1989 GROSS ALPHA COUNTING ERROR	Findings:	6.100 PCI/L
Sample Collected: Chemical:	04/18/1889 GROSS BETA COUNTING ERROR	Findings:	4.100 PCI/L
Sample Collected: Chemical:	04/18/1889 TOTAL DISSOLVED SOLIDS	Findings:	450.000 MG/L
Sample Collected: Chemical:	04/18/1989 TURBIDITY (LAB)	Findings:	.230 NTU
Sample Collected: Chemical:	11/07/1989 GROSS ALPHA COUNTING ERROR	Findings:	2.800 PC//L
Sample Collected: Chemical:	04/28/1992 SPECIFIC CONDUCTANCE	Findings:	720.000 UMHO
Semple Collected: Chemical:	04/28/1992 PH (LABORATORY)	Findings:	7.500
Sample Collected: Chemical:	04/28/1892 TOTAL ALKALINITY (AS CACO3)	Findings:	240.000 MG/L
Sample Collected: Chemical:	04/28/1982 BICARBONATE ALKALINITY	Findings:	240.000 MG/L

Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:	Sample Collected:
Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemicat:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:	Chemical:
03/28/1985	03/28/1985	03/28/1996	03/28/1995	03/28/1985	03/28/1885	03/28/1985	02/10/1895	02/10/1995	02/10/1985	11/01/1884	08/23/1884	08/23/1994	08/23/1884	04/28/1892	04/28/1992	04/28/1992	04/28/1892	04/28/1892	04/28/1992	04/28/1992	04/28/1892	04/28/1992	04/28/1992	04/28/1892
SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)	BICARBONATE ALKALINITY	PH (LABORATORY)	SPECIFIC CONDUCTANCE	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	GROSS ALPHA COUNTING ERROR	GROSS BETA COUNTING ERROR	GROSS BETA	GROSS ALPHA COUNTING ERROR	TURBIDITY (LAB)	TOTAL DISSOLVED SOLIDS	GROSS ALPHA COUNTING ERROR	GROSS ALPHA	FLUORIDE (TEMPERATURE DEPENDENT)	CHLORIDE	POTASSIUM	SODIUM	MAGNESIUM	CALCIUM	TOTAL HARDNESS (AS CACO3)
Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:	Findings: VDENT)	Findings:	Findings:	Findings:	Findings:	Findings:	Findings:
81.000 MG/L	16.000 MG/L	85.000 MG/L	230.000 MG/L	280.000 MG/L	7.800	780.000 UMHO	5.400 PC//L	10.000 PCI/L	5.200 PCI/L	3.600 PC//L	4.200 PCI/L	12.000 PCI/L	3.500 PCML	.360 NTU	480.000 MG/L	3.900 PC//L	1.900 PCI/L	.300 MG/L	48.000 MG/L	9.300 MG/L	83.000 MG/L	17.000 MG/L	68.000 MG/L	240.000 MG/L

TC0960024.9s Page A-40

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS

20 Site ID: 1 - 2 Miles Groundwater Flow: 1 - 1 - 2 Miles Shallow Water Depth: Deep Water Depth: Average Water Depth Date:	Higher Water System Information: Prime Stanton Code: E44/017-11 FROS Number: 441001700 Dathick Number: 05 Source Lalfung: 365903.0 1 Source Lalfung: 5974m Number: 4410017 System Number: 4410017 System Name: 50quel Cre Organization That Operate System Organization That SOQUEL (A Pop Served: 39480 Anaa Served: SOQUEL (ST SOQUEL (Chemical:	Sample Collected: Chemical: Sample Collected:	Sample Collected: Chemical:	Sample Collected: Chemical:	Sample Collected: Chemical:	Coemical:
Sile ID: 343 Groundwaler Flow: NW Shallow Water Dapth: 8.83' Deep Water Depth: 11.4' Average Water Depth: Not Reported Date: 02/7/1889	n. 44/0017-TRYIDEST 44/0017008 05 05 05 08 Well/Groundweler 385903.0 1215516.0 ESTATES WIP - TREATED 44/0017 Soquel Creek Waller District 189 System: P O BOX 159 SOQUEL, CA 96073 39480 SOQUEL, CA 96073 39480 SOQUEL APTOS	TURBIDITY (LAB)	03/28/1995 TOTAL DISSOLVED SOLIDS	03/28/1995 GROSS ALPHA COUNTING ERROR	03/28/1885 GROSS ALPHA	03/28/1995 CHLORIDE	POTASSIUM
	Uaer (D: County: Station Type: Well Status: Pracision: Connections:	rindings:	Findings:	Findings: ROR	Findings:	Findings:	,
AQUIFLOW 69636	ATA ATA	.180 NTU	450.000 MG/L	2.600 PC//L	3.700 PCVL	43.000 MG/L	

AREA RADON INFORMATION

Federal EPA Radon Zone for SANTA CRUZ County: 2

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Number of sites tested: 1 Federal Area Radon Information for Zip Code: 95003

Living Area - 1st Floor Living Area - 2nd Floor Basement 0.900 pCi/L Not Reported Not Reported

100% Not Reported Not Reported % <4 pCi/L

% 4-20 pCi/L % >20 pCVL

0% Not Reported Not Reported 0% Not Reported Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

HYDROLOGIC INFORMATION

38

Flood Zone Data: This data, evallable in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW[®] Information System
Source: EDR proprietary delabase of groundwater flow information
EDR has developed the AQUIFLOW information System (AKS) to provide date on the general direction of groundwater
flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has
extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table
information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schnüben, R.E. Andl and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Detabase

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCIS) leads the national Cooperative
Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey
information for privately owned lands in the United States. A soil map in a soil survey is a representation of
soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

ADDITIONAL ENVIRONMENTAL RECORD SOURCES

FEDERAL WATER WELLS

PW8: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-584-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 50 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data Source: EPA/Office of Drinking Water Telephone: 202-564-3760 Telephone: 202-564-3760 Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1985. Prior to August 1985, the data came from the Federal Reporting Data System (FRDS).

USGS Water Weils: In November 1971 the United States Geological Survey (USGS) implemented a national water resource information tracking system. This detabase contains descriptive information on sites where the USGS collects or has collected date on surface water and/or groundwater. The groundwater data includes information on more than 800,000 wells, springs, and

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STATE RECORDS

California Drinking Water Quality Database
Source: Department of Health Services
Telephone: 916-324-2319
The database includes all drinking water compliance and special studies monitoring for the state of California
since 1894. It consists of over 3,200,000 individual analyses along with well and water system information.

California Oil and Gas Well Locations for District 2, 3, 5 and 6 Source: Department of Conservation Telephone: 816-323-1779

RADON

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency
(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Radden Survey.
The study covers the years: 1956-1952 Where necessary of the National Radden Survey.
Private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

OTHER

Telephone. 703-356-4020 Telephone. 703-356-4020 Tadon levels.

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

Epicenters: World earthquake spicenters, Richter 5 or greater Source: Department of Commerce, National Oceanic and Atmospheric Administration

201 STATE PARK DR, APT, SEACLIFF STATE BEACH, SITE MIT

FUEL LEAK SITE

1	UNDERGROUND STORAGE TANK UNAUTHORIZ	ZED RELEASE (LEAK) / CONTAMINAT	TION SITE REPORT
E	HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED?	FOR LOCAL AGENCY USE ONLY	STORAGE CONTRACTOR CONTRACTOR AND A
RE	PORT DATE CASE #	1 HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFO DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON	ORMATION ACCORDING TO THE THE BACK PAGE OF THIS FORM
0	MANE OF MURROWAN EN AND AND AND AND AND AND AND AND AND AN	SCHOOL STATE	Z - Z Z - OO
_	JACK R KIRCHNER (8:	- Side Straight Copies	•
單	10.		
REPORTED BY	X LOCAL AGENCY OTHER		RECRESTION
=	REPRESENTING OWNER/OPERATOR REGIONAL BOARD ADDRESS 600 SECTION ADDRESS CONTROPERATOR REGIONAL BOARD OTHER OFFICE OF THE CONTROPERATOR CO	The state of the s	
<u> </u>	444407	OTTY SANTA (RUZ	STATE C.A 95060
夏	UNKNOWN	CONTACT PERSON	PHONE
RESPONSIBLE	ADDRESS ETT SERVICES UNKNOWN		1()
E	STREET	GITY	\$TATE 700
-	SEACLIFF STATE BEALH	OPERATOR	PHONE ZIP
PE	SEACLIFF STATE BEALH]()
SITE LOCATION	STATE PANC DR STREET APTOS	City CA	95003
£	CROSS STREET	CRY U P	COUNTY C 71P
_	CENTER		
12 2	LOCAL AGENCY AGENCY NAME	CONTACT PERSON	PHONE
	REGIONAL BOARD		()
IMPLEMENTING AGENCIES	-		PHONE
_			OUANTITY LOST (GALLONS)
SUBSTANCES	DIESEL FUEL		UNKNOWN
E €	CALGARA CATALLA		
-	DATE DISCOVERED HOW DISCOVERED	ATTOM CONTROL	UNKNOWN
-	DATE DISCOVERED HOW DISCOVERED INVI	ENTORY CONTROL SUBSURFACE MONITORING K REMOVAL OTHER	UNKNOWN NUISANCE CONDITIONS
-	DATE DISCOVERED HOW DISCOVERED NIVI	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT)	NUISANCE CONDITIONS
-	DATE DISCOVERED HOW DISCOVERED INVIDENCE TANK TEST TANK DATE DISCHARGE BEGAN WILLIAM DISCOVERED WARNOWN	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT) REMOVE CONTENTS CLOSE TANK & REMOVE	NUISANCE CONDITIONS
DISCOVERY/ABATEMENT SUB	DATE DISCOVERED HOW DISCOVERED INVIDENTIAL DISCOVERED INVIDENT TANK TEST TAN	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PR	NUISANCE CONDITIONS APPLY) REPAIR PIPING
DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVIDENCE TANK TEST TANK DATE DISCHARGE BEGAN WILLIAM DISCOVERED WARNOWN	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PR	NUISANCE CONDITIONS APPLY) REPAIR PIPING
DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVIDENTIAL DISCOVERED HOW DISCOVERED INVIDENTIAL DISCOVERED INVIDENTIAL DISCOVERED HOW DISCOVERED INVIDENTIAL DISCOVERED HOW DISCOVERED INVIDENTIAL DIS	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OTHER	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENT OF DI	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PA REPLACE TANK OTHER	NUISANCE CONDITIONS APPLY) REPAIR PIPING
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENCE OF DISCHARGE BEEN STOPPED? TANK TEST TANK TE	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN P REPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER
CASE SOURCE DISCOVERYIABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENT OF DI	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OTHER ERFILL RUPTURE/FAILURE	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER
CASE SOURCE DISCOVERYIABATEMENT	DATE DISCOVERED HOW DISCOVERED INVIDENTIAL PROPERTY HOW DISCOVERED INVIDENTIAL PROPERTY TANK TEST TANK TEST TANK TEST TANK TEST TANK TEST TANK DATE DISCHARGE BEEN STOPPED? WES NO IF YES, DATE DESCRIPTION OF CAUSE(S) SOURCE OF DISCHARGE CAUSE(S) TANK LEAK UNKNOWN OVER COLORECT OTHER COLORECT COLORECT COLORECT COLORECT COLORECT CHECK ONE ONLY	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT / REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OF THE CONTENTS CHECK ONLY IF WATER WELLS IN CONTENTS OF THE CHECK ONLY IF WATER WELLS IN CONTENTS OF THE CONTENTS OF THE CHECK ONLY IF WATER WELLS IN CONTENTS OF THE CHECK ONLY IN	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER LAVE ACTUALLY BEEN AFFECTED)
SOURCE/ DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVI O 1 2 1 0 0 0 0 TANK TEST TANK DATE DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE M O 1 2 D 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OF TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS IN PROPERTY OF TANK OWN	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER LAVE ACTUALLY BEEN AFFECTED)
CURRENT CASE SOURCE/ STATUS TYPE CAUSE DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVI O 1 2 1 0 0 0 0 TANK TEST TANK DATE DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE MOM Z D O O CAUSE(S) SOURCE OF DISCHARGE TANK LEAK UNKNOWN OVE PIPING LEAK OTHER CONTER CHECK ONE ONLY UNDETERMINED SOR ONLY GROUNDWATER CHECK ONE ONLY LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT REMEDIATION PLAN CASE CLOSED (CLEANUP COMPLE	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OF TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS IN PROPERTY OF TANK OWN	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER AVE ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS
CURRENT CASE SOURCE DISCOVERYIABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVI O 1 2 M pl D O 1 O TANK TEST TAN DATE DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE M D 2 P O C CAUSE(S) SOURCE OF DISCHARGE CAUSE(S) TANK LEAK UNKNOWN OV PIPING LEAK OTHER CO CHECK ONE ONLY W NO ACTION TAKEN PRELIMINARY SITE ASSESSMENT CHECK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT REMEDIATION PLAN CASE CLOSED (CLEANUP COMPLE CHECK APPROPRIATE ACTION(S) RESERVOY FOR DETAINS EXCAVATE & DISPOSE (ED)	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT / REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PROPERTY OF THE PROPERTY	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER AVE ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS
CURRENT CASE SOURCE DISCOVERYIABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENT DISCOVERED NIVIDENT DATE NO ACTION TAKEN PRELIMINARY SITE ASSESSMENT DEAK DESCRIPTION PLAN DAS CLOSED (CLEANUP COMPLETE DATE AND COMPLETE DATE ACTION(S) PRELIMINARY SITE ASSESSMENT DATE DATE DATE DATE DATE DATE DATE DAT	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PA REPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS H WORKPLAN SUBMITTED POST CLEANUP MOTERWAY POST CLEANUP MOTERWAY CLEANUP UNDERWAY REMOVE FREE PRODUCT (FP)	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER ACTUALLY BEEN AFFECTED) ACTERIZATION ONITORING IN PROGRESS VAY ANHANCED BIO DEGRADATION (IT) IEPLACE SUPPLY (RS)
CURRENT CASE SOURCE/ STATUS TYPE CAUSE DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENT DISCOVERED NIVIDENT DATE DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE NO NIVER CAUSE(S) TANK LEAK UNKNOWN CAUSE(S) TANK LEAK UNKNOWN CAUSE(S) TANK LEAK OTHER CONTERMINED CAUSE(S) CHECK ONE ONLY UNDETERMINED SOR ONLY GROUNDWATER CHECK ONE ONLY LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT PRELIMINARY SITE ASSESSMENT ASSESSMENT CAUSE OF CAUSE CONTERMINED CAUSE CLOSED (CLEANUP COMPLETED CAPS TO CONTERMINED CAPS CLOSED (CLEANUP COMPLETED CAPS TITE (CD) CAP SITE (CD) EXCAVATE & DISPOSE (ED) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED (MA)	METHOD USED TO STOP DISCHARGE (CHECK ALL THAT AND PREMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PREPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNIKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS HOURDERWAY POST CLEANUP MORKPLAN SUBMITTED POLLUTION CHARAUTED OR UNINECESSARY) TED OR UNINECESSARY) REMOVE FREE PRODUCT (FP) PUMP & TREAT GROUNDWATER (GT) TREATMENT AT HOOKUP (HU)	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE SPILL OTHER ACTERIZATION ONITORING IN PROGRESS VAY ENHANCED BIO DEGRADATION (IT)
ACTION STATUS TYPE CAUSE DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVIDENCE OF DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE MOM Z PO OF CAUSE(S) TANK LEAK UNKNOWN COMPANY PIPING LEAK OTHER CO CHECK ONE ONLY UNDETERMINED SOR ONLY GROUNDWATER CHECK ONE ONLY LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT CASE CLOSED (CLEANUP COMPLE REMAIN ENTERACTION(S) TREMEDIATION PLAN CASE CLOSED (CLEANUP COMPLE CAP SITE (CD) CAP SITE (CD) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED (NA) VACUUM EXTRACT (VE)	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PA REPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS HOUNDERWAY POST CLEANUP MODERWAY POST CLEANUP MODERWAY CLEANUP UNDERWAY CLEANUP UNDERWAY REMOVE FREE PRODUCT (FP) REMOVE FREE PRODUCT (FP) REMOVE FREAT GROUNDWATER (GT) TREATMENT AT HOOKUP (HU) VERY METHOD WATER AND WATER (GT) TREATMENT AT HOOKUP (HU)	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE CHANGE PROCEDURE ACTERIZATION CONITORING IN PROGRESS VAY ANHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) ENT SOIL (VS)
ACTION STATUS TYPE CAUSE DISCOVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED NIVIDENT DISCOVERED HOW DISCOVERED NIVIDENT DATE DISCOVERED NIVIDENT DATE DISCOVERED NIVIDENT DATE DISCOVERED NIVIDENT DATE NO BETTANK TEST TANK TEST DESCRIPTION OF TANK TEST DATE NO BETTANK TEST DATE ASSESSMENT DESCRIPTION OF THE PRELIMINARY SITE A	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PA REPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS HOUNDERWAY POST CLEANUP MODERWAY POST CLEANUP MODERWAY CLEANUP UNDERWAY CLEANUP UNDERWAY REMOVE FREE PRODUCT (FP) REMOVE FREE PRODUCT (FP) REMOVE FREAT GROUNDWATER (GT) TREATMENT AT HOOKUP (HU) VERY METHOD WATER AND WATER (GT) TREATMENT AT HOOKUP (HU)	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE CHANGE PROCEDURE ACTERIZATION CONITORING IN PROGRESS VAY ANHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) ENT SOIL (VS)
MIS NEMELIAL CURRENT CASE SOURCE/ DISCOVERY/ABATEMENT TYPE CAUSE COVERY/ABATEMENT	DATE DISCOVERED HOW DISCOVERED INVIDENCE OF DISCHARGE BEGAN HAS DISCHARGE BEEN STOPPED? VES NO IF YES, DATE MOM Z PO OF CAUSE(S) TANK LEAK UNKNOWN COMPANY PIPING LEAK OTHER CO CHECK ONE ONLY UNDETERMINED SOR ONLY GROUNDWATER CHECK ONE ONLY LEAK BEING CONFIRMED PRELIMINARY SITE ASSESSMENT CASE CLOSED (CLEANUP COMPLE REMAIN ENTERACTION(S) TREMEDIATION PLAN CASE CLOSED (CLEANUP COMPLE CAP SITE (CD) CAP SITE (CD) CONTAINMENT BARRIER (CB) NO ACTION REQUIRED (NA) VACUUM EXTRACT (VE)	K REMOVAL OTHER METHOD USED TO STOP DISCHARGE (CHECK ALL THAT A) REMOVE CONTENTS CLOSE TANK & REMOVE REPAIR TANK CLOSE TANK & FILL IN PA REPLACE TANK OTHER ERFILL RUPTURE/FAILURE RROSION UNKNOWN DRINKING WATER - (CHECK ONLY IF WATER WELLS HOUNDERWAY POST CLEANUP MODERWAY POST CLEANUP MODERWAY CLEANUP UNDERWAY CLEANUP UNDERWAY REMOVE FREE PRODUCT (FP) REMOVE FREE PRODUCT (FP) REMOVE FREAT GROUNDWATER (GT) TREATMENT AT HOOKUP (HU) VERY METHOD WATER AND WATER (GT) TREATMENT AT HOOKUP (HU)	NUISANCE CONDITIONS APPLY) REPAIR PIPING LACE CHANGE PROCEDURE CHANGE PROCEDURE ACTERIZATION CONITORING IN PROGRESS VAY ANHANCED BIO DEGRADATION (IT) REPLACE SUPPLY (RS) ENT SOIL (VS)



ENVIRONMENTAL HEALTH

County of Santa Cruz

HEALTH SERVICES AGENCY

701 OCEAN STREET, ROOM 312, SANTA CRUZ, CA 95060-4073 (831) 454-2022 FAX: (831) 454-3128 TDD: (831) 454-4123

February 8, 2000

Mr. Jack Kirschner Seacliff State Beach 600 Ocean Street Santa Cruz, CA 95060

RE: Unauthorized Underground Tank Release (Leak) at Seacliff State Beach, State Park Drive

Dear Mr. Kirschner:

Soil analysis data from samples collected on December 10, 1999, indicate that contamination above acceptable levels is present requiring completion of a site investigation. Therefore, you are hereby directed to take the following actions:

- 1. Complete and submit to Santa Cruz County Environmental Health Service (EHS) the form: "Underground Storage Tank Unauthorized Release (Leak)/Contamination Site Report". This report must be filed with EHS within five days from the date of this letter. Please find a blank form enclosed.
- Obtain professional services from a reputable engineering/consulting firm with expertise in hazardous materials contamination site investigations. All required reports shall be prepared by a registered engineer, geologist, or certified engineering geologist.

The responsibility of your consultant is to establish the extent of contamination and provide professional judgment/recommendations, based on scientific data, of the remedial actions needed. General requirements for a site investigation are attached for your use. A work plan and a time schedule for investigation shall be submitted to Environmental Health Service within 30 days from the date of this letter. Please note that per County Code you will be billed for our time spent in oversight

Should you have any questions, please contact this office at (831) 454-2759, 8:00 a.m. to 9:30 a.m., Monday through Friday.

Sincerely,

JOSE J. DE ANDA, R.E.H.S.

Senior Environmental Health Specialist

JJD:lv

Enclosure:

Leak Investigation Guidelines

Leak Report Form





HEALTH SERVICES AGENCY

701 OCEAN STREET, ROOM 312, SANTA CRUZ, CA 95060-4073 (831) 454-2022 FAX: (831) 454-3128 TDD: (831) 454-4123

ENVIRONMENTAL HEALTH

REPORT OF AN ILLEGAL OR THREATENED ILLEGAL DISCHARGE OF HAZARDOUS WASTE WHICH MAY CAUSE SUBSTANTIAL INJURY

DATE:	1-22-00
TO:	Clerk of the Board of Supervisors Health Officer

This report (see other side) is submitted pursuant to Health and Safety Code Section 25180.7. The report documents information regarding the illegal discharge (or threatened illegal discharge) of hazardous waste, which could cause substantial injury to the public health and safety. The report is submitted on behalf of all designated employees of the Environmental Health Service of the Health Services Agency.

Name/Signature

ENVIRONMENTAL HEALTH STEINLIST

cc: CAO

District Attorney's Office

Director of Environmental Health

EHS-95 Rev. 3/99

NOTIFICATION OF HAZARDOUS WASTE DISCHARGE

1.	2. BUS Area 2. 3. File No.
	Dater I title follow-up
. د	Source of information: Complaint Tunderground Tank Leak Referral Inspection Self Reported
5.	
	Address: 201 STATE PARK DE.
	City: APTOS, CA. County SANTA CRUZ
	Phone at site: (8) 429- 286
6.	Person/Company responsible: Name: See Grange A Secure Company
	Person/Company responsible: Name: Det of General Services/Court Packs Address: 1300 I St. Suite 100
	TOOL SUITE 188
7.	Phone: ()
	GContainer Leakage Fire Process Spill/Leak Abandoned/Unknown
	Non-Emergency Other
8.	Hazardous Material discharged: Known Suspected
	If known complete the following:
	a. Chemical Name MIXED HYDROCARISTS OF GASOLINE & DIESEL
	b. Estimated quantity discharged UNK. Quantity threatened to be released
	Comments STERAGE CONTRACTES HAVE RESAURCE.
	c. Physical Description: Solid Powder Granule Liquid Gas
	d. Hazardous Properties: Corrosive Gignitable Reactive Toxic Radioactive Infectious
•	Tother
9.	Health effects (Human) Chemical Exposure:
J	Number of persons exposed
	Injury Yes illness Yes Medical attention Yes Hospitalized Yes
	Potential Adverse Health Effects Yes
	PNo
	— ····
	Comments: SUBSIDER DISCHARGE Threat to Environment/Wildlife D Yes D No Explain
10.	
11	Locale: Residential Commercial Popen Space Public Property Does further action need to be taken? DYes DNo Explain STE ASSESSIONED DESCRIPTION OF THE PROPERTY DESCRIPTIO
12	Is Discharge threatened discharge Wes Wes No Explain Stre Assessment Possible C. F. A. W.
1 84	Is Discharge/threatened discharge likely to cause substantial injury to the Public Health or Safety? I Yes I No I Unknown
	illegal discharges or threatened illegal discharges of a hazardous waste that are likely to cause substantial
	injury to the public health or safety are to be reported pursuant to Section 25180.7 of the California Health
	and Safety Code. This report is based upon the best available information at the time the report was
	submitted. Information received for this report may have not been verified due to time constraints.
Date	of Report 1-22-po
Sign	ature Joseph Dolland
4	
-€HS-	.95 (REV. 3/99)

PARADISO MECHANICAL, INC GENERAL & PETROLEUM CONTRACTORS 2600 Williams Street, P.O. Box 1836 San Leandro, CA 94577 (510) 614-8390 FAX (510) 614-8396 PERCENTED Contractors License #677909

LETTER OF TRANSMITTAL

JAN 6 5 2010

			Elivitation	1/2 17/160
TO: COI	UNTY OF SAN	מוזמים מיח	ENVITUEE SE	NC SATE 1/4/00 JOB #
	ALTH SERVIC		HELMIN	ATTN:
	VIRONMENTAL			MR. JOSE J. DE ANDA
701	L OCEAN STR	EET, ROO	OM 312	SEACLIFF STATE BEACH
SAN	ITA CRUZ, C	A 95060)	
WE ARE SEN	DING YOU KA	ttached (J Under Separate Cover	r via the following items:
CJ si	hop drawings	Прт	inte C Dian-	.
□ c	opy of Letter	□ Ch	ange Order 🛛	U Sample U Specifications
COPIES				
	DATE	NO.		DESCRIPTION
1			REPORT OF SOIL SEACLIFF STATE BY CALIFORNIA.	AMPLING DURING TANK REMOVAL @ EACH, STATE BEACH DRIVE, APTOS,
	1 _			
				
THESE ADE T	RANSMITTED as		•	
COL YOUR	use II Ar	oproved as	s submitted Res	submit copies for approval
As reques	ted Re	sturned fo		bmit copies for distribution turn corrected prints
For review	w and comment			
PWA DVO			LI PRINTS RE	TURNED AFTER LOAN TO US
& <i>A</i> ARINE				
				
				C
PY TO			ı	Jack Clared
			SIGNE	D: /Bvelyn/R. Villareal

<u>geo - logic</u>

geotechnical and environmental consulting services

1140 - 5th Avenue, Crockett, CA 94525

(510) 787-6867 - Fax (510) 787-1457

PECEIVED

JAN 0 5 2000 December 22, 1999
ENVIRUNTAEN Paradiso Job No.99-554
HEALTH SERVICES

Paradiso Mechanical, Inc. P. O. Box 1836 2600 Williams Street San Leandro, California 94577

Attention: Mr. Bob Corsun

RE:

Report of Soil Sampling during Tank Removal

Seacliff State Beach State Beach Drive Aptos, California

Mr. Corsun:

This report summarizes the results of soil sampling performed by Geo-Logic at the referenced site. All work was performed in compliance with the guidelines established by the Regional Water Quality Control Board and the County of Santa Cruz Environmental Health Service (SCEHS).

The scope of the work performed by Geo-Logic consisted of the following:

Coordination with the regulatory agencies;

Collection of soil samples from beneath two underground fuel tanks and from beneath two fuel dispenser locations,

Collection of a composite stockpile soil sample,

Delivery of soil samples with properly executed Chain of Custody documentation to a certified analytical laboratory, and

Technical review of data and preparation of this report.

SITE DESCRIPTION

The subject site is a State Department of Parks and Recreation maintenance yard located at Seacliff State Beach in Aptos, California, as shown on Figure F-2. At the maintenance yard, a 550-gallon gasoline tank and a 250-gallon diesel fuel tank were located in a common tank pit, at the location shown on Figure F-4. The tank pit is underlain by two separate concrete pads, at approximately 9

Paradiso Job No. 99-554 - December 22, 1999

feet and feet below grade for the gas tank and diesel tank, respectively. An area approximately two feet wide of native soil was exposed between the two concrete pads. Two fuel dispensers were located aboveground, adjacent to the tank locations.

FIELD ACTIVITIES

Geo-Logic's work at the site was conducted on December 10, 1999, when both of the fuel tanks were removed from the site. The tanks were made of single-wall steel and appeared to be in good condition. Mr. Jose J. De Anda of the SCEHS witnessed the removal of the tanks and the subsequent soil sampling. Soil samples were collected from beneath the ends of each tank where the fill port was located. The sample taken from beneath the fill end of the gasoline tank, labeled Gas tank (9'), was collected from the exposed soil area between the concrete pads underlying the two tanks, at approximately 9 feet below grade. The sample taken from the fill end of the diesel tank, labeled Diesel tank (7'), were taken from the sidewall of the excavation at approximately 7 feet below grade, due to the presence of the concrete pad beneath the tank. The two tank pit samples were taken from bulk material excavated by backhoe. Two samples, labeled Gas disp. (3') and Diesel disp. (3'), were taken by hand-driving sample tubes directly into the subsurface soils at approximately 3 feet below grade, at locations underlying each of the two fuel dispenser locations. A four-part composite stockpile sample, labeled Comp S1, was taken by hand-driving sample tubes at various locations approximately 1-foot within the soil stockpile.

The samples were each placed in clean, two-inch diameter brass tubes, sealed with teflon and plastic caps, and stored in a cooled ice chest for delivery to a certified laboratory. Sample locations are shown on Figure 1.

SUBSURFACE CONDITIONS

The native soils encountered in the sidewalls and bottom of the excavation consisted of relatively fine-grained brown sand. The tank pit backfill material also consisted of brown sand. Groundwater was not encountered in the excavation.

ANALYTICAL RESULTS

The samples were analyzed by McCampbell Analytical in Pacheco, California, and were accompanied by properly executed Chain of Custody documentation. The samples were analyzed for Total Petroleum Hydrocarbons (TPH) as gasoline and TPH as diesel by EPA method 5030/modified 8015, and benzene, toluene, ethylbenzene, and xylenes (BTEX) and methyl tertiary butyl ether (MTBE) by EPA Method 8020. The composite stockpile soil sample was also analyzed for total lead.

The results of the soil analyses are summarized in Table 1. Copies of the laboratory analyses and the Chain of Custody documentation are attached to this report.

Paradiso Job No. 99-554 - December 22, 1999

DISTRIBUTION

A copy of this report should be sent to Mr. Jose J. De Anda of the SCEHS.

LIMITATIONS

Soil deposits and rock formations may vary in thickness, lithology, saturation, strength and other properties across any site. In addition, environmental changes, either naturally-occurring or artificially-induced, may cause changes in the extent and concentration of any contaminants. Our studies assume that the field and laboratory data are reasonably representative of the site as a whole, and assume that subsurface conditions are reasonably conducive to interpolation and extrapolation.

The results of this study are based on the data obtained from the field and laboratory analyses obtained from a state certified laboratory. We have analyzed this data using what we believe to be currently applicable engineering techniques and principles in the Northern California region. We make no warrantly, either expressed or implied, regarding the above, including laboratory analyses, except that our services have been performed in accordance with generally accepted professional principles and practices existing for such work.

Should you have any questions regarding this report, please feel free to call me at (510) 787-6867.

RED GEO

JOEL 6. GREGER No. EG 1633 CERTIFIED

ENGINEERING GEOLOGIST

Sincerely,

/ ----

Joel G. Greger, C.E.G. Certified Engineering Geologist

License No. EG 1633 Exp. Date 8/31/2000

Attachments: Table 1 - Summary of Laboratory Analyses - Soil

Figure F-2 - Vicinity Map Figure F-4 - Demolition Plan

Figure 1 - Site Plan

Laboratory Analyses and Chain of Custody

TABLE 1 - SOIL CHEMICAL ANALYTICAL DATA
Seacliff State Beach
State Beach Drive

Aptos, California


Gas Disp (3') Diesel Disp (3') Gas Tank Diesel Tank Comp S1*	Sample Location/ depth
21 5,700 2,200 <1.0	ТРН-Д
<1.0 92 150 <1.0	TPH-g
Collected on 12 < 0.005 < 0.005 < 0.005 < 0.005 < 0.005	Benzene (ppm)
0.005 <0.005 0.008 <0.005 <0.005	Ethyl - benzene (ppm)
<0.005 0.01 0.022 <0.005 <0.005	Toluene (ppm)
<0.005 <0.005 <0.005 0.016	Xylenes (ppm)
< 0.05 < 0.05 < 0.05 < 0.05	MTBE


EXPLANATION:


feet = feet below ground surface

ppm = parts per million
ND = nondetectable, NA = not analyzed

^{*} Total Lead was detected at a concentration of 11 ppm.







	C	OUNTY OF SANTA CRUZ • ENVIRONMENTAL HEALTI	H SERVICE ● 701 OCEAN ST., RM. 312 ● (408) 454-2022
		OFFICIAL INSPI	ECTION REPORT
DE	A/N	Sec Cliff State Beach	DATE 10 24 0 (
AD	DRE	Seg Cliff State Beach State Park	RECHECK DATE
OW	NER	OPERATOR	PERMIT # FA 2856
-			The marked items are violations of the Health & Safety Code and must be
		43. EPA#	corrected as follows:
		44. Treatment/Disposal	
		☐ 45. Storage Over 90 Days	
		46. Labeled	Violation corrected
	RAL	1 47. Container Condition	
	GENERAL	48. Secondary Containment	
	9	49. Incompatibles	
H		50. Co-Mingling	
EME		51. Container Handling	
MANAGEMENT		52. Security	
		53. Warning Signs	
WASTE		54. Property Line	
		55. Manifests	
SDOUS	3AL	56. Extremely Haz Waste	
HAZAR	DISPOS	57. Packaging	
Ħ	DI	58. Disposal/Approved Facility	
		59. Licensed Hauler	
		60. Manifests Available	
	DS	[61. Annual Reports	

| 62. Maintenance | A reinspection fee will be charged when violations noted are not corrected prior to the recheck date noted above | RECEIVED BY: | PHONE # | 154-273% | TITLE: | PMS

California Hazardors Material Inventory Reporting Form - Business & Owner/Operator Identification Page CALENDAR YEAR BENNINGSHENTAL ENDING (2) (3) PAGE 1 OF HEALTH SERVICES BUSINESS NAME (4) **BUSINESS PHONE: 15)** SEACLIFF 1831 STATE 685-6446 EACH SITE ADDRESS (6) STATE DARK DRIVE CITY (7)STATE (8) ZIP (9) *950*03 tPT05 DUN & (10)SIC CODE (4 DIGIT#) (11) BRADSTREET **OPERATOR** (12)**OPERATOR PHONE (13)** STATE PARKS (831 429-2850 NAME ALIFORNIA OWNER INFORMATION **OWNER NAME (14)** OWNER PHONE (15) 83 429-2858 LIFORNIA ARKS OWNER MAILING ADDRESS (16) OCEAN 600 57. CITY (17) STATE (18) ZIP(19) SANTA 95060 CRUZ ENVIRONMENTAL CONTACT CONTACT NAME(20) JIM CONTACT PHONE (21) 831 YFLUGER 423-9709 **MAILING ADDRESS** 1401 COAST ROAD #1 HWY CITY (23) SANTA STATE (24) ZIP (25) 95060 (RUZ Primary **EMERGENCY CONTACTS** Secondary NAME: (28) NAME: (31) JACK KIRCHNER TITLE: (27) TITLE: (32) DISTRICT MAINTENANCE CHIEF **BUSINESS PHONE:** (28)**BUSINESS PHONE:** 2850 24-HOUR PHONE: 24-HOUR PHONE: (34)(831) 124 - 0107 PAGER #: (30) PAGER #: (35) N /A NI **ACUTELY HAZARDOUS MATERIALS (AHM)** If yes, and above Threshold Planning Quantities, attach a sheet of paper with a general description of the process and principal equipment. ON SITE AHM (36) Yes XNO ADDITIONAL LOCALLY COLLECTED INFORMATION (37) SEE THE REVERSE SIDE OF THIS PAGE Certification: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this inventory and believe the information is true, accurate, and complete. Print Name of Document Preparer (38) JIM FLUGER Signature of Owner/Operator (39) Date (40) 12-16-98 OES Form 2730(04/96)

PAGE 2 OF 19:

SANTA CRUZ COUNTY LOCALLY COLLECTED INFORMATION 1 340

(37)	(A) NEAREST CROSS STREET: Hwy # 1
()	(A) NEAREST CHOSS STREET:
	(D) BUSINESS HOURS: 24 HOURS NUMBER OF SHIFTS: 3 NUMBER OF EMPLOYEES: 20
	(E) IN CITY LIMITS: DYES XNO (F) COUNTY SUPERVISOR DISTRICT: W. SIMONS
	(G) WATER DISTRICT: 5090EC (H) DEPTH TO WATER TABLE:
	(d) WATER DISTRICT: (H) DEPTH TO WATER TABLE:
	(I) FLOOD ZONE: DYES X NO (J) EARTHQUAKE FAULTS: DYES X NO
	(K) SURROUNDING GENERAL LAND USES WITHIN ONE MILE OF YOUR FACILITY (ZONING):
	North: KESIDENTIAL
	South: RESIDENTIAL
	East: RESIDENTIAL
	West: OCEAN
	(L) SPECIAL LAND USES WITHIN ONE MILE OF YOUR FACILITY (SCHOOLS, HOSPITALS, INSTITUTIONS, etc.):
	North: MAR VISTA SCHOOL, CABRILLO COLLEGE
	South: RESIDENTIAL
	East: RESIDENTIAL
	West: OCEAN
i declar material	e under penalty of perjury, the information contained herein is true and correct. If there is any change which would by affect any information contained in this plan, I will notify Environmental Health Service and apply for an appropriate
amendr	nent to the plan as required by applicable County/City hazardous materials codes.
l agree t	o relimburse the County/City for all costs incurred by the County/City to remedy the effects of any unauthorized release.
agree	to indemnify, hold harmless and defend the County/City against any claim, cause of action, disability, loss, liability,
aamage permitte	cost or expense, howsoever arising, which occurs by reason of an unauthorized discharge in connection with e's operations under this permit.
DATE:	12/3/98
10.	LES R. PFLUGER ON THE PARK MAINTENANCE SURV.
JAH	TARK MAINTENANCE SUPV.
_	R KIRCHNER led 11/4 lmc III
	NAME - BUSINESS OWNER SIGNATURE TITLE
	//

EHS-98ST (REV. 4/97)

UNIFIED PROGRAM CONSOLIDATED FORM

HAZARDOUS MATERIALS

4	11	HAZARDOUS	MATERI	ALS INVEN	TOR	Y - CHEN	IICAL I		IPTION Page per material per bix	iding or great
ξ	MADD	- Or	ELETE .	REVIS	В		200		Page	
		e e e e e e e e e e e e e e e e e e e	July 1.	FACILITY INF	ORMA	TION				
	Seas	(Same as FACILITY NAME)	E or DBA - Do	ing Business As)			-			3
•	CHEMICAL LOCA		V2	ما		EPCRA	_	TION CO	NFIDENTIAL	202
	FACILITY ID#	y y u non	o yar	00 205	- ' '	VLAP# (optional)	NO 203	المساد	(optional) 3 H - T	204
		717	П.	CHEMICAL INF	ORMA	TION			2 FT L	
	CHEMICAL NAMI	- ' '	-			205 TRADE	SECRET		Yes No	206
	COMMON NAME	Soline				207 EHS*	IT Subject	IS EPCRA,	Yes	20# fo
	CAS#	•				209 *If EHS	ıs "Yes", all	amounts	below must be in It	
	FIRE CODE HAZA	RD CLASSES II angus d' req	nered by CUPA)	T						210
	HAZARDOUS MATE TYPE (Check one item			21	I RADI	OACTIVE Y	es Kino	212	CURIES	213
É	PHYSICAL STATE	·· ·	A	C WASTE 2	+	SEST CONTAINE				215
	(Check one stem only) FED HAZARD CATE	GORIES		LJ e GAS		• '.		000	<u> </u>	216
1	(Check all that apply)			C PRESSURE RELEA		(d ACUTE HEAD			HEALTH	220
,	100	-		0	,	ond whale had		31,	ATE WASTE CODE	240
ï	Check one stem only)	GALLONS	b "CUBIC I	FEET c. POUNDS	□ĄÌ	ONS .	221	DAYS	ON SITE:	m
	STORAGE CONTAINER Z	. ABOVE GROUND TANK . UNDERGROUND TANK	De PLASTICA	NONMEȚALLIC DRUM	□ 1. FI	BER DRUM	n GLASS BO	TTLE BOTTLE	Q. RAIL CAR	
.]		. TANK INSIDE BUILDING . STEEL DRUM		•	□ L.B	_	TOTE BD	1		
	STORAGE PRESSURE			SOVE AMBIENT [OW AMBIENT	. IANA WA			223
	STORAGE TEMPERAT	TURE , Ma AMBIENT	□ b ÅB	OVE AMBIENT [] c BEL	OW AMBIENT	d. CR	YOGENIC		225
	%WT	HAZARDOUS CON	APONENT (Fo	or mixture or waste o	nly)	EHS			CAS#	
	1 7 7 226			,	227	Yes No	228		<u> </u>	229
	2 230	1			231	Yes No	232			233
	32.00 234				235	Yes No	236			237
	21				239	Yes No	240			241
	14 F 120	• ,			243	Yes No	J			245
ŀ	A DOTTONAT	nts are present at greater than 1%	by weight if non-carr	inogene, or 0.1% by weight	f carcinogu	nic, attach additional	shoets of paper	capturing th	e required information.	
	ADDITIONAL LOCA	LLY COLLECTED INFO	RMATION							246
L	IPCE (1/00)		·					<u> </u>	EPCRA. Please Su	n Here

UPCF (1/99)

OES Form 2731

4	2	1
_	•	1

.H	AZARDOUS I		PROGRAM					HAZ.	ARDOUS I	MATERIA
MADD			'	REVISE			200	(6	ne paga per muter	al per building or a
<i>**</i> .≠	C	T.	FACILITY		RMATTO	N		L	·	Page of
BUSINESS NAME (S	me as EACILITY NAM	E or DBA - Do	omg Business As							
CHEMICAL LOCATI	on Stat	t Bea	ch.		201	CHEMI	CAL LOCA	TON	ONFIDENTIA	-
·M	ain tenano	e You	-d		•	EPCRA YES	_		onfidentia	il a
FACILITY ID #	4 000	0 0	002	85	1 MAP	(optional)	<u> </u>		(apacesi) /2	7
		. п.	CHEMICAL	L INFO	RMATIO)N				
HEMICAL NAME	este Oil				205	TRADE	SECRET		Yes 5	No 2
OMMON NAME	ISIR OIL				207	ļ <u></u>	11 Subject	to EPCRA	refer to matricine	7 30
:AS#	•				209	EHS*			☐ Yes	No "
4.					209	•If EHS i	s "Yes", all	amounts	below must b	e in lbs.
IRE CODE HAZARD	CLASSES « ——	wed by CUPA)								21
AZARDOUS MATERIAL YPE (Check one item only		MIXTURE	Kc WASTE	211	RADIOACT	IVE TY	s M No	212	CURIES	21
HYSICAL STATE	D a south S	110/110		214	LARGEST C	YNTAINED				21!
D HAZARD CATEGOR	ES	* 1.	□ c GAS				<u>_</u>	5		216
ERAGE DAILY AMOU		REACTIVE N	C PRESSURE							
2	5 A colon of such			. " [ANNUAL W	V21F VWO	UNT ,	219 ST	ATE WASTE C	CODE 220
icck bas item only) ORAGE	GALLONS	b "CUBIC F	EET C c PC	OUNDS C	d. TONS	,	221	DAYS	ON SITE:	222
NTAINER 1 Da AB	OVE GROUND TANK C	☐ e PLASTICA	NONMETALLIC I	DRUM 📙	i FIBER DI	RUM 🔲 m	GLASS BO	TTLE	O RATI CA	I R
C TAI	NK INSIDE BUILDING	CARBOY	•		k. BOX		TOTE BIN		OTHER	
PRAGE PRESSURE	EEL DRUM	□h SILO',			I. CYLIND	ER p.	TANK WA	30N		123
ORAGE TEMPERATURE			OVE AMBIENT		BELOW AN					224
325	3				BELOW AN	(BIENT	☐ d. CRY	OGENIC		225
· **	HAZARDOUS COMI	PONENT (For	r mixture or wa	aste only)		EHS			CAS#	
226	-	۳,		2	27 🔲 Yo	s 🔲 No	228			229
230	•			2	31 🗆 Ye	s 🗌 No	232			233
1,1234	•			z	ıs ☐ Ye	s 🔲 No	236		·· · · · · · · · · · · · · · · · · · ·	237
238				2.	99 □ Ye:	s 🔲 No	240			241
to heart does comments -	Distance of management of the			24		No	244			245
TIONAL LOCALLY	present at greater than 1% by COLLECTED INFORM	Weight IT HOD-carely	nogenic, or 0.1% by t	weight if carci	nogenic, staci	additional sh	ects of paper co	pturing the	required inform	246

₩ UPCF (1/99)

Section II -	Calif	formia Hazardous Materials Inventory Reporting Form - Chemical Description Page
	E15 [PAGE (2) 5 OF (3) 19
BUSINESS NAME		(4) SEACUFF STATE BEACH
CHEMICAL LOCATIO	N	(5) INTERPRETIVE CENTER
MAP#		(6) \geq GRID# (7) $\not\vdash$ -3
CHEMICAL NAME	(8)	PROPANE TRADE SECRET (11)
COMMON NAME	(9)	PROPANE EHS (12) TY
CAS#	(10)	74986 IF EHS BOX IS ~
FIRE CODE HAZARD CLASSES	(13)	FLA ALL AMOUNTS MUST BE IN
TYPE	(14)	PURE MIXTURE WASTE RADIOACTIVE (15) Y N (16)
PHYSICAL STATE	(17)	SOLID LIQUID GAS
FED HAZARD CATEGORIES	(18)	FIRE REACTIVE PRESSURE RELEASE ACUTE HEALTH CHRONIC HEALTH
STATE WASTE	(19)	UNITS (22) AGAL CUFT MAX DAILY AMT (23)
DAYS ON SITE	(20)	365 If EHS, amounts must be in ibs. AVG DAILY AMT 3600 CF (24) / 00
LARGEST CONTAINER	(21)	250 9000 ef ANNUAL WASTE AMT (25)
STORAGE CONTAINER	(26)	
		☐ TANK INSIDE BUILDING ☐ SILO ☐ GLASS BOTTLE ☐ ☐ ☐ STEEL DRUM ☐ FIBER DRUM ☐ PLASTIC BOTTLE
TORAGE		PLASTIC/NONMETALLIC DRUM BAG TOTE BIN
PRESSURE STORAGE	(27)	AMBIENT ABOVE AMBIENT BELOW AMBIENT
EMPERATURE	(28)	AMBIENT ABOVE AMBIENT BELOW AMBIENT CRYOGENIC
(29) %WT .		(30) HAZARDOUS COMPONENT (31) EHS (32) CAS#
		□Y □N
	ļ	
	Ì	·
·		
		(33) ADDITIONAL LOCALLY COLLECTED INFORMATION
if you have ic	dentifi	ed the chemical type as a "waste" (#14 above), please enter your Cal/EPA Waste

if you have identified the chemical type as a "waste" (#14 above), please enter your Cal/EPA Waste

Generator ID Number here:

If you need to obtain a Cal/EPA Waste Generator ID Number, you may do so by calling: (916) 324-1781.

<u> Pacrióu II</u> -											
ADD DEL	Callf	omia Hazardous	Materials In	ventory	Reporting Form	- Chemica	i Descrij	otion Pa	gė		
ADD DELI	ETE [REVISE				PAG	E (2)	6	OF	(3) 19	_
BUSINESS NAME		(4)							<u></u>	<u> </u>	_
CHEMICAL LOCATIO	N	30	ACLIFF			H					
144 mm		3/8	RAGE.	SHE	0						
MAP#		(6)			GRID# (7)	Ž	?-3	-			
CHEMICAL NAME	(8)	ETHY	L.GL	700	C - 111	aste	TRA	DE SEC	RET (1	1) 🗆 Y 🗀	_
COMMON NAME	(9)	ANTI		EZE		4216		:	EHS (1:	2) Y	
CAS#	(10)	Kws	6000						IF EHS	BOX IS T	
FIRE CODE HAZARD CLASSES	(13)		, В,С					ALL A	MOUNT	S MUST BE 1	N L
TYPE	(14)	PURE	MIXTURE X	WASTE	RADIOAC	TIVE (15)) <u> </u>	<u> </u>	(16)		
PHYSICAL STATE FED HAZARD	(17)	SOLID X	rionip 🔲 (GAS			<u> </u>			CURIES	<u> </u>
CATEGORIES	(18)	FIRE RE	ACTIVE [PRESSU	RE RELEASE	ACUTE	HEALTI	₁ <u> </u>	HRONI	C HEALTH	
STATE WASTE CODE	(19)		UNITS	22) 🔯			MAX DA	ILY AMT	(23)	200	=
DAYS ON SITE	(20)	365] 1	_لمحط	mounts must be in	ı lbs.	AVG DAIL	TMA Y.	(24)	-	
LARGEST CONTAINER	(21)	55]			ANNU	AL WAST	ГЕ АМТ	(25)	200	_
STORAGE CONTAINER	(26)	☐ ABOVE GRO ☐ UNDER GRO ☐ TANK INSIDI ☐ STEEL DRUIT	OUND TANK E BUILDING	DRUM I	CAN CARBOY SILO FIBER DRUM BAG	☐ GLA	(INDER ISS BOT ISTIC BO E BIN		=	IK WAGON L CAR	<u> </u>
STORAGE PRESSURE	(07)						L 0//				_
STORAGE	(27)	AMBIENT	ABOVE AN	NBIENT	BELOW AME	HENT					
TEMPERATURE	(28)	AMBIENT	ABOVE AN	MBIENT	BELOW AME	IENT	CRYOG	ENIC		•	
(29) %WT	,	(30) HA	ZARDOUS CO	OMPONE	NT	(3	1) EHS		(3	2) CAS#	
1	ł						Y D	ין ר			_
2				***			Y N	וֹ הַ			=
3	Ì						Y N	i i			=
4	j				•		Y N	i			=
5	ſ	7 = 11 = 12 = 1 = 1					Y IN	קר			=
	<u> </u>	(33)	ADDITIONA	LLOCAL	1 V COLL FORES						-
If you have id	entifi				LY COLLECTED						-
Generator ID	Numb	er here:		M9216	(#14 above), ple	ase enta	r your C	al/EPA	Waste		
1			aste Genera	tor ID N	umber, you ma	y do so b	y calling	g: (916)	324-1	·	

;.

Chemical Inventory Form

(For chemicals below State Thresholds of 55 gals., 200 cu. ft., or 500 lbs.)


Business Name SEACLIFF STATE BOACH. Site Address 201 STATE PARK DR.


rage / ar	Brief Description of Use	or waste EPA I.D.#	PAINTING	WELDING	(100	LIB LICETURE	HYDRAUL SUCTION	(1/RPICATIONS	0.77	1510Rong USE								
	Secondary Contain-		Yes / (%)	Yes (No	Yes /(No	Yes (NB)	Yes (No	Yes /(No	Yes /(No)		Tes / NO	Yes / No						
	₽ 8	2	رو	66	B 3	83	83	83	86									
	Map No.			7:	7	7	7	4	7	+		_						
`	Units	1	5	CF	75	6	25	47	43	1	4							
	Container Size		, ,	20,10	h	1	3	/	/	1	7							
	Number of Containers	2	1		/	480	10	120	96	_								
	Common/Chemical Name (If the material is a waste, include the word "waste")	PAINT OU DAKE	720/9	HCETYLENE	G KEAS F	1015.8 ENGINE OIL	HYDRAUCIC FLUID	KOIS. B HUTO. TRANSMISSION FLUID	BATTORY ACID									
	Hazard Class *	して	79	5	17,	8015,8	Pois.B	Sors B	The second	DXG	<u>ر</u>							

^{*} Please refer to the instructions for assitance in determining the Hazard Class

<u>Trade Secrets</u>: If any of the information required to be disclosed as part of the HMMP is considered a trade secret as defined by Section 6254.7 of the Government Code and Section 1060 of the Evidence Code, the Information must be provided nonetheless, but the user shall notify Illest commission of the information which the user considers to be trade secret informs on

Et 10 000 1 1-






	ly Na	ime:		DEA	CLIF	F_	<u> 5749</u>	TE	BEA	CH					
il	ly Ac	idres	:s: _	201	571	ME	PARK	< <u> </u>	DRIVE		AP	705	.CA.	9	5003
8	wan	e of t	the a	state n	nandate	ed up	grades re	auire	ed by Dec	ember	22, 199	8· }d	Yes	_	No
	0	19	98 L	Jpgrad	les hav	e bee	n met.	×	1998 U _l	ograde	s have	not bee	en met.		140
1	Dee							,							
•	Tani	:	TU	5100	ericy at	ER		nng is	performe	d:					
-					·			-,							
1	Pipir	ıg: _	·								· · · · · · · · · · · · · · · · · · ·	·			
•	DI			L. 1.					-						
ķ	riea: Derfc	se id imin	enting th	y by r e mon	ame ar litoring:	nd mo	idel, wha	t app	roved moi	nitorin	g system	(as pe	er LG 11	3-10)	will be us
7	Tank	: <u> </u> 1	PR	5015	100	Ti	ANK	Te	STS						
_ F		n·			·				<u> </u>						
•	10111	a. —													
C)esc	ribe 1	the i	ocatio	n(s) wh	ere ti	ne monit	orina	will be per	forma	d (fooilit	· niet n	les ebe	حالماء	-4411
f	7 T		`tta	E -	TAN	<u>K</u> 5	10 11101110		Will be per	Ottile	u (lacilit	y piot p	man shoi	nia de	attached
_		•													
L	ist th	e na men:	me(s) and	title(s)	of the	e people	respo	onsible for	perfo	rming th	e moni	toring a	nd/or r	maintainir
- -	574	EVI	<u> </u>	Han	MAC	K	- PA	BRK	MAIN	TEI	~A~ CE	- Si	PER	V150,	R,
_															
					nitorin										
		-							REPOR						
P	ping	l: —													
) ₍	escri	be th	ne pi	revent	ative m	ainter	nance sc	hedu	le for the n aintenanc	nonito	ring equ	ipment	: Note:	Main	tenance :
	5 118 (accu	'I WA	IICO W	iui uie	mant	naciurei	rs m	aintenanc	e scn	egule pl	I TON I	ess tha	n eve	ry 12 moi

2100

201SEA RIDGE RD, APT, 76 STATION #5876, SITE MIT, 2000

L





FULL CONTROLS

IT Corporation

1921 Ringwood Avenue San Jose, CA 95131-1721 Tel. 408.453.7300 Fax. 408.437.9526

A Member of The IT Group

October 15, 2001 Project 807032-05876003

Mr. David Camille
Phillips 66 Company
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

Re: Summary of Report Submittals
76 Service Station 5876
201 Sea Ridge Road at State Park Drive

Aptos, California

Dear Mr. Camille:

IT Corporation (IT) has prepared this letter on behalf of Phillips 66 Company (Phillips), formerly Tosco Marketing Company (Tosco), in response to a letter from the Regional Water Quality Control Board – Central Coast Region (RWQCB) to Phillips dated September 25, 2001. The September 25, 2001 RWQCB letter granted case closure for the subject facility, with the condition of post-closure monitoring. The September 25, 2001 RWQCB letter indicated that a formal closure letter would be prepared by the RWQCB after a complete list of relevant documents was prepared and submitted with an attestation statement signed by Phillips.

SUMMARY OF REPORT SUBMITTALS

Soil Gas Survey Results, Pacific Environmental Group, Inc., October 29, 1997.

Confirmation of Due Diligence Site Assessment, Pacific Environmental Group, Inc., March 30, 1999.

Underground Storage Tank Unauthorized Release Report, Pacific Environmental Group, Inc., May 5, 1999.

Groundwater Assessment Work Plan, Pacific Environmental Group, Inc., May 17, 1999.

Site Assessment Report, IT Corporation, December 20, 1999.

Groundwater Monitoring and Sampling Report First Quarter 2000, Gettler-Ryan, Inc., March 30, 2000.

October 15, 2001 Page 2

Evaluation of Groundwater Elevation and Analytical Data, IT Corporation, April, 10, 2000.

Groundwater Monitoring and Sampling Report Second Quarter 2000, Gettler-Ryan, Inc., July 10, 2000.

Groundwater Monitoring and Sampling Report Third Quarter 2000, Gettler-Ryan, Inc., October 30, 2000.

Should you have any questions or require additional information, please feel free to call.

Sincerely,

IT Corporation

Timothy L. Ripp Project Geologist

Attachments:

cc:

Item No. 4 Executive Officer's Report

SEP 0 5 2000

September 15, 2000

Ken and Jennifer Soni, Former Service Station, 1402 Spring St., Paso Robles, San Luis Obispo County [Sheila Soderberg 805/549-3592]

In June 1993, Mission Federal Savings and Loan (Mission) ordered an environmental record review for the property at 1402 Spring Street, Paso Robles as part of a sales transaction. The review revealed that a former service station occupied the property from 1926 to 1973. In 1973, Mission acquired the property and constructed a bank building on the property. As follow-up to the review and in order to determine environmental effects on the property, Mission conducted environmental investigations from 1993 to 1996, which included: 1) a geophysical survey to locate onsite UGTs, 2) drilling and sampling thirteen soil borings, 3) conversion of five borings into ground water monitoring wells, and 4) ground water sampling. The geophysical survey did not confirm the presence of UGTs at the site; it is presumed that the UGTs were either removed without local agency permits or abandoned in-place beneath the building's existing footprint. Soil and ground water sampling confirmed the presence of total petroleum hydrocarbon constituents in soil and ground water beneath the site.

Initially, maximum ground water concentrations of TPHg and benzene were detected in one ground water grab sample at 20,000 ppb and 1,010 ppb, respectively. In October 1996, a quarterly ground water monitoring and reporting program was instated; this program was later reduced to semi-annual and then to annual monitoring to document intrinsic biodegradation of the contaminant plume. Depth to ground water ranged from 15 to 18 feet below ground surface with the ground water flow direction consistently to the northeast at approximately 0.025 feet/feet.

Because water quality objectives were nearly attained, in March 2000, the monitoring program was modified so that only two down gradient wells, MW-1 and MW-5, would be sampled: MWhistorically contained the maximum concentration of petroleum hydrocarbon constituents. During the most recent (April 14, 2000) sampling event only TPHg and benzene were detected in MW-1 at 190 ppb and 3.3 ppb, respectively. MTBE has not been detected at the site since 1998. Water quality objectives have been attained for all constituents except benzene, which has an objective of 1.0 ppb.

After considering the fact that the tanks have not been in service since 1973, the reduction of contaminant concentrations in groundwater, and that the water quality objectives for benzene are imminent and attainable: staff recommends closing this UGT case. The responsible party/property owner has been notified of Staff's recommendation. Unless the Regional Board objects, staff will request proper ground water well destruction prior to issuance of the UGT case closure letter.

Tosco (formerly Unocal) Service Station #5876, 201 Sea Ridge Road, Aptos; Santa Cruz County [Bob Hurford 805/542-4776] (Carried over from July 14, 2000 Board meeting)

This site is an operating gasoline service station. A due diligence soil gas survey was performed at the site in September 1997, during the transfer of the facility from Unocal Corporation to Tosco. To follow-up the findings of the soil gas survey, three exploratory borings were drilled on December 14. No significant soil contamination was discovered. A grab ground water sample obtained from one of the borings reportedly contained MTBE at a concentration of 950 micrograms per liter (µg/L) using EPA Test Method 8020. To confirm ground water quality in this shallow perched zone, three monitoring wells were installed down to bedrock (28 feet maximum depth) in September 1999. The monitoring wells are screened between 5 and 25 feet below ground surface. Ground water was only encountered in one monitoring well (MW-1) during the first sampling event. A ground water sample taken from MW-1 did not contain detectable levels of petroleum hydrocarbons or MTBE. EPA Test Method 8260 was used for MTBE analysis. Method 8260 is a more accurate analytical procedure over 8020 and is used to confirm the presence or absence of MTBE when found using Method 8020. Method 8020 may show false positive results for MTBE in the presence of gasoline range petroleum hydrocarbons. confirmation wet weather sampling event was performed on February 26, 2000. Ground water was found in all three wells. Sampling results indicated all ground water samples were at or below this Board's water quality action levels for petroleum hydrocarbons and MTBE. round of ground water monitoring was performed on May 8, 2000, and all constituents were at or

Item No. 4 Executive Officer's Report

below water quality objectives. Depth to shallow perched ground water at the site ranged from 6.4 feet below ground surface to greater than the bottom of the well screens, approximately 25 feet (well dry). The direction of ground water flow beneath the site varies with the season from north to east and southeast. The site is approximately 1,100 feet north of the Pacific Ocean and 2,500 feet west of Aptos Creek. No public water supply wells are located within one mile of the site. Due to insignificant soil contamination found in the soil borings, the confirmation of ground water quality

in the unused shallow perched zone at the site, and the proximity of the ocean, the site does not appear to pose a significant threat to ground water or—surface water beneficial uses. Staff recommends closing this case. Tosco Marketing Company is the property owner and has been notified of this recommendation for case closure. (See Attached Vicinity and Site Maps 1A, 1B, 1C, 1D).

Approval of Corrective Action

Mobil Oil Corp., Station 318-L3C, 911 Morro Bay Blvd., Morro Bay, San Luis Obispo County [Sheila Soderberg 805/549-3592]

proposes Mobil Oil Corporation (Mobil) implementation of a Corrective Action Plan (Plan) for a service station located at 911 Morro Bay Boulevard, Morro Bay. During the 1997 underground storage tank (UGT) removal activities, Mobil over-excavated contaminated soil from the former tank pit prior to installation of new UGTs in the same area, however some contaminated soil could not be removed. Mobil's Plan proposes implementation of an air diffusion system (ADS) to promote natural biodegradation for removing hydrocarbons remaining in soil at the capillary fringe. The Plan also involves installation of three new ground water monitoring wells. Compressed air will be injected into these three new wells and three existing wells. Mobil will install the ADS system this summer during the property owner's construction of a new car wash at the service station. During remediation, quarterly progress reports will be provided to determine the system's effectiveness and ground water samples collected and analyzed prior to and during remediation for concentrations of dissolved oxygen and nitrate/nitrite, and measured for pH

and oxidation-reduction potential. In addition, the ground water monitoring program will continue on a quarterly basis to further evaluate the removal of petroleum hydrocarbon constituents remaining in ground water. The property owner, Staurt's Petroleum Company, has been notified about the Plan.

STATUS REPORTS

Casmalia Resources, Santa Barbara County [Dan Niles 805/549-3355]

This status report provides the Regional Board a general overview of the history of the Casmalia Site similar to the July 14, 2000 status report. The summary below describes some of the more important regulatory history of the site and also provides a detailed description of the current layout of the site. A series of figures is included to help get a better understanding of the site's evolving configuration. On-site water management issues are also emphasized towards the end of the summary.


The second part of this status report provides the Regional Board with a summary of staff's current regulatory involvement at the site as it relates to key aspects of work performed pursuant to the United States Environmental Protection Agency's (U. S. EPA) and Casmalia Resources Site Steering Committee's (CSC) consent decree.


Historic Summary


The Casmalia Site, known as the Casmalia Resources. Hazardous-Waste. Management Facility, was an active hazardous waste disposal facility from 1973 to 1989. The Casmalia Site is located in northern Santa Barbara County immediately north and east of Vandenberg Air Force Base, and approximately eight miles southwest of Santa Maria (Attachment 2A). The site is 252 acres, all of which are part of current remedial efforts.


The Regional Board and California Department of Toxic Substances Control regulated the facility until U. S. EPA assumed lead authority on-site in 1992. Pre-existing Regional Board Orders remain in place, but have not been implemented or enforced since U. S. EPA became the lead agency.

During active facility operations, liquid and solid wastes disposed at the site included heavy metals,













JUL 1 9 2000y 14, 2000 G-R-#:180226 HEALTH SERVICES

TO:

Mr. David J. Camille

Tosco Marketing Company

2000 Crow Canyon Place, Suite 400

San Ramon, California

CC:

Mr. Tim Ripp

I.T. Corporation

1921 Ringwood Avenue San Jose, California 95131

FROM:

Deanna L. Harding

Project Coordinator Gettler-Ryan Inc.

6747 Sierra Court, Suite J Dublin, California 94568 RE:

Tosco (76) SS #5876

201 Sea Ridge Road Aptos, California

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	July 10, 2000	Groundwater Monitoring and Sampling Report Second Quarter 2000 - Event of May 8, 2000

COMMENTS:

This report is being sent to you for your review/comment, prior to being distributed on your behalf. If no comments are received by *July 18, 2000*, this report will be distributed to the following:

Enclosure

cc: Ms. Rebecca Supplee, Santa Cruz County Department of Environmental Health, 701 Ocean Street, Room 312, Santa Cruz, CA 95060
Mr. Bob Hurford, RWQCB Central Coast Region, 81 Higuera St., Suite 200, San Luis Obispo, CA 93401-5427

trans/5876.djc



July 10, 2000 G-R Job #180226

Mr. David J. Camille **Tosco Marketing Company** 2000 Crow Canyon Place, Suite 400 San Ramon, California 94583

RE:

Second Quarter 2000 Groundwater Monitoring & Sampling Report

Tosco (76) Service Station #5876

201 Sea Ridge Road Aptos, California

JUL 1 9 2000

Dear Mr. Camille:

This report documents the quarterly groundwater monitoring and sampling event performed by Gettler-Ryan-Inc. (G-R). On May 8, 2000, field personnel monitored and sampled three wells (MW-1 through MW-3) at the above referenced site.

Static groundwater levels were measured and all wells were checked for the presence of separate-phase hydrocarbons. Separate-phase hydrocarbons were not present in the wells. Static water level data and groundwater elevations are summarized in Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells as specified by G-R Standard Operating Procedure - Groundwater Sampling (attached). The field data sheets are also attached. The samples were analyzed by Sequoia Analytical. Analytical results are summarized in Tables 1 and 2. A Concentration Map is included as Figure 2. The chain of custody document and laboratory analytical reports are also attached.

No. 6882

OF CALL

Sincerely,

Project Coordinator

Douglas N Lee

Senior Geologist, R.G. No. 6882

Figure 1:

Potentiometric Map

Figure 2:

Table 1:

Concentration Map

Table 2:

Groundwater Monitoring Data and Analytical Results Groundwater Analytical Results - Oxygenate Results


Attachments:

Standard Operating Procedure - Groundwater Sampling

Field Data Sheets

Chain of Custody Document and Laboratory Analytical Reports

5876.qml






Table 1
Groundwater Monitoring Data and Analytical Results
Tosco (76) Service Station #5876
201 Sea Ridge Road
Aptos, California

MTBE (ppb)	ND ND/5.35 ³ ND/ND ¹	 ND/4.44' ND/ND'	 ND/2.24 ¹ ND/ND ³	8 8
M.	_ 6 g	첫 호	Z	
(ggg)	2 2 2	: <u>Q</u> Q	1.60	8 8
E (bpb)	2 2 2	: Q Q	: 1.0A 6D	9 9
T (qdd)	2 2 2	: Q Q	: 08 3.90	a g
Aptos, California H(G) B pb) (ppb)	5 5 5	: Q Q	ND 1.50	2 2
Aptos, (TPH(G)	8 8 8	: £ £	ND 422	8 8
GWE (mit)	109.08 110.07 110.57			: 1
DTW (A.)	15.00 14.01 13.51	DRY 7.64 11.57	DRY 6.39 11.03	1 1
DATE	09/16/99	09/16/99 02/26/00 05/08/00	09/16/99 02/26/00 05/08/00	02/26/00
WELL ID/	MW-1 124.08	MW-2 120.29	MW-3 124.76	Trip Blank TB-LB

Table 1

Groundwater Monitoring Data and Analytical Results Tosco (76) Service Station #5876

201 Sea Ridge Road Aptos, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analy	Groundwater monitoring data and laboratory analytical results prior to February 26, 2000, were compiled from reports prepared by I.T. Corporation.	om reports prepared by I.T. Corporation.
TOC = Top of Casing elevation	B = Benzene	ppb = Parts per billion
DTW = Depth to Water	T = Toluene	ND = Not Detected
(ft.) = Feet	E = Ethylbenzene	= Not Measured/Not Analyzed
GWE = Groundwater Elevation	X = Xylenes	
ms] = Relative to mean sea level	MTBE = Methyl tertiary butyl ether	

* TOC elevations have been surveyed relative to Mean Sea Level (msl).

TPH(G) = Total Petroleum Hydrocarbons as Gasoline

MTBE by EPA Method 8260.

Laboratory report indicates weathered gasoline C6-C12.

Detection limit raised. Refer to analytical reports.

Table 2

Groundwater Analytical Results - Oxygenate Compounds Tosco (76) Service Station #5876

201 Sea Ridge Road

Aptos, California L. TBA MTBE DIPE ETBE TAME 12-DCA (ppb) (ppb) (ppb) (ppb) (ppb) (ppb) ND 5.35 ND ND ND ND ND ND 4.44 ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND ND	
Aptos, California L. TRA MTBE DIPE ETBE 3 (PPb) (Ppb	
Aptos, California (ppb) (ppb) (ppb) ND 5.35 ND ND ND ND ND A.44 ND ND ND ND ND ND ND ND ND ND ND ND	
Aptos, Calitornia (ppb) (ppb) (ppb) ND 5.35 ND ND ND ND ND ND ND ND ND ND ND ND ND	
TRA (gre) CN CN CN CN CN CN CN CN CN CN CN CN CN	
5	
(Oppe)	
METHANOL ETHANO ND¹ ND ND¹ ND ND ND ND ND ND ND ND ND ND	
02/26/00 05/08/00 05/08/00 05/08/00	
WELL'ID MW-1 MW-2 MW-3	

ÿ
Z
2
Н
≶
3
3
Χİ

TBA = Tertiary Butyl Alcohol MTBE = Methyl Tertiary Butyl Ether DIPE = Di-isopropyl Ether ETBE = Ethyl Tertiary Butyl Ether TAME = Tertiary Amyl Methyl Ether 1,2-DCA = 1,2-Dichloroethane

EPA Method 8260 for Oxygenate Compounds

ANALYTICAL METHOD:

EDB = 1,2-Dibromoethane ppb = Parts per billion ND = Not Detected Sample was received outside of the EPA recommended holding time.

STANDARD OPERATING PROCEDURE -GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, temperature, pH and electrical conductivity are measured. If purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. The measurements are taken a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Tosco Marketing Company, the purge water and decontamination water generated during sampling activities is transported to Tosco - San Francisco Area Refinery, located in Rodeo, California.

hVorms\tosmarket.sop.frm-5/00

WELL MONITORING/SAMPLING FIELD DATA SHEET

Well ID Well Diameter Total Depth 25.22 Depth to Water 13.5 Purge Disposable Bailer Stack Suction Grundfos Other: Starting Time: 5:3 Purging Flow Rate: Did well de-water? Pirce Cgal. Time Volume Pirce Cgal. 2	Well Conding In. Hydrocarbo Thickness: Off. Volume Factor (VF) It. X VF O J 7 = 1.98 ailer Weather	Samples tion: 2" = 0.17 X 3 (case volu Sampling Equipment: er Conditions: Color:	6" = 1.50	Bailed sater):	
Well ID Well ID Well Diameter Total Depth Depth to Water Purge Equipment: Stack Suction Grundfos Other: Starting Time: Sampling Time: Purging Flow Rate: Did well de-water? Time Volume pt S: 19 T: 19 T: 20 Time Volume pt T: 20 Time Volume pt T: 20 Time Time Volume pt Time Time Volume Time Time Time Volume Time Time Volume Time Time Volume Time Time Volume Time Time Time Volume Time Time Time Time Volume Time Well Conding In. Hydrocarbo Thickness: Off. Volume Factor (VF) It. X VF O J 7 = 1.98 ailer Weather	Samples tion: 2" = 0.17 X 3 (case volu Sampling Equipment: er Conditions: Color:	Amount ifesti (product/w 3" = 0 6" = 1.50 Estimated I Oisposable E Bailer Pressure Bai Grab Sample Other:	Bailed (ster): 38 12" = 5.80 Purge Volume: Bailer	° = 0.66	
Well Diameter Total Depth 2 5.22 Depth to Water 13.5	in. Hydrocarbo Thickness: oft. Volume Factor (VF) X VF O J > = 1,98 ailer Weather	2" = 0.17 2" = 0.17 X 3 (case volu Sampling Equipment:	Amount (feet) (product/w 3" = 0 6" = 1.50 Disposable E Baller Pressure Bai Grab Sample Other:	Purge Volume: _	° = 0.66
Total Depth 25.26 Depth to Water 13.51 Purge Equipment: Stack Suction Grundfos Other: Starting Time: Starting Time: Sylvariant Stack Suction Grundfos Other: Starting Time: Sylvariant Sylvariant Sylvariant Starting Time: Sylvariant	Thickness: Volume Factor (VF) At VF O J = 1.98 ailer Weather	2" = 0.17 2" = 0.17 X 3 (case volu Sampling Equipment: er Conditions: Color:	(feet) (product/w 3" = 0.3 6" = 1.50 Disposable E Bailer Pressure Bai Grab Sample Other:	Purge Volume: _	° = 0.66
Purge Disposable B Equipment: Bailer Stack Suction Grundfos Other: Starting Time: S; 3 Purging Flow Rate: / Did well de-water? / Time Volume pt (gal.) S: 19 S:	Yolume Factor (VF) It. X VF 0 17 = 1.98 ailer Weather	2" = 0.17 X 3 (case volu Sampling Equipment: er Conditions: Color:	3" = 0 6" = 1.50 Disposable Entire Bailer Pressure Bailer Grab Sample Other:	12° = 5.80 Purge Volume: _	° = 0.66
Purge Disposable B Equipment: Bailer Stack Suction Grundfos Other: Starting Time: S; 3 Purging Flow Rate: Did well de-water? Time Volume pl (gal.) 7:71 7:71 7:71 7:72 7:73	ft. Factor (VF) X VF O j 7 = 1.98 ailer Weather	X 3 (case volu Sampling Equipment: er Conditions: Color:	Oisposable E Bailer Pressure Bai Grab Sample Other:	12° = 5.80 Purge Volume: _	
Purge Disposable B Bailer Stack Suction Grundfos Other: Starting Time: Sampling Time: Purging Flow Rate: Did well de-water? Time Volume (gal.) 5:19 5:19 7:21 6 Disposable B Bailer Stack Suction Grundfos Other: Starting Time: Signalia Signali	ailer (Sampling Equipment: er Conditions: Color:	Qisposable E Bailer Pressure Bai Grab Sample Other:	Bailer,	
Equipment: Bailer Stack Suction Grundfos Other: Starting Time: Sampling Time: Purging Flow Rate: Did well de-water? Time Volume (gal.) 7:74	Weathe	Equipment: er Conditions: Color:	Bailer Pressure Bai Grab Sample Other:	ler	
Other: Starting Time: Sampling Time: Signature: Si		Color:	dea		
Sampling Time: 5;3 Purging Flow Rate: / Did well de-water? / Time Volume pi S:13 2 3:13 S:13 2 3:13 S:13 3:13 S:14 3:13 S:15 3:13 S:17		Color:			
Sampling Time: S; 3 Purging Flow Rate: / Did well de-water? Plant Polyme plant S; 13 S; 1	○ Water 6		clea	Odor: <u>حت</u>	
Did well de-water? PO Time Volume pl S: 12 2 2 S: 13 4 2 S' 24 4 2 S' 24 6 2		Btt			<u> </u>
Time Volume ph 5:17 2 7. 5:19 4 7. 5'24 6 7.		-	n:		
5:17 (gal.) 5:19 + 7 5'24 6 3	If yes;	Time:	Volui	ne:	(gal.
SAMPLE ID (#) - CONTAINE	Conductivity 80 4 3 9 1	70.3 69.7	(mg/L)	ORP (mV)	Alkalinity (ppm)
SAMPLE ID (#) - CONTAINES	64 3,92	69.4			
SAMPLE ID (#) - CONTAINE					
SAMPLE ID (#) - CONTAINE					
	LABORATORY REFRIG. PRESER	INFORMATION RV. TYPE 🍰 👢	N LABORATORY	ANALY	SES [*]
MW-1 3. VOA	YHE	SEO	NOUA	TPH(G)/btex/mt	
1, 2x voA	~ ~		٠ر	8260(6)	0847
					2072
COMMENTS:					

WELL MONITORING/SAMPLING FIELD DATA SHEET

	sco <u>76 SS #</u>	594	5	Job#:	180	224	
	201 Sea				5/8/00		
City:	APTOS	cA		•	Vartke		
Well ID	mw-	2 w	eli Condition:	ව	h		
Well Diameter	<u> </u>	<u>in.</u> Hy	drocarbon	<i>1</i> D:	Amount Bai	iled a	
otal Depth	25.15		ckness:		(product/wate	n: <u>P</u>	(Gallo
epth to Water	11.5	1	olume actor (VF)	2" = 0.17 6" = 1	3" = 0.38 1.50	12" = 5.80	4" = 0.66
·	13.58	x vf <u>0.17</u>	- <u>2.30</u> x3	(case volume) =	Estimated Purg	e Volume:	7.0 (at
Purge quipment:	Disposable Ba Bailer Stack Suction Grundtos Other:		Sampl	ing ment: Di Ba Pro Gra	sposable Baile iler essure Bailer ab Sample her:	dr	
ampling Time: orging Flow Rat	<u>4:44</u> <u>5:00</u>	gom.	Water Color: Sediment Des	cliscription:	dia 0	dor: <u>+</u> 2	
a well de-wate	r? <u>xo</u>		If yes; Time	:	Volume:	`.	los
4:46	olume pH (gal.) 7-7 7.5 7	-1 4mh	08/cmx/20 21 -3 -6	emperature oF D. 1 9. 4 9. 2	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
SAMPLE ID	(#) - CONTAINER	LABORA REFRIG.	TORY INFORI	MATION AND LABORA	TORY	ANALYS	SES' "
MW-2	3 x VOA	Υ	Hee	SEQUOIA		(G)/btex/mt	
//	Zx VOA	<u>u</u>	~		82	60(6)	CAXQ
MMENTS:							

WELL MONITORING/SAMPLING FIELD DATA SHEET

	76 SS #			Job#: _ Date: _	5/8	0221	<u> </u>
	APTOS			Sampler: _			
Well ID	_mw-	3	Well Condition	on:	<u>. </u>		
Well Diameter	2"		Hydrocarbon	<i>/</i> 1 ?	Amount		A
Total Depth	24.85	_#	Thickness: _	2" = 0.17	(product/w		(Gallo 4" = 0.66
Pepth to Water	<u>i1.03</u>	_t.	Factor (VF)	6° =-	1.50	12" = 5.80	4 = 0.00
·	13.82	X VF 2.	12-2.54	X 3 (case volume)	= Estimated P	urge Volume:	7.5
Purge quipment:	Disposable Baller Stack Suction Grundfos Other:		Sa	impling julpment: D B Pi G	isposable B aller ressure Baile rab Sample ther:	<u>ailer</u> er	
	+:3 te:i er?n	gom.	Sediment	lor: <u>Loo</u> Description: ime:		·	
	/olume pH (gal.) 1.6	Co	nductivity mhos/cm XI & 1.11 1.03	Temperature	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
SAMPLE ID	(#) - CONTAINER	LABOI REFRIG.		ORMATION TYPE A LABOR	ATORY	ANALY	'SES'
mw-3	3 - VOA	Y	Hee	SEQUOIA		PH(G)/btex/m	
	2× voa					8160(6)	٥٢٤٦
		<u> </u>	<u></u>				



KAPREALIAN ENGINEERING, INC.

Consulting Engineers
P. O. BOX 913
BENICIA, CA 94510
(415) 676 - 9100 (707) 746 - 6915

KEI-P88-0712A-1 December 1, 1988

TE. 12/36/88

Unocal Corporation 2175 N. California Blvd., Suite 650 Walnut Creek, CA 94569

Attention: Mr. Tim Ross

RE: Preliminary Subsurface Investigation at

Unocal Service Station #5876

201 Sea Ridge Road Aptos, California

Dear Mr. Ross:

This report presents the results of our subsurface investigation for the referenced site in accordance with our proposal dated August 19, 1988. The purpose of the investigation was to assess the quality of the subsurface soil and ground water (if encountered) at the site. The work performed consisted of the following:

- 1. Coordination with regulatory agencies.
- Drilling two exploratory borings.
- 3. Soil sampling.
- 4. Laboratory analyses.
- 5. Data analyses, interpretation and report preparation.

BACKGROUND

The subject site is presently used as a gasoline station. The site vicinity and site details are shown on the attached sketches. In late July and early August, 1988, two 10,000 gallon underground gasoline tanks and one 280 gallon waste oil tank were removed from the site. Soil samples collected from beneath the tanks were analyzed by Sequoia Analytical Laboratory of Redwood City, California. Samples from beneath the fuel tanks had total petroleum hydrocarbons (TPH) as gasoline levels ranging from 1.1 to 67 ppm. The first sample from the waste oil pit at a depth of nine feet had 100 ppm TPH as diesel and 2100 ppm TOG. Because of the high level of contamination found beneath the waste oil tank,

KEI-P88-0712A-1 December 1, 1988 Page 2

KEI returned to the site on August 10, 1988 and excavated soil from beneath the waste oil tank to a depth of 17 feet. The soil sample collected from a depth of 17 feet showed non-detectable TPH as diesel, TOG and 8010 constituents. Maximum BTX&E was 0.056 ppm. Based on the levels of contamination found in the soil from beneath the waste oil tank, KEI recommended installation of three monitoring wells. The wells were to determine depth to water, subsurface geology, and to begin to determine the degree of contamination in soil (and ground water if encountered).

FIELD ACTIVITIES

On October 21, 1988, two 8" diameter borings (designated as EB2 and EB3 on the attached Site Plan) were drilled at the site (boring EB1 was not drilled because ground water was not encountered). The subsurface materials penetrated and the depths at which soil samples were collected are shown in the attached Boring Logs.

The borings were drilled to a total depth of 50 feet. Ground water was not encountered so monitoring wells were not installed. Soil samples were collected every five feet beginning at a depth of five feet in each of the borings. The undisturbed soil samples were taken by driving a California-modified split-spoon sampler ahead of the drilling augers. The clean, 2" by 4" brass tubes holding the samples were sealed with aluminum foil, plastic caps and tape, and stored in a cooled ice chest for delivery to a state certified laboratory. After the samples were collected, the borings were backfilled to the surface with a neat cement-sand slurry.

ANALYTICAL RESULTS

All samples were analyzed at Sequoia Analytical Laboratory, Redwood City, California, and were accompanied by properly executed chain of custody forms. The soil samples from EB3 were analyzed for total petroleum hydrocarbon (TPH) as gasoline using EPA method 5030 or 3810 in conjunction with modified 8015 and benzene, toluene, xylenes and ethylbenzene (BTX&E) using EPA methods 5030 and 8020. The soil samples from EB2, adjacent to the waste oil tank, were analyzed for TPH as diesel by EPA method 3550 in conjunction with modified 8015 and total oil and grease (TOG) by method 418.1. The soil samples from EB2 were also analyzed for EPA 8010/8020 Volatile Organic Compounds. The results of the soil analyses are summarized in Table 1. Copies of the laboratory analyses and Chain of Custody forms are attached to this report.

KEI-P88-0712A-1 December 1, 1988 Page 3

The analytical results of the soil samples from EB2 and EB3 showed non-detectable levels of all constituents except sample EB2 at 40', which had 1 ppm of TPH as diesel.

HYDROLOGY AND GEOLOGY

The subsurface formations at the site consist of silty sand, silty clay and sand (see Boring Logs).

DISCUSSION AND RECOMMENDATIONS

Based on the analytical results of the soil samples from EB2 and EB3 reflecting acceptable limits of hydrocarbons pursuant to the RWQCB guidelines, visual inspection and no apparent evidence of ground water, KEI recommends no additional work at this time, unless required by the regulatory agencies.

LIMITATIONS

Soil deposits and rock formations may vary in thickness, lithology, saturation, strength and other properties across any site. In addition, environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants. Our studies assume that the field and laboratory data are reasonably representative of the site as a whole, and assume that subsurface conditions are reasonably conducive to interpolation and extrapolation.

The results of this study are based on the data obtained from the field and laboratory investigations. We have analyzed this data using what we believe to be currently applicable engineering techniques and principles in the Northern California region. We make no warranty, either expressed or implied, except that our services have been performed in accordance with generally accepted professional principles and practices existing for such work.

KEI-P88-0712A-1 December 1, 1988 Page 4

Should you have any questions regarding this report, please feel free to call me at (707) 746-6915.

Sincerely,

Kaprealian Engineering, Inc.

Jean Semansky

Hang & Johnson

Jean Semansky Geologist

Gary S. Johnson Registered Geologist

License #4315 Exp. Date 6/30/90

Mardo Kaprealian

Malo KANO

President

Attachments: Table 1

Location Map Site Plan Boring Logs

Laboratory Results Chain of Custody forms KEI-P88-0712A-1 December 1, 1988

TABLE 1
SUMMARY OF LABORATORY ANALYSES
SOIL

(Results in ppm)
(Collected on October 21, 1988)


Sample						•
Number	<u>TPH-D</u>	TPH-G	Benzene	<u>Toluene</u>	Xylenes	<u>Ethylbenzene</u>
EB2(5)*	ND		ND	ND	ND	ND
EB2(10)*	ND	~	ND	ND	ND	ND
EB2(15)	ND		ND	ND	ND	ND
EB2 (20)	ND	~~~	ND	ND	ND	ND
EB2 (30)	ИD	~~~	ND	ND	ND	ND
EB2 (40)	1.0		ND	ND	ND	ND
EB2 (50)	ND	*** *** *** ***	ND	ND	ND	ND
, ,					•	
EB3 (5)		ND	ND	ND	ND	ND
EB3 (10)		ND	ND	ND	ND	ND
EB3 (15)		ND	ND	ND	ND	ND
EB3 (20)		ND	ND	ND	ND	ND
EB3 (30)		ND	ND	ND	ND	ND
EB3 (40)		ND	ND	ND	ND	ND
EB3 (50)		ND	ND	ND	ND	ND
Detection						
Limit	1.0	1.0	0.05	0.1	0.1	0.1

^{* 8010} compounds from EB2 were all non-detectable. TOG from EB2 was non-detectable.



KAPREALIAN ENGINEERING, INC.

Consulting Engineers
P. O. BOX 913
BENICIA, CA 94510
[415] 676 - 9100 (707) 746 - 6915




LOCATION MAP



KAPREALIAN ENGINEERING, INC.

Consulting Engineers
P. O. BOX 913
BENICIA, CA 94510
(415) 876 - 9100 (707) 746 - 6915



Exploratory Boring

Unocal Service Station #5876 201 Sea Ridge Road Aptos, California

			BOF	ING LO	G .
Projec KEI-P88	t No. 3-0712A-	·1	Boring 8 in.	& Casing Diameter	Logged By: J. Yang
Project Unocal	t Name			ead Elevation	Date Drilled 10/21/88
Boring EB-2	No.		Drilli Method	ng Hollow stem	Depth to Ground Water Not encountered
Penetra- tion blows/ft	G. W.	Depth (ft) Samples	Strati- graphy USCS	Desc	eription
			SM SM	ASPHALT SILTY SAND: dark	brown
29		5			
12		10			·
				,	
9		15			
8 .		20	CL/ CH	SILTY CLAY: light plasticity	brown, medium to high
14	Ē				
	E	25	SM	SILTY SAND: brown	
13	Ė	30			
46	E	, <u>1</u>	SP	SAND: brown, well	
40	E	35		SAND: brown, well	ROLLEQ
41	<u></u>	40.4			

				BOR	ING	LOG	
Project KEI-P88	No. -0712A-	-1		Boring & Casing Diameter			Logged By:
Project Unocal		· · · · · · · · · · · · · · · · · · ·		Well He	ad Elevat	ion	Date Drilled 10-21-88
Boring EB-2	No.			Drillin Method	g	-	Depth to Ground Water
Penetra- tion blows/ft	10. W.	Depth (f Samples	t) S U	trati- graphy SCS		Desc	ription
61		- 40 - - - - 45	S	SP .	SAND: &	as above	
87		- 50 - - - - - - 55				TOTAL DEPTH	50 FEET
		- 60 -					
		65 - - - 70 <u>-</u>					
		75 - - - - 80	1			· ·	

Page 2 of 2

Project No. Sel-788-0712A-1 Project Name Unocal \$5876 Boring & Casing Diometer 8 in. Well Head Elevation Date Drilled 10-21-88 Depth to Ground Water Not encountered Not encountered Strati- tion Dlows/ftp level Samples SM SILTY SAND: brown 11 12 15 17 20 SM SAND: brown, well sorted 44 35 SAND: brown, well sorted							
Froject Name Unocal #5876 Boring No. EB-3 Penetra- Iton Co. W. Depth (ft) Samples Depth (ft) Samples SM SILTY SAND: brown 11 12 17 20 SP SAND: brown, well sorted 30 SAND: brown, well sorted				BOR	ING	LOG	
Project Name Unocal #5876 Boring No. Berling No. Berl	Project	No.	•			icter	_
Unocal #5876 Boring No. EB-3 Prilling Method Rollow stem Depth to Ground Water Not encountered Penetraction level Samples O SM STATITUTE SAND: brown 18 5 SM STATITUTE SAND: brown 17 20 SM SAND: brown, well sorted 44 35 SP SAND: brown, well sorted			<u>~1</u>				J. Yang
Boring No. EB-3 Penetral G. W. Depth (ft) stratition blows/ft level Samples 0 SM SAPHALT SM SILTY SAND: brown 18 10 10 20 30 SP SAND: brown, well sorted	_			Well He	ad Elevation		
Penetra- tion level Samples 0							
Penetration Stratigraphy Description D		NO.		Drillin Method			
tion blows/fr level Samples USCS Samples S					Hollow stem		Not encountered
18 5 SM SILTY SAND: brown 10 SM SILTY SAND: brown 11 10 SF SAND: brown, well sorted 44 35 SF SAND: brown, well sorted	tion	G. W.	Depth (ft) Samples	graphy		Descr	iption
18 5 1 1 1 10 2 1 17 25 2 1			0		ASPHALT		
11			<u> </u>	300000000		brown	÷
11 10 10 17 17 20 17 17 25 18 SAND: brown, well sorted						-10411	
11 10 10 17 17 20 17 17 25 18 SAND: brown, well sorted	18		- , ,=				
21							
21	i	- 1	- 4		-		
21		Ì					
21	11 .						
17 20 - 17 25 17 17 25 18 SAND: brown, well sorted	ŀ	ŀ	- " 🖣				•
17 20 - 17 25 17 17 25 18 SAND: brown, well sorted	Í	ŧ					
17 20 - 17 25 17 17 25 18 SAND: brown, well sorted							
17	21	-	· 15 🖼		•		
17	1	t	1				
17			.]			•	
17	17	- 1	·				•
SP SAND: brown, well sorted		L	20			•	
SP SAND: brown, well sorted		F	.]				
17 SP SAND: brown, well sorted 44 35		 	-				
SP SAND: brown, well sorted	17	t	25 日				
44 35	1	F	-				
44 35		ŀ	4				·
44 35	1		1				
30	17	+	30	SP	SAND: brown,	well s	orted
30	1	t	3			* #*	
30		L	7				,
	44	F	, _,			-	1
30 40		L	"				j
30 40	į	-	4		•		l
30 40 - 40	20	t					i
	30		40 <u></u>				

			BOR	ING LO	G .
Project KEI-p88	No. -0712A-	-1	Boring 8 in	& Casing Diameter	Logged By:
Project Unocal			Well He	ead Elevation	Date Drilled
Boring : EB-3	No.		Drillin Method	ng	Depth to Ground Water
enetra- tion Lows/ft	G. W.	Depth (ft) Samples 40	Strati- graphy USCS	Desc	ription
38 75		40	SP	SAND: as above	
		55 		TOTAL DEPTH 5	O FEET

·	K	y To Bo	ring	Logs
P	PRIMARY DIVISIO		GROUP SYMBO	SECOND
=	GRAVELS .	CLEAN GRAVELS	GW	Well graded gravels, gravel-sand mixtures, little or no fines
COARSE GRAINED SOILS HE THAN HALF OF MATERIAL IS LARGER THAN NO. 200 SIEVE SIZE	MORE THAN HALF OF COARSE	CLESS THAN 5% FINES)	GP	Poorly graded gravels or gravel-sand mixtures, little or no fines.
	FRACTION IS LARGER THAN	GRAVEL WITH	GM	Sitty gravels, gravel-sand-sit mistures, non-plastic lines
	NO. 4 SIEVE	FINES	GC	Clayey gravels, gravel-sand-clay mixtures, plastic fines.
	SANDS	CLEAN SANDS	sw	Well graded sands, gravelly sands, fittle or no fines.
	MORE THAN HALF OF COARSE	(LESS THAN 5% FINES)	SP	Poorly graded sands or gravelly sands, little or no fines.
8 8 2	FRACTION IS SMALLER THAN	\$ANDS WITH	SM	Silty sands, sand-silt mixtures, non-plastic fines.
2	NO. 4 SIEVE		sc	Clayey sands, sand-clay mixtures, plastic fines,
ILEA SIZE	SILTS AND	CLAYS	ML	Inorganic sitts and very fine sands rock flour, sitty or clayey fine sands or clayey sitts with slight plasticity.
D SOILS HALF OF SMALLER SIEVE SIZ	LIQUID LIMIT IS		Cf	Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, tean clays.
NED N E IS SI	LESS THAN	LESS THAN 50%		Organic sitts and organic sitty clays of low plasticity.
GRAINED THAN HU RIAL IS SI VO. 200 SI	SILTS AND CLAYS		MH	thorganic silts, micaceous or distomaceous fine sandy or silty soils, elastic silts.
FINE (MONE MAYEN THAN N			CH	Inorganic clays of high plasticity, fat clays.
E < 5 }	GREATER THA	N 50%	ОН	Organic clays of medium to high plasticity, organic sitts.
HI	GHLY ORGANIC SOILS		Pt	Peat and other highly organic soils.

DEFINITION OF TERMS

20		STANDARD SERIES	SIEVE 10	CL(EAR SQUAR		NINGS
SILTS AND CLAYS		SAND			AVEL	<u> </u>	Î
	FINE	MEDIUM	COARSE	FINE	COARSE	COBBLES	BOULDER

GRAIN SIZES

SANDS AND GRAVELS	BLOWS/FOOT
VERY LOOSE LOOSE MEDIUM DENSE DENSE VERY DENSE	0 - 4 4 - 10 10 - 30 30 - 50 Over 50

SILTS AND CLAYS	STRENGTH	BLOWS/FOOT
VERY SOFT SOFT FIRM STIFF VERY STIFF HARD	0 - 1/4 1/4 - 1/2 1/2 - 1 1 - 2 2 - 4 OVER 4	0 - 2 2 - 4 4 - 8 8 - 16 16 - 32 OVER 32

RELATIVE DENSITY

CONSISTENCY

Number of Blows of 140 pound hammer falling 30 inches to drive a 2 inch 0.0. CI-3/8 inch 1.0.1 aplit spoon UNIFIED SOIL CLASSIFICATION SYSTEM

Soil sample, not retained Soil sample, retained for analysis

Soil sample, not recovered

Soil Color derived from the MUNSELL Soil Color Charts